



# FileCloud Online Version 23.252

## FileCloud Client Applications and Add-ins

## Copyright Notice

©2025 CodeLathe Technologies, Inc. dba FileCloud

All rights reserved.

No reproduction without written permission.

While all reasonable care has been taken in the preparation of this document, no liability is accepted by the authors, FileCloud, for any errors, omissions or misstatements it may contain, or for any loss or damage, howsoever occasioned, to any person relying on any statement or omission in this document.

FileCloud

Phone: U.S: +1 (888) 571-6480

Fax: +1 (866) 824-9584

Email: [support@filecloud.com](mailto:support@filecloud.com)



# Table of Contents

<b>Comparison of FileCloud Sync and Drive .....</b>	<b>10</b>
When should I use FileCloud Sync and when should I use FileCloud Drive? .....	10
<b>Using FileCloud for Office .....</b>	<b>13</b>
<b>FileCloud Sync .....</b>	<b>16</b>
Install and Log In to FileCloud Sync .....	16
Install Sync on Mac OSX .....	17
Install Sync on Windows .....	17
Start and Log In to Sync .....	22
Exiting or Resetting Sync.....	32
Checking for Updates to Sync.....	34
<b>Opening and Using Sync Dashboards .....</b>	<b>35</b>
Working in the Mini-Dashboard .....	36
Working in the Main Dashboard.....	39
<b>Sync Settings .....</b>	<b>47</b>
Limit Sync To a Schedule .....	51
Limit upload and download rate .....	56
<b>Synchronizing Files .....</b>	<b>59</b>
Automatic Syncing .....	59
Manual Syncing .....	59
After syncing: .....	65
Managing Sync Conflicts .....	65
Reviewing Skipped Files.....	73
Checking Sync Status .....	76
<b>Cloud Storage: Selective Folder Sync .....</b>	<b>78</b>
Limiting what gets Synced .....	78
Selective Sync Behavior when Centralized Configuration is set.....	82
<b>Advanced Offline Sync mode.....</b>	<b>82</b>
<b>Backing Up Files .....</b>	<b>85</b>
Selecting Files to Backup .....	86
Configure the Backup Schedule .....	89
Viewing and Restoring Backups .....	91
Globally Backing Up User Files and Folders.....	92

Managing Files in File Explorer .....	97
In this section:.....	97
Browse My Sync Files .....	97
Sharing Files in Sync.....	99
Lock and Unlock Files in Sync.....	108
Lock and Unlock Folders in Sync .....	110
Create a Direct FileCloud Link in Sync.....	112
Performing file explorer actions on Sync files .....	114
Delete Files and Folders in Sync .....	114
Download a File in Sync .....	116
Upload a File in Sync .....	117
Resolve conflicts in Sync .....	120
View a file or folder's details in Sync .....	121
Work with Metadata in Sync .....	123
Sync Icon Overlays .....	125
Move a File Outside Sync into FileCloud .....	126
Mac OSX Finder Right-Click Extension.....	127
Searching in Sync .....	128
How do I access the search window? .....	129
Basic and Advanced Search .....	130
Accessing items after searching .....	131
Changing the Sync search path .....	134
Content Search in Sync .....	135
Metadata Search in Sync.....	138
Refreshing Sync .....	145
View or Clear Log Messages in Sync .....	148
Updating a Changed Password in Sync .....	149
Using DocIQ with Office for Sync Users.....	150
Install DocIQ with Sync .....	151
Configure DocIQ for Sync .....	153
Work with DocIQ File Locking in Sync .....	154
Troubleshoot DocIQ in Sync .....	158
Using FileCloud for Office with Sync .....	160
Before using FileCloud for Office with Sync .....	160
Working with FileCloud for Office in Sync .....	161
For previous users of DocIQ .....	181

Sync Troubleshooting Guide .....	183
Files that don't sync .....	184
Change Sync Folder Location .....	185
Sync Logs .....	186
Sync Engine Types.....	188
View Sync Error Details .....	189
Sync Errors: Causes and Resolutions .....	189
<b>FileCloud Drive .....</b>	<b>195</b>
What is FileCloud Drive? .....	195
Understanding FileCloud Drive .....	197
Installing FileCloud Drive.....	200
Checking for Drive Updates .....	204
Start and Log In to Drive .....	205
Starting Drive .....	206
Related topics .....	213
Log In Using Single sign-on (SSO).....	213
Using Code Based Authentication for Drive .....	214
FileCloud Drive Two-Factor Authentication.....	217
Proxy server for FileCloud Drive .....	218
FileCloud Drive System Tray Options.....	218
Exit or Log Out of Drive .....	219
Settings.....	220
Automatic Locking in FileCloud Drive .....	225
Automatic locking of Adobe and Quickbooks files .....	225
Working in FileCloud Drive .....	225
Searching in Drive.....	226
Viewing FileCloud Drive Activity .....	232
Sharing Files in Drive .....	236
Using DocIQ with Microsoft Applications.....	252
Using FileCloud for Office with Drive.....	261
Viewing Your File Permissions .....	285
Viewing and Modifying Metadata .....	287
Viewing and Downloading File Versions in Drive .....	289
Checking Drive Status .....	290
Using FileCloud Drive in a Remote Desktop Service Environment.....	291

FileCloud Drive Remote Desktop Service Access.....	292
Accessing FileCloud Drive via Remote Desktop Web Access.....	295
Accessing FileCloud Drive via Remote Desktop .....	296
<b>Troubleshooting Drive .....</b>	<b>297</b>
FAQ - FileCloud Drive.....	297
Drive File Issues .....	298
Issues with Uploading a File to Drive.....	299
Recover Files After Interrupted Drive Uploads.....	301
Cannot Lock XSL Files in Drive .....	303
Blank Error Messages in FileCloud Drive .....	303
Windows Can't Access This Disk in Drive.....	304
How to uninstall FileCloud Drive.....	305
<b>FileCloud Drive for Mac .....</b>	<b>306</b>
About FileCloud Drive for Mac .....	306
Viewing FileCloud Drive for Mac Activity .....	307
FileCloud Drive for Mac Menu Options.....	308
How Can I Increase File Size Limits for FileCloud Drive for Mac?.....	310
How to Fix Problems Uploading Large Files .....	311
Enable Right-Click Support in Drive for Mac .....	312
Viewing a Crash Report for Drive for Mac .....	313
FileCloud Drive: Configuration for Big Sur 11.3 or later versions Running on Apple Silicon.....	315
How to uninstall FileCloud Drive for Mac .....	318
Enabling Thumbnail Previews in Drive for Mac .....	319
<b>FileCloud for Outlook Add-In .....</b>	<b>321</b>
Logging in to the Outlook add-in .....	321
Attaching a file from FileCloud to an Outlook email .....	322
Attaching a large file to an email.....	328
Uploading an Outlook attachment to FileCloud .....	330
Automating attachment upload.....	332
To set up a default upload folder: .....	333
Troubleshooting.....	338
<b>Integration With Office .....</b>	<b>339</b>
Configure Sync for Edit in Desktop.....	339

Note for Administrators: .....	341
<b>FileCloud File Browser .....</b>	<b>343</b>
Install and open File Browser .....	343
Running File Browser .....	343
System tray icon .....	344
Perform File Actions in File Browser .....	345
Search for a File or Folder in File Browser .....	352
Share a File or Folder in File Browser .....	354
<b>FileCloud WebDAV Access .....</b>	<b>357</b>
FileCloud WebDAV Access .....	357
WebDAV Client Compatibility .....	358
<b>Save to FileCloud Chrome Browser Extension.....</b>	<b>360</b>
<b>FileCloud for Gmail Browser Extension.....</b>	<b>365</b>
<b>FileCloud Desktop for Windows.....</b>	<b>367</b>
Installing or Upgrading FileCloud Desktop for Windows .....	369
Opening and Logging in to FileCloud Desktop in Windows .....	372
Push service is down .....	379
Using the Dashboard in FileCloud Desktop for Windows.....	380
FileCloud Desktop for Windows Settings .....	390
Make Files and Folders Available Offline in FileCloud Desktop for Windows .....	391
Remove Files and Folders from Offline Folders for FileCloud Desktop for Windows .....	397
Working with Offline Files from FileCloud Desktop for Windows .....	402
Working with Online Files in FileCloud Desktop for Windows .....	405
Sharing Files and Folders in FileCloud Desktop for Windows.....	407
How FileCloud Desktop for Windows handles change conflicts .....	409
Using FileCloud for Office with FileCloud Desktop for Windows .....	409
Before using FileCloud for Office with FileCloud Desktop for Windows.....	409
Working with FileCloud for Office in FileCloud Desktop for Windows.....	411
Sending Feedback from FileCloud Desktop for Windows .....	431
<b>FileCloud Desktop for macOS .....</b>	<b>437</b>
Installing and Upgrading FileCloud Desktop for macOS.....	438
Opening and Logging in to FileCloud Desktop in macOS .....	442

Working from the FileCloud Desktop for macOS Menu Bar Icon .....	452
Sync indicator .....	453
Using the Dashboard in FileCloud Desktop for macOS .....	453
FileCloud Desktop Settings .....	462
Make Files and Folders Available Offline .....	464
Remove Files from Offline Folders .....	469
Working with Offline Files from FileCloud Desktop for macOS .....	474
Working with Online Files in FileCloud Desktop for macOS .....	477
Sharing Files and Folders in FileCloud Desktop for macOS .....	479
How FileCloud Desktop for macOS handles change conflicts .....	482
Mass Deployment Configuration for FileCloud Desktop for macOS .....	483
Example: .....	485
Using FileCloud for Office with FileCloud Desktop for macOS .....	486
Before using FileCloud for Office with FileCloud Desktop for macOS .....	486
Working with FileCloud for Office in FileCloud Desktop for macOS .....	488
Troubleshooting FileCloud Desktop for macOS .....	509
Sending Feedback from FileCloud Desktop for macOS .....	510
<b>Comparison of the Effect of Share Permissions in Different Clients.....</b>	<b>516</b>
<b>Managing FileCloud Client Apps with MDM Software.....</b>	<b>532</b>

This section includes the following help topics:

- [Comparison of FileCloud Sync and Drive](#)
- [Using FileCloud for Office](#)
- [FileCloud Sync](#)
- [FileCloud Drive](#)
- [FileCloud Drive for Mac](#)
- [FileCloud for Outlook Add-In](#)
- [Integration With Office](#)
- [FileCloud File Browser](#)
- [FileCloud WebDAV Access](#)
- [Save to FileCloud Chrome Browser Extension](#)
- [FileCloud for Gmail Browser Extension](#)
- [FileCloud Desktop for Windows](#)
- [FileCloud Desktop for macOS](#)
- [Comparison of the Effect of Share Permissions in Different Clients](#)
- [Managing FileCloud Client Apps with MDM Software](#)

## Comparison of FileCloud Sync and Drive

You can use the following FileCloud tools to access and manage your files stored and shared in the cloud:

- FileCloud Sync
- FileCloud Drive

### When should I use FileCloud Sync and when should I use FileCloud Drive?

Deciding on which tool to use depends on how you want to access and manage your files. It can also depend on some of the following factors:

- Company policy
- Internet connectivity
- Security policies

Use the information in Table 1 to understand the difference in the tools and choose which is the best one for you. You can also decide to use them both!

**Table 1. FileCloud Sync vs. Drive**


USE CASES	
FileCloud Sync	FileCloud Drive
Offline copy is needed for reasons such as traveling & intermittent network access.	Offline copy is not needed or not allowed per company policy
Team collaboration	View FileCloud server files as a drive. User doesn't want files to be downloaded for local copy. File downloaded only in edit.
Recommended when lots of files needs to be moved to the FileCloud Server. The process is a lot more efficient than uploads.	Doesn't consume permanent storage. Ideal for newer laptops with SSDs where hard disk capacity is limited
Recommended If you are working with files that are 1 GB or larger, because they are stored directly in File Explorer.	Recommended for working with small to medium sized files  When you try to open a large file in an application via FileCloud Drive, it is not instantaneously available like smaller files. Depending on your network connectivity, this could take longer than several seconds.
Locally view FileCloud files & have a selective and/or all files/folder from FileCloud as copy on Desktop	Scenario where you need access to TBs of files and don't want every file to be synced.




Better in editing large files such as AutoCAD	Easier on bandwidth usage - all files doesn't need to be downloaded and uploaded. Use to upload, edit, or download a small number of files or small documents.
Better when working on files directly from your HDD	
Better when editing linked documents such as graphic files that link to multiple other files.	
Ideal Dropbox replacement - great offline edits.	
CHALLENGES	
FileCloud Sync	FileCloud Drive
Requires storage space on the HDD to store offline files	Requires active and stable internet connection
<p>Are files downloaded to desktop?</p> <ul style="list-style-type: none"> <li>• Yes, synchronized with FileCloud Server periodically</li> </ul>	<p>Are files downloaded to desktop?</p> <ul style="list-style-type: none"> <li>• Files are downloaded only on edit</li> <li>• Upon save, file is synchronized back to FileCloud server</li> </ul>
<p>How does locking work?</p> <ul style="list-style-type: none"> <li>• No deliberate locking can be issued in FileCloud Sync client.</li> <li>• As files are proactively synced between FileCloud Server &amp; Sync Client - Conflicts &amp; updates are notified on Sync.</li> </ul>	<p>How does locking work?</p> <ul style="list-style-type: none"> <li>• Automatically lock on edit in FileCloud Drive.</li> <li>• If lock is not possible, edit will be prevented and server copy will not be changed</li> </ul>
OTHER FEATURES	
FileCloud Sync	FileCloud Drive
Selective Sync - Not all files under FileCloud is copied to Desktop	Map FileCloud folders as a Drive
Actively Bi-directional	Set limit on file size at Drive level

FileBrowser app to edit and browse all documents via a explorer like interface	
--	--

## Using FileCloud for Office

 FileCloud for Office is an MS Office add-in for Word, Excel, and PowerPoint files which can be used in both Windows and macOS with FileCloud Sync, FileCloud Drive, and FileCloud Desktop. It is available in FileCloud beginning with version 23.1.  
Prior to version 23.1, DocIQ was available for similar operations. DocIQ is still available in Sync and Drive for previous users, but it is entering the end-of-life process and will no longer be available for download as of October 1, 2024. Support will no longer be available as of December 31, 2024. For more information, see <https://www.filecloud.com/end-of-life-policy/>.



## How do I install FileCloud for Office?


### Before installing:

Contact FileCloud Support and request that your cookie same-site value be set to **None**.


### To add FileCloud for Office to the Office files that you access through the client app:

Perform the following procedure once each for a Word, an Excel, and a PowerPoint file in the client.

1. Open the Office file from the client application.
2. Click **File > Get Add-ins**.
3. In the **Office Add-ins** search box, enter **FileCloud for Office** and click Enter.  
FileCloud for Office is returned.



4. Click **Add** to add FileCloud for Office to the Office file.
5. Click **Home** in the menu bar, and on the right click **FileCloud (FFO Commands)**.  
A panel showing FileCloud for Office opens on the right.



6. Repeat this for the other two types of Office files.

FileCloud for Office is now attached to all Office files in your client folder. Just click **FileCloud (FFO Commands)** in the toolbar to view it.

**What applications does FileCloud for Office works with?**

- Word
- Excel
- PowerPoint

**What does FileCloud for Office do?**

FileCloud for Office works with Office documents to enable you to:

- automatically lock and unlock files when they are opened and closed
- share files
- access different versions of files

For more information, click the link to the individual client section for FileCloud for Office:

[Using FileCloud for Office with Sync](#)

[Using FileCloud for Office with Drive](#)

[Using FileCloud for Office with FileCloud Desktop for macOS](#)

# FileCloud Sync



## Sync Requirements:

- Synchronized files must be on a physically attached disk to the machine running Sync
- You cannot synchronize files located by a UNC or Network path

You can use FileCloud Sync to keep local copies of your FileCloud folders and files. You access the local copies through Windows Explorer or Mac OSX Finder on your desktop. These files and folders are periodically synchronized with their online copies. In other words, if you have made changes to a local copy of a file, the changes are replicated to the file on your server. If you make changes to a file on your server, the changes are replicated to your local copy of the file. (You also have the option of only copying changes to files made in one of these locations to the other.)

- FileCloud Sync is a client application. This is because it allows you to access the FileCloud Server and the files you store there.
- You can access files in Sync like you do in Windows Explorer or Mac OSX Finder.
- The same features that are available on the User Portal are also available in Sync.
- Sync allows you to easily open the User Portal if you need to.
- You can configure Network Folders as well as My Files to be automatically synchronized to your client.
- You can back up Sync files for safekeeping
- Sync includes an assistant to make it easy to access Sync files from Microsoft applications.



FileCloud Sync supports Mac versions OSX 10.14 and above.

## Install and Log In to FileCloud Sync



The ability to install the Share and Search integration with Windows Explorer is available in FileCloud Server version 18.2 and later.  
The ability to install DocIQ is available in FileCloud Server version 18.2 and later.

Beginning in FileCloud Version 21.3, Sync installs into the folder **Program Files** instead of the folder **Program Files(x86)**.

You must install FileCloud Sync before you can begin synchronizing documents on your local computer to the FileCloud Server site.

You can install FileCloud Sync on computers running the following operating systems:



Windows



Mac OSX



Linux

## Install Sync on Mac OSX

**⚠** FileCloud for Office is an MS Office add-in for Word, Excel, and PowerPoint which can be used in both Windows and macOS with FileCloud Sync, FileCloud Drive, and FileCloud Desktop. It is available in FileCloud beginning with version 23.1.

For instructions on how to install FileCloud for Office, see [Using FileCloud for Office](#).

**Current FileCloud Sync DocIQ users:** DocIQ is still available in Sync and Drive for previous users, but it is entering the end-of-life process.

Now, when you upgrade FileCloud Sync, you are given the choice of using FileCloud for Office or continuing to use DocIQ. If you choose to use FileCloud for Office, please see the [Using FileCloud for Office with Sync](#) documentation.




- FileCloud Sync supports macOS versions 10.14 and higher.
- For new installations, the installers for versions 23.241.1 and higher of FileCloud Sync do not create a Sync desktop shortcut. However, users can create the shortcut manually.

You must install FileCloud Sync before you can begin synchronizing documents on your local computer to the FileCloud Server site.

### To install FileCloud Sync on macOS:

1. Download FileCloud Sync App from <https://www.filecloud.com/additional-downloads/#sync>
2. After successfully downloading the app, run the downloaded dmg file FileCloudSync64.dmg.
3. Drag and drop FileCloud Sync app to Applications.



4. Go to Applications and open the FileCloud Sync App.


## Install Sync on Windows

You must install FileCloud Sync before you can begin synchronizing documents on your local computer to the FileCloud Server site.

**To install Sync on Windows:**


1. Download FileCloud Sync App from <https://www.filecloud.com/additional-downloads/#sync>
2. After successfully downloading the App, run the execution file FileCloudSync.exe.

The first screen of the wizard recommends that you use the FileCloud for Office feature.






3. Click **Next**.




4. Leave the checkbox checked, and click **Next**.

If you are already a Sync user using DocIQ, and this is an upgrade, the next screen gives you the option of using DocIQ or FileCloud for Office. For more information, see [Using FileCloud for Office with Sync](#). If you are a new Sync user, the following screen does not appear.




The next screen appears.




5. Click **Install**.

The wizard shows the installation's progress.



When installation is complete, the following screen appears:




6. Leave **Yes, restart the computer now** selected to restart your computer and begin using Sync or the latest version of Sync, and click **Finish**.

## Start and Log In to Sync


After you install Sync and restart your computer if necessary, you must provide your FileCloud account information to Sync.

### To start and log in to Sync:

1. In your Start menu, expand the FileCloud Sync folder and click the FileCloud Sync icon.



2. The Get Started wizard opens to its welcome page:



By default, the user interface language is English, the sync folder is your local FileCloud folder, and remote management is enabled.

3. Change the user interface language to the language you prefer; do not change the other settings unless instructed to by your administrator.
4. Click **Get Started**.  
The window for [Step 1 Log In](#), opens.

## Step 1 Log In

In the window for step 1, **Log In**, enter your credentials and log in to FileCloud Sync.

Sync for FileCloud

1 LOGIN 2 CLOUD STORAGE 3 NETWORK FOLDERS 4 BACKUP FOLDERS 5 FINISH

## Log in

Please enter your credentials. When you sign in to your account, your FileCloud Sync settings will automatically be configured.

**Login Method** Password SSO Device Authentication Code

**Server URL** https://myFileCloudserver

**Account** jenniferp


**Password** .....

[Proxy Settings](#) [Login](#)

1. For **Login Method**, leave the default of **Password**, or choose SSO or **Device Authentication Code**.


- If you use **Password**:
  - In **FileCloud Sync Server URL**, type the address of your FileCloud server.
  - In **Account** and **Password**, type in the credentials that were sent to you when your FileCloud account was created.
  - Click **Log in**.
- If you choose **SSO** (single sign-on), type the address to the FileCloud server that was sent to you when your FileCloud account was created.  
You are redirected to the **SSO Login** page, where you can enter your username and SSO password to log in.
- If you choose **Device Authentication code**,
  - In **FileCloud Sync Server URL**, type the address of your FileCloud server.

- ii. In **Account**, type in the username that was sent to you when your FileCloud account was created.  
An **Enter Device Code** dialog box opens.



The dialog box has a blue header with the title "Enter Device Code" and a close button. The main content area is white and contains the text "User needs to approve and submit device code:". Below this is a label "Enter Code" followed by a text input field. To the right of the input field is a blue link "Open Website". At the bottom right is a blue button labeled "Submit".

- iii. Click **Open Website**.  
The log-in screen of the user portal opens.  
iv. Log-in to the user portal.  
v. In the upper-right corner of the screen, click your username and choose **Settings**.  
vi. In the **Settings** screen, click **Devices**.  
vii. Next to the listing for Cloud Sync, click the check.



The screenshot shows the "Devices" tab in the settings. At the top are tabs for "General", "Devices", and "Notifications". A "Refresh" button is in the top right. Below is a table with columns: "Device Name", "Device Details", "Last Login", "Device Status", and "Actions".

Device Name	Device Details	Last Login	Device Status	Actions
<input type="checkbox"/> Android-google-Pixel 2	OS: Android 10, App: 182	September 9th 2020 10:49AM	Needs Approval	✓ ✕
Cloud Sync (DESKTOP-D2R3S88)	OS: Windows 10 10.0 (Build 18362), App: 20.1.0.3737	September 9th 2020 8:43AM	Needs Approval	✓ ✕

A red arrow points to the checkmark icon in the "Actions" column for the "Cloud Sync" device.

A dialog box with the device authentication code opens.


- viii. Enter the authentication code into the **Enter Device Code** dialog box, and click **Submit**.

- Or enter Proxy settings.

The window for [Step 2, Cloud Storage](#) opens.

## Step 2 Choose which cloud folders to sync

In the window for step 2, **Cloud Storage**, you choose which files to sync.




1. Choose:

- **Sync Everything** to sync all of your FileCloud files and folders.
- **Sync nothing and use only Document Editing mode** to use Sync to edit your FileCloud files from your desktop without syncing changes with FileCloud.
- **Sync only selected folders** to choose which folders' content to sync. If you choose this option, you are prompted to choose the folders to sync.
  - i. Click **Add Folders**.  
The **Select Folders** dialog box opens.



- ii. For each folder that you want to sync, in **My Files**, **Team Folders**, or **Shared with Me**, navigate down to the folder, and choose **Select**.



2. Click the right arrow to go to the window for [Step 3, Network Folders](#).

After installation, you can [change your sync options](#).

### Step 3 Sync Network Folders

Since Network Folders are not a FileCloud Online feature; check **Don't Sync Network Folders**, and then click the arrow to go to [Step 4, Backup Folders](#).

Sync for FileCloud

1  
LOGIN

2  
CLOUD  
STORAGE

3  
NETWORK  
FOLDERS

4  
BACKUP  
FOLDERS

5  
FINISH

### What would you like to sync from Network Folders?

If you have access to Network Folders, you can choose which folders you would like to sync to this computer. A copy of those folders and their contents will be downloaded to this computer, and you can work with them just as you would any other files and folders on your computer.

←

☒ Don't Sync Network Folders (This can be changed later from Advanced Settings)

☐ Sync Network Folders

→

## Step 4 Backup Folders

**i** If you see the message **Backup folders not enabled. This feature is not available, please contact your administrator**, you may continue to set up and log in to FileCloud Sync by clicking the right arrow in the screen.

The window for step 4, **Would you like to back up your folders to FileCloud?**, lets you choose which folders to back up on FileCloud.

The screenshot shows a window titled "Sync for FileCloud" with a progress bar at the top. The progress bar has five steps: 1 LOGIN, 2 CLOUD STORAGE, 3 NETWORK FOLDERS, 4 BACKUP FOLDERS (highlighted in blue), and 5 FINISH. Below the progress bar, the main content area has the heading "Would you like to back up your files to FileCloud?". Below the heading is a paragraph: "If your administrator has enabled backups to FileCloud, you can select folders to be backed up on a regular basis." There are two radio button options: "Do not save back up to FileCloud (This can be changed later from Advanced Settings)" and "Select folders to back up to FileCloud" (which is selected). Below the options are two large arrows, one pointing left and one pointing right. In the center, there is a section titled "Select Folders to Back Up" with a button labeled "Add Folders" to its right. Below this is a large empty rectangular box for selecting folders.

Choose one of the options:

- **Do not save additional backups on FileCloud (This can be changed later from Advanced Settings)**
- **Select folders to back up to FileCloud.**

If you choose **Select folders to back up to FileCloud**, you are prompted to choose the folders to back up.

1. Click **Add Folders**.

The **Select Directory** dialog box opens.

2. Choose the folder that you want to back up.

**Select Folders**

- Config.Msi
- ▼ **Custom Images**
  - Screenpresso
- DELL
- Downloads
  - Updater\_SA\_Upgrade
- Drivers

**Schedule** Every 30 Mins ▼

☐ Email notification after backup completes

**Add To Backups** **Cancel**

3. In **Schedule**, choose how often you want to back up the folder.
4. Check **Email notification after backup completes** if you want to be notified each time the folders in the directory are backed up.
5. Click **Add to Backups**.  
The **Select Directory** dialog box closes and the folder is added for backing up.

Sync for FileCloud

1 LOGIN 2 CLOUD STORAGE 3 NETWORK FOLDERS 4 BACKUP FOLDERS 5 FINISH

**Would you like to back up your files to FileCloud?**

If your administrator has enabled backups to FileCloud, you can select folders to be backed up on a regular basis.

☐ Do not save back up to FileCloud (This can be changed later from Advanced Settings)

☒ Select folders to back up to FileCloud

← →

Select Folders to Back Up [Add Folders](#)


C:\Custom Images	Every 30 Mins	x
------------------	---------------	---

For information about editing settings for backing up folders, see [Backing Up Files](#).

Click the right arrow to go to [Step 5 Finish](#).

## Step 5 Start using Sync

The window for step 5, **Finish** lets you start syncing and go to advanced settings.



Click **Start syncing** to turn on Sync.

Click **Start syncing and go to advanced settings** to go to the [Settings](#) page of the Sync dashboard.

## Exiting or Resetting Sync


When you exit Sync, your session ends, but your username, password, and configuration settings are saved, so that when you re-open Sync, your settings are automatically filled in.

Resetting Sync removes your username, password, and configuration settings from Sync. When you reset, the login screen reappears, and you must newly enter your username and password and set up your Sync configuration.

You can exit Sync or reset Sync from the **Account Settings** option in the mini-dashboard or the main dashboard.

## To exit Sync


In the [mini-dashboard](#) or the [main dashboard](#), in the upper-right corner, click your username and choose **Exit**.




Sync closes, but when you reopen it, you are automatically logged in and your configuration settings are applied.

## To reset Sync

1. In the [mini-dashboard](#) or the [main dashboard](#), in the upper-right corner, click your username and choose **Reset**.



The following confirmation dialog box opens. It alerts you that you will be logged out and your settings will be cleared.




2. Click **Continue**.  
You are logged out of Sync and all of your settings are removed.  
The [Get Started](#) page opens.

In addition to entering your username and password, you are required set up sync folders and sync schedules again.

## Checking for Updates to Sync

### To check if there are updated versions of Sync:

1. To open the mini-dashboard, In your system tray, right-click on the Sync icon and choose **Open**.
2. To open the main dashboard, In the mini-dashboard, click **Dashboard**.
3. In the navigation panel, click **Help**.
4. In the Help screen, click **Check for Updates**.



If there are updates to install, you are redirected to the installation link.

If you have the latest version installed, the following message appears at the bottom of the screen:






## Opening and Using Sync Dashboards

Once Sync is installed and running, you can work in the Sync folders in file explorer, and perform Sync operations in its mini-dashboard and main dashboard.

The mini-dashboard was made to give you a small interface that stays out of your way as you work, but enables you to run Sync operations and provides you with the information you need about your data and Sync operations. The main dashboard enables you to fully configure your Sync application as well as run Sync operations and view Sync logs.


Each time you open Sync, the mini-dashboard opens. From the mini-dashboard, you can access the main dashboard.

1. In your system tray, right-click the Sync icon, and choose **Open**.




The mini-dashboard opens.

2. At the bottom of the mini-dashboard, click **Dashboard**.



The main dashboard opens:




- [Working in the Mini-Dashboard](#)
- [Working in the Main Dashboard](#)

## Working in the Mini-Dashboard

In the mini-dashboard, you can view Sync information, enable and disable the application, and run Sync manually.

- The **Cloud Storage** icon appears checked if syncing is enabled for it or with a warning sign if there are any file syncing errors.
- If enabled but not syncing, Cloud Storage displays **idle**.
- In the center of the mini-dashboard is a list showing data from the most recent sync. The number of conflicts (if any) is displayed at the top of the list, and synced files and folders are displayed below it.




- The mini-dashboard displays a row of icons that you can click to perform actions or go to other locations in the Sync interface

Icon	Action
Dashb oard	Opens the main dashboard
Websit e	Opens FileCloud user portal. You can also open the FileCloud user portal by right-clicking your username in the mini-dashboard or main dashboard and clicking <b>Account Settings</b> . In the <b>Account Settings</b> screen, click the link to the server URL.

Icon	Action
Search	Opens Sync search
Settings	Opens the Settings page of the main dashboard.

- At the top of the mini-dashboard, click your username to access the options **Account Settings**, **Reset**, and **Exit**.




- Click **Account Settings** to go to the **Account Settings** page of the main dashboard
- Click **Reset** to clear your settings.
- Click **Exit** to log out of Sync, but save your settings.

## Working in the Main Dashboard


You can sync files and folders, change settings, and review information in the main dashboard.

### To access the main dashboard:

1. In the system tray, right click on the Sync icon, and choose **Open**. Sync's mini-dashboard opens.
2. At the bottom of the mini-dashboard, click the **Dashboard** icon.




The main dashboard opens. It has several screens, which are listed in the left navigation pane. Click the name of a screen to open it.



## Dashboard screen

The **Dashboard** screen is the first screen that opens in the main dashboard. It displays Sync information and lets you turn Sync on and off as well as run Sync manually.



## Activity screen

In the **Activity** screen, you can view the content of log files, and open files in file explorer. For more information about the **Activity** screen, see [View or Clear Log Messages in Sync](#).

**Sync activity**

Search activity View All

Time	Item	
15:19 PM	ed921c69f423a23b803bfd5b524c6125... My Files\Misc\_cloud\ed921c69f423a23b803bfd5b524c6125...	Downloaded
15:19 PM	ed921c69f423a23b803bfd5b524c6125... My Files\Misc\_cloud\ed921c69f423a23b803bfd5b524c6125...	Downloaded
15:19 PM	ed921c69f423a23b803bfd5b524c6125... My Files\Misc\_cloud\ed921c69f423a23b803bfd5b524c6125...	Downloaded
15:19 PM	e7fd4d67643f8ef14e40b4f403dffb26._1... My Files\Misc\_cloud\e7fd4d67643f8ef14e40b4f403dffb26._1...	Downloaded
15:19 PM	e7fd4d67643f8ef14e40b4f403dffb26._1... My	Downloaded

Clear the activity log → Clear activities Export



## Cloud Storage screen

The **Cloud storage** screen enables you to view and change your Sync settings for FileCloud content in **My Files**, **Team Folders**, and **Shared with Me**.

For more information, see [Cloud Storage: Selective Folder Sync](#).

Sync for FileCloud

FILECLOUD

demouser

Dashboard

Activity

Configuration

Cloud storage

Network Folders

Backup folders

Misc

Settings

Help

### Cloud storage

Choose which remote files from FileCloud Sync to sync to this computer. A copy of the files will be downloaded to the computer, and you can work with them just as you would any other files on your computer.

☐ Sync everything (My Files, Team Folders, Shared Folders)

☒ Sync only selected folders


Select the remote folders to sync to this computer

Add folders

/demouser/DI 19-20	0 B	x
/demouser/Product Offerings	0 B	x


## Network Folders screen

Most FileCloud Online users do not have access to **Network Folders** and see the following message on the **Network Folders** screen:



## Backup folders screen

Most FileCloud Online users do not have access to the backup function in Sync and see the following message on the **Backup folders** screen:



## Settings screen

The **Settings** screen lets you view and change Sync settings.  
For more information, see [Sync Settings](#).

Sync for FileCloud

FILECLOUD

demouser

Dashboard

Activity

Configuration

Cloud storage

Network Folders

Backup folders

Misc

**Settings**

Help

Sync folder location ⓘ

C:\FileCloud\FileCloud

Open Sync folder

Change ⚠

Upload and download ⓘ

Global: Unlimited

Scheduled: Unlimited

Change settings

Active sync hours ⓘ

☐ Disabled

Remote management ⓘ

☒ Enabled

Proxy settings

☐ Disabled

Language

English ▼

Sync frequency


120 seconds

Miscellaneous

☒ Show notifications for Sync activity
 ☒ Run at Windows startup
 ☒ DocIQ Office integration
 ☒ Automatic locking in DocIQ
 ☐ Show lock status in icon overlay

## Help screen

The **Help** screen lets you view log files, import and export Sync configuration, and check for Sync updates. For more information, see [Sync Logs](#).




## Sync Settings


You can view and control Sync settings from the Settings page of the [main dashboard](#).

### To get to the Settings page:

1. In the system tray, right click on the Sync icon, and choose **Open**.  
Sync's mini-dashboard opens.
2. At the bottom of the mini-dashboard, click the **Settings** icon.



The main dashboard opens to the **Settings** page.



Setting	Function
<b>Sync folder location</b>	Click <b>Open Sync Folder</b> to open the Sync directories in your file explorer. Click <b>Change</b> to select a different location (a different drive or folder) for your Sync folder in file explorer.
<b>Upload and download</b>	See <a href="#">Limit upload and download rate</a> .
<b>Active sync hours</b>	See <a href="#">Limit Sync To a Schedule</a> .
<b>Remote management</b>	Allows Sync users to manage their Sync application by overriding an Administrator's settings, but from FileCloud version 19.1 and later, administrator's may disable the ability to override. See <a href="#">Managing Client Devices</a> .

Setting	Function
<b>Proxy settings</b>	Enabled or disabled by default depending on initial Sync configuration. You can enable, disable, and change proxy settings here. You must restart Sync for this to take effect.
<b>Language</b>	Change the language of the interface. You must restart Sync for this to take effect.
<b>Sync frequency</b>	You can change the built-in sync frequency of 120 seconds for cloud storage. You must restart Sync for this to take effect.
<b>Miscellaneous</b>	<ul style="list-style-type: none"> <li>• <b>Show Notifications for Sync Activity</b> - <b>Yes</b> by default. Uncheck to change to <b>No</b>. You must restart Sync for this to take effect.</li> <li>• <b>Run at Windows Startup</b> - <b>No</b> by default. Check to change to <b>Yes</b>.</li> <li>• <b>FFO Office Integration</b> - checked (yes) by default. Uncheck to change the setting. You must restart Sync for this to take effect. If you are using DocIQ instead of FFO, the label appears as <b>DocIQ Office Integration</b>. For more information about DocIQ or FFO, see <a href="#">Using DocIQ with Office for Sync Users</a> or <a href="#">Using FileCloud for Office with Sync</a>.</li> <li>• <b>Automatic Locking in FFO</b> - Checked (yes) by default. If automatic locking in FFO is checked, when you open a file in Sync, FFO automatically tries to lock it and give it read-only access. Check or uncheck to change the setting. You must restart Sync for this to take effect. If you are using DocIQ instead of FFO, the label appears as <b>Automatic Locking in DocIQ</b>.</li> <li>• <b>Trust FFO</b> - Only appears the first time you log in to FileCloud Sync. <ol style="list-style-type: none"> <li>1. Click <b>Trust FFO</b> to use FileCloud for Office.</li> <li>2. If you are prompted to allow installation of the FileCloud for Office certificate, click <b>Yes</b>. The <b>Trust FFO</b> button disappears, and you will not have to click it again.</li> </ol> <div data-bbox="813 1331 1468 1535" data-label="Image"> </div> </li> <li>• <b>Show Lock Status in Icon Overlay</b> - <b>No</b> by default. When checked, if a user locks a file or folder in Sync, the lock icon overlay appears over it in the Sync directory in file explorer.</li> </ul>



## Limit Sync To a Schedule

 The ability to limit the time when Sync is active is available in FileCloud version 18.2 and later.

You can set a schedule for the times when you want the Sync application to run; otherwise, when it is on, it runs 24 hours, every day.

Scheduling Sync is useful if:

- you are running the FileCloud Sync app on a busy network and want Sync to run at the least busy times
- you want to save your changes to FileCloud only at the end of each day

 If you enter settings, the only time syncing occurs is the time specified in the settings.

For example:

If you choose:

- Sunday and Tuesday for days of the week
- the hours from 8:00 AM To 10:00 AM

Then Sync is active only on Sundays and Tuesdays and only during the hours between 8 AM and 10 AM. It is disabled on other days and times.

Active sync hours

Sync

☐ Every day
 ☒ Select the days of the week when the Sync app should be active:

☐ Monday
 ☒ Tuesday
 ☐ Wednesday
 ☐ Thursday

☐ Friday
 ☐ Saturday
 ☒ Sunday

Select the times on the selected days when the Sync app should be active:

Start time:

8

0

AM

Stop time:

10

0

AM


Save


Cancel

The settings you use impact the Sync application in the following ways:

FileCloud Sync


51

Setting	Value	Impact	Notes
Active Sync Hours	enabled	<p>Sync is active only during the scheduled times.</p> <ul style="list-style-type: none"> <li>At all other times Sync remains disabled, which means real-time syncing, offline folders syncing, and backup are disabled.</li> <li><b>Sync is off</b> appears on the mini dashboard and main dashboard.</li> </ul>  <p>⚠ If you choose the Doc editing only mode, then you cannot set Active Sync Hours</p>	

Setting	Value	Impact	Notes
Active Sync Hours	disabled	<p>Sync is always active.</p> <ul style="list-style-type: none"> <li><b>Sync is on</b> appears on the mini dashboard and main dashboard.</li> <li>The <b>Sync Now</b> button appears on the mini dashboard and the main dashboard.</li> </ul> 	<p>If the <b>Active Sync Hours</b> settings are disabled because you are in Document Editing mode, you can enable them by clicking <b>Sync is Off</b> in the main dashboard or mini-dashboard. The dashboard setting now appears as <b>Sync is On</b> and <b>Active Sync Hours</b> settings are enabled.</p>
Doc editing only	enabled	<p>This mode always takes precedence over <b>Active Sync Hours</b></p> <p>If you are in Document editing only mode, the <b>Active Sync Hours</b> settings are disabled.</p>	<p>To use <b>Active Sync Hours</b> settings again:</p> <ul style="list-style-type: none"> <li>Click <b>Sync is Off</b> in the main dashboard or mini-dashboard. It now appears as <b>Sync is On</b> and <b>Active Sync Hours</b> settings are enabled.</li> </ul>
Doc editing only	disabled	<b>Active Sync Hours</b> settings are enabled and a schedule can be set.	

### To set a schedule for Sync times:




1. In your system tray, right-click on the Sync icon and choose **Open**.
2. In the mini-dashboard, click **Settings**.  
The **Settings** window in the main dashboard opens.
3. In the **Settings** window, in the **Active Sync Hours** section, click the toggle to change it to **Enabled**.





The **Active Sync Hours** dialog box opens.

4. Select **Every Day** or **On a Specific Day**.
5. If you choose **On a Specific Day**, check all of the days that you want Sync active
6. You can only set one time interval. Use the **Start Time** and **Stop Time** fields.  
If you want an overnight time interval, the **End Time** must precede the **Start Time**. Otherwise, Sync assumes the time interval occurs on each checked day separately. See [Special cases for active sync hours](#), below.
7. Click **Save**.
8. Restart Sync to apply your changes.

## Special cases for Active Sync Hours

Case	How to configure	Notes:
<p>Active times start and stop at the same times multiple days, that is:</p> <p><b>Mon 10:00 am - Mon 2:00 pm</b>  <b>and</b>  <b>Tues 10:00 am - Tues 2:00 pm</b></p>		<p>The Sync app does not treat this as Monday 10:00 am to Tuesday at 2:00 pm.</p>
<p>If <b>Stop time</b> is later than <b>Start time</b>, do not check the next day; it is assumed that the time continues into the next day.</p> <p>If you check the next day, the app includes the next day and its following day as well (see the example in the next row).</p>		<p>The Sync app treats this as Monday 7:00 pm to Tuesday 5:00 am.</p> <p>(If you check Monday and Tuesday, The Sync app would treat it as Monday 7:00 pm - Tuesday 5:00 am and Tuesday 7:00 pm to Wednesday 5:00 am)</p>
<p>Active times are overnight on consecutive days, that is:</p> <p><b>Mon 9:15 pm - Tue 5:45 am</b>  <b>and</b>  <b>Tue 9:15 pm - Wed 5:45 am</b>  <b>and</b>  <b>Wed 9:15 pm - Thu 5:45 am</b></p>		<p>The Sync app does not treat this as Monday 9:15 pm through Thursday 5:45 am.</p>

Case	How to configure	Notes:
<p>From a certain time one day to the same time the next day, for example: <b>8am Mon - 8am Tues</b></p>	<p>Not possible, instead schedule from Monday 8am to 7:59 am. The Sync app assumes that the time period flows into Tuesday.</p> 	<p>The following setting would cause sync to never occur:</p> 

## Limit upload and download rate

**i** The ability to limit the rate that Sync uploads and downloads files to reduce the impact on the network is available in FileCloud version 18.2 and later.

If you are running the FileCloud Sync app on a slow network, when Sync transfers files it can quickly use up the resources of the network.

- You can limit Sync's upload and download rate to reduce the impact on your network and day to day operations.
  - Rates are specified in kilobytes (KB/s).
  - You can set a limit to be used whenever you are running Sync.
  - You can set a limit that is enforced only during a specific interval of time.
  - You can set a different rate limit for uploading files than you set for downloading.
- If the available KB/s are less than the specified maximum, then file transfer will be limited to the available KB/s.
- Sync maintains the file transfer limits even when there are multiple simultaneous uploads or downloads.

For example,


- If the default simultaneous uploads or downloads is 4 and you set a 400 KB/s rate limit
- If 4 streams are active, then each is limited to 100 KB/s
- If only one stream is active then that stream will take up 400 KB/s

**💡** If you do not specify a rate limit or if it is set to -1, then Sync will use all of the available KB/s.

### To set a rate limit for Sync:

- In your system tray, right-click on the Sync icon and choose **Open**.
- In the mini-dashboard, click **Settings**.  
The **Settings** window in the main dashboard opens.

3. In the **Settings** window, in the **Upload and Download** section, click **Change Settings**.



The **Upload and Download** window opens.

The screenshot shows the 'Upload and download' window with the following settings:

- Global rate limits:**
  - ☐ Max upload speed: Unlimited KB/s
  - ☐ Max download speed: Unlimited KB/s
- Scheduled rate limits:**
  - ☐ Max upload speed: Unlimited KB/s
  - ☐ Max download speed: Unlimited KB/s
- Scheduled rate limits (lower section):**
  - ☒ Every day
  - ☐ On a specific day (with a 'Select Day' dropdown)
  - Start time:** [ ] [ ] AM
  - Stop time:** [ ] [ ] AM

At the bottom right are 'Save' and 'Cancel' buttons.

4. Under **Global Rate Limits**, check **Max Upload Speed** or **Max Download Speed** and enter a number for **KB/s**.
5. To set a limit that is enforced only during a specific time interval:
  1. Under **Scheduled Rate Limits**, check **Max Upload Speed** or **Max Download Speed** and enter a number for **KB/s**
  2. In the lower portion of the window:
    - i. Leave **Every Day** checked, or check **On a Specific Day** and choose the day in the **Select Day** drop-down list.
    - ii. Leave the **Start Time** and **Stop Time** at 0 (to indicate all times) or enter times when the scheduled rate limits are effective.  
In the following example, maximum upload and download speeds have been set to 150 KB/s for Saturdays at 6 am to 9 pm only.



**Upload and download**

**Global rate limits:**

☐ Max upload speed Unlimited KB/s

☐ Max download speed Unlimited KB/s

**Scheduled rate limits:**

☒ Max upload speed 150 KB/s

☒ Max download speed 150 KB/s

**Scheduled rate limits:**

☐ Every day

☒ On a specific day

Saturday

Start time: 6 AM

Stop time: 9 PM

Save Cancel

6. Click **Save**.

7. Restart Sync to apply your changes.

## Synchronizing Files

### Automatic Syncing

By default, when FileCloud Sync is on, files and folders are automatically synced.

#### Automatic Sync schedules

By default, automatic syncing takes place 24 hours/day, every day. However, you may change this schedule.

- [Change the default Sync schedule](#)

Files and folders in Managed Storage are automatically synced every 2 minutes by default, but you can change this in the setting [Sync Frequency](#).


### Manual Syncing

You can also sync files manually from the mini-dashboard or main dashboard at any time.


#### Manually sync from the mini-dashboard

**To manually sync from the mini-dashboard:**

1. In your system tray, right-click on the Sync icon and choose **Open**.  
The mini-dashboard opens.
2. If you see **Sync is OFF** at the top of the mini-dashboard, click the toggle to change the setting to **Sync is ON**.
3. Across from **Sync is ON**, click **Sync Now**.




The mini-dashboard indicates if cloud storage or backups are being processed, lists the files being processed, and indicates any errors or conflicts.



When processing is complete, **Cloud storage** and **Backups** displays **Idle** next to them as well as the number of files with errors. To handle error files after syncing see [Managing Sync Conflicts](#) and [Sync Troubleshooting](#)

Guide.




### Manually sync from the main dashboard

#### To manually sync from the main dashboard:


1. In your system tray, right-click on the Sync icon and choose **Open**.  
The mini-dashboard opens.
2. Click the **Dashboard** icon.  
The main dashboard opens to the **Dashboard** screen.
  - a. **Cloud Storage** is listed with a **Sync Now** button next to it if syncing is enabled and files are available for syncing. **Backup Folders** is listed with a **Backup Now** button next to it if backing up is enabled

and files are selected for backing up.




- b. Click the **Sync Now** button to begin syncing files and folders or the **Backup now** button to begin backing up.

The screen indicates that sync or backup is in process:



When syncing is complete, the screen displays the size and number of files synced and the number of skipped files and errors. Files are skipped if there is a problem that prevents syncing, such as bad characters in the filename. A warning triangle and errors indicate that there was a conflict due to two

recently saved versions of the file or another error that causes syncing to fail.



c. To see why files were skipped, resolve conflicts, or review other errors click the skipped message or error message.

After syncing:

- [Managing Sync Conflicts](#)
- [Reviewing Skipped Files](#)
- [Checking Sync Status](#)

## Managing Sync Conflicts

### What is a Sync conflict?

Conflict can arise under the following conditions:

- When two people save the same file at approximately the same time. In this case the first person's changes are saved to the server, and when the second person's sync app tries to save the file, it realizes there is a new version and prevents the second person's changes from uploading and overwriting the first person's changes. In this case the first person's file is downloaded instead and saved locally adjacent to the original file with "Conflict\_" appended to it.

- While one person was editing a file offline, the file was modified by another user. When the person who was offline comes back online and the sync app tries to upload the edited version to the server, it detects that there is a new version available and instead of overwriting the changes on the server, it downloads the server file locally and mark it as a "Conflict" file.

When two people change the same file at the same time, FileCloud Sync app won't try to merge the changes.

- Instead, Sync will save the original file
- Sync also saves a second version which has the same name but is appended with the information about the conflict

Conflict files are named as follows, where **filename** is the name of the file with the conflict, and the date is the date and time of the conflict:

- For a file in a shared folder, where **other** is the name of the other user who modified the file: **filename(Conflict\_****other****(Web browser)\_2020-03-25-22-50-36).txt**
- For a file in a team folder, where **teamname** is the team folder account name: **filename(Conflict\_****teamname****(Web browser)\_2020-03-25-23-01-42).txt**
- For a read-only file in a local sync folder,: **filename(Conflict\_Read-Only\_2020-04-27-21-35-33).doc**


By creating a second file, FileCloud Sync ensures that all changes are preserved and one person's changes do not overwrite another person's work.

Your Sync conflicts appear in two places, and you can resolve them in either.

### To resolve an individual conflict from the Sync dashboard:

1. In your system tray, right-click on the Sync icon and choose **Open**.  
The mini-dashboard opens. If a previous Sync resulted in conflicts or other errors, it displays an error notification.






2. Click the error notification.

The dashboard opens to the **Activity** window with **Error** selected in the **View** drop-down list. Errors, including conflict errors, are listed below it.


3. To resolve a conflict, click the three dots next to the conflict description.



4. Click **Resolve conflict using local file** to discard the server file and keep your modified local file.  
or  
Click **Resolve conflict using server file** to discard the local file and save the file that is currently on the server.
5. If you want to go to your Sync folder in file explorer and resolve the conflict there, click **Open Location**.
6. If you want to copy and paste the location in a message or file, click **Copy Location to Clipboard**.

## To resolve multiple conflicts from the Sync dashboard:

1. In your system tray, right-click the Sync icon and choose **Open**.  
The mini-dashboard opens. If a previous Sync resulted in conflicts or other errors, it displays an error notification.



2. Click the error notification.  
The dashboard opens to the **Activity** window with **Error** selected in the **View** drop-down list. Conflicts and other errors are listed below it.
3. At the bottom of the window, click the **Resolve Conflicts** link.

The screenshot shows the 'Sync for FileCloud' application window. The left sidebar contains navigation links: Dashboard, Activity (selected), Configuration, Cloud storage, Network Folders, Backup folders, Misc, Settings, and Help. The main area is titled 'Sync activity' and features a search bar, a 'View' dropdown set to 'Error', and a table of sync activities. The table has columns for Time, Item, and Activity. Two entries are shown, both marked as 'Conflict'. An orange arrow points to a 'Resolve conflicts' button at the bottom left of the table area. At the bottom right, there are buttons for 'Clear activities' and 'Export'.


Time ▲	Item	Activity
14:59 PM	customerlist.txt ... My Files\customerlist.txt	Conflict
14:59 PM	calculations.txt ... My Files\equipment\calculations.txt	Conflict

Resolve conflicts

Clear activities Export

The window now displays the file conflicts with checkboxes beside them and a **Resolve method** drop-down list.

4. Click **All** to check all of the files, or individually check files.




5. In the **Resolve method** drop-down list:

Choose **Resolve with Local** to discard the server file and keep your modified local file for each checked conflict.

or

Choose **Resolve with Remote** to discard the local file and save the file that is currently on the server for each checked conflict.




6. Click **Resolve**.

7. In the confirmation box, click **Yes**.

### Resolve a conflict from the Sync directory in file explorer:


1. In your system tray, right-click on the Sync icon and choose **Open**.
2. In the mini-dashboard, click the **Open Sync Folder** icon.




File explorer opens and displays your Sync directory.

3. Open the folder in your Sync directory that contains the conflict file or folder.


A conflict file has a yellow warning icon over it and a name in conflict format in parentheses. It appears above or below the local version of the file.



4. Right-click on the conflict file, and choose **FileCloud Sync > Resolve conflict**.



A **Resolve Conflict** dialog box opens.



5. If you want to check the content of either file before choosing which copy to save, click **Open local** or **Open remote**.
6. Select **Use local modified file: (filename)** to discard the server file and keep your modified local file.  
or  
select **Use remote server file: (filename)** to discard your modified local file and save the server file.
7. Click **Resolve**, and confirm your change.  
The conflict file no longer appears.

## Reviewing Skipped Files

When synchronization occurs, some file types in the local Sync folder are not processed by the Sync client application because they are on the list of ignored files.


- Files of this type are not uploaded from your local computer to the server.

The following types of files are currently ignored by the Sync client application:


Description	Notes
Files in use	These are files that have an exclusive write lock or are read-only
File names matching the skip regex string	This is configured in a file, usually by your administrator
File names with special characters	~, <, >, :, \, /, *, ?, \r, \n And also .cache and .tmp.part files
File name extensions which are restricted by the server	This is configured by your administrator

### To view a list of skipped files:

1. In your system tray, right-click on the Sync icon and choose **Open**.
2. If there is a **Warnings** tag in the mini-dashboard, click the tag.



The **Activity** screen opens with **Skipped (All)** appearing in the **View** drop-down list.



The description for each file indicates why it was skipped.



3. Click the three dots next to the description for options.

The screenshot shows the 'Sync activity' interface. On the left is a sidebar with navigation links: Dashboard, Activity (selected), Configuration, Cloud storage, Network Folders, and Backup folders. The main area has a search bar and a 'View' dropdown set to 'Skipped (All)'. Below is a table with columns 'Time', 'Item', and 'Activity'. Two entries are visible, both at 15:20 PM, both labeled 'Bad characters in file name: CLFC-50021-...' and 'Skipped (All)'. The first entry's 'Item' column shows 'My Files\README(Conflict\_2022-12-14 11-17-06).md'. A context menu is open for the first entry, showing 'Open location' and 'Copy location to clipboard'. An orange arrow points to the three dots menu icon.

4. Click **Open Location** to open the folder in file explorer where the file is stored, or click **Copy Location to Clipboard** to copy the storage path so you can paste it into a message or a file.

5. You may go through the files and correct the problems causing them to be skipped and Sync again.

### To export or clear the skipped files:

- At the bottom of the screen, click **Export** or **Clear**.

Clicking **Clear** does not only clear records in **Skipped (All)** view, it clears all **Sync Activity** records.


This screenshot shows the same 'Sync activity' interface as the previous one, but with more entries in the table. The sidebar now includes 'Misc', 'Settings', and 'Help' links. The table shows four entries, all at 15:20 PM, all labeled 'Bad characters in file name: CLFC-50021-...' and 'Skipped (All)'. The 'Item' column shows different file paths: 'My Files\README(Conflict\_2022-12-14 11-17-06).md', 'My Files\Sample Text File(Conflict\_2022-12-14 11-05-33).txt', 'My Files\tasks(Conflict\_2023-03-07 14-57-46).txt', and 'My Files\equipment\calculations(Conflict\_2023-03-16 14-56-29).txt'. At the bottom right of the main area, there are two buttons: 'Clear activities' (with a trash icon) and 'Export' (with an upload icon). An orange arrow points to the 'Clear activities' button.

## Checking Sync Status

You can check the status of your most recent sync in the main dashboard, the mini dashboard, or on the system tray icon.

### Status in the main dashboard

After a sync operation runs, if there are any errors or skipped files, the main dashboard displays a count in the upper-right corner. It also displays a red error sign, a yellow warning sign, or a check (to indicate a successful run) beside **Cloud storage**.




### Status flags in the mini-dashboard

- If there were conflicts in the most recent sync operation, the mini-dashboard displays a red error flag with the number of conflicts.


- If there were skipped files in the most recent sync, the mini-dashboard displays a yellow flag with the number of skipped files.
- If the most recent sync was successful, the mini-dashboard displays a check in a blue circle before **Cloud storage**.

Click the red or yellow flag in the mini-dashboard to go to the main dashboard's **Sync Activity** page to see the conflicts or skipped files.



## Status flags in the system tray

You don't have to open one of the dashboards to check your sync status. Sync alerts you to problems with a status indicator that appears as a dot overlaying the icon in the system tray:



The color of the dot indicates the status of the most recent sync operation:

Icon	Color	Status
------	-------	--------

	Red	Error in Sync activity
	Yellow	Warning about Sync activity
	None	Sync was successful or no activity
	Black (white circle)	Sync Running

Click the Sync icon to open the mini-dashboard.


## Cloud Storage: Selective Folder Sync

### Limiting what gets Synced


You can choose to limit which folders in cloud storage get synced. This is useful when you have terabytes of data in an account and you only want a few gigabytes of folders locally to conserve space.

#### To limit which folders are synced:

1. In your system tray, right-click on the Sync icon and choose **Open**.
2. In the mini-dashboard, click **Dashboard**.
3. In the navigation pane of the dashboard, click **Cloud Storage**.  
The **Cloud Storage** window opens.
4. Select the radio button for **Sync only selected folders**.


5. Click **Add Folders**.

The **Select Folders** dialog box opens.



6. In **My Files**, **Team Folders**, or **Shared with Me**, navigate down to a folder that you want to sync, and choose **Select**.


7. Repeat steps 5 and 6 for each folder that you want to sync.



**To view Sync details about your selected sync folders:**

- In the **Cloud Storage** window of the dashboard, click one of the selected folders. Below it, the details about the most recent sync are listed: the number of folders synced, the number of files

synced, total MB synced, and the number of files ignored (not synced).



#### To remove a folder from selective sync:

- In the Cloud Storage window of the dashboard, click the x to the right of the folder that you want to remove, and confirm that you want to remove it.

#### To return to syncing all folders:

- In the Cloud Storage window of the dashboard, select the radio button for **Sync Everything**. The box and list of selected folders disappears. If you want to do a selective sync again, when you click the **Sync only selected folders** radio button, the box will be empty, and you must manually add the folders for selective sync again.


**i** When you switch from syncing all files to selected files, any existing files in your sync folder will not be removed automatically. If you want to remove them, you must remove them manually. This is to prevent accidental deletion of any user files.


## Selective Sync Behavior when Centralized Configuration is set

When the Sync app behavior is controlled centrally by the administrator (through User Policy → Device Configuration settings in the admin portal), users of the Sync app cannot add or remove selective sync folders **unless they are given permission to override central configuration**.

When a user tries to make any changes, the following message is displayed - "Centralized Configuration is being applied. Settings cannot be changed. Please contact your administrator for assistance."

## Advanced Offline Sync mode

 This is an advanced feature not meant for general use, please enable and use only if there is something specific that you need to accomplish.

 For **Local to Remote** syncing to be effective, the **Allow Users to Backup** setting must be enabled in the admin portal.  
For admins, the **Allow Users to Backup** setting is located in in the admin portal at **Settings > Endpoint Backup**.

Some users want more granular control over which local folders are synced to which remote folders and in which direction.

There is an "advanced offline sync mode" in sync that allows control of such options.

### To enable advanced mode:

1. Exit Sync.
2. Open syncclientconfig.xml, at:

Operating System	Path
Windows	%APPDATA%\FileCloudSync\syncclientconfig.xml
Mac OSX	{HomeDir}\FileCloudSync\syncclientconfig.xml
Linux	{HomeDir}\FileCloudSync\syncclientconfig.xml

3. Add the following entry:


```
<rowentry>
  <name>advancedoffline</name>
  <type>bool</type>
  <value>1</value>
</rowentry>
```

4. Restart Sync.



To add a folder in advanced mode:

1. In the system tray, right click the Sync icon and choose **Open**.
2. In the mini-dashboard, click **Dashboard**.
3. In the navigation panel of the dashboard, click **Offline Folders**.
4. Click **Add Folders**.



The **Add New Offline Folder** dialog box opens.

5. In **Remote Folder**, select the location to sync to.

6. In **Local Folder**, select the location to sync from.

7. In **Schedule**, select one of the following:


- **Manual** - Choose this to run Sync manually instead of automatically on a schedule.
- a sync frequency in minutes or hours - Choose one of these to specify how frequently Sync should run automatically.
- **Choose a different schedule** - Choose this to run Sync daily or on specified weekdays at a specific time. The following dialog box, where you can specify your custom schedule, opens:


8. In **Mode**, choose one of the following:

- **Sync** - 2 way sync mode. Files from local are uploaded to remote server. Remote changes are also synced to local.
- **Local to Remote** - One way sync, where only changes from local are synced to remote server. No changes are synced from remote to local. Note that files **deleted locally are not deleted remotely**. **Note:**
- **Remote to Local** - One way sync, where only changes from remote are synced to local. No changes are synced from local to remote.

9. Click **Add Folder**.

Now this location will start working in the advanced offline mode configured.



-  When advanced offline sync mode is enabled:
- The [backup option](#) is not available unless the **Mode** is set to **Local to Remote**.
  - For remote to local syncing (**Mode** is set to **Remote to Local**), the modified dates of local folders are updated to the date of syncing, but the server folders keep their original modified dates. The modified dates of local files retain the value of their modified dates on the server.

## Backing Up Files

In addition to syncing files automatically, you can also back up specific folders in your Windows, Mac or Linux Desktop to FileCloud for safekeeping.

Folders selected for backup are automatically backed up on a schedule selected by the user.

[Configure which files are backed up](#)

[Configure the backup schedule](#)

[View and restore backups](#)


## Selecting Files to Backup

**i** Important Note: Backup must be enabled by your FileCloud administrator to allow you to back up your computer's files and folders. If your administrator has disabled backup, you will not see the Backup link in the navigation pane of the main dashboard.

The following procedure explains how to add or modify file and folder backup in Sync after you have logged in. To set up backup when you log in to Sync, see [Step 4 Backup Folders](#).


To select the files you want backed up:

1. Launch FileCloud Sync by right-clicking on the icon in your system tray and then selecting **Open**.
2. In the mini-dashboard, click **Dashboard**.
3. In the navigation pane of the main dashboard, click **Backups**.



4. Click **Add Folders**.


The **Select Folders** dialog box opens.




5. Expand the directory to the folder that you want to back up.

6. In **Schedule**, choose how often you want to back up the folder.

7. Check **Email notification after backup completes** if you want to be notified each time the folders in the directory are backed up.

8. Click **Add to Backups**.

The **Select Directory** dialog box closes and the folder is added for backing up.



## Configure the Backup Schedule

**i** Important Note: Backup must be allowed by your FileCloud administrator. If your administrator has disabled backup, you will not have the option to set up backup.

By default, folders selected for backup are backed up every 30 minutes.

To change the schedule:

1. Launch FileCloud Sync by right-clicking on the icon in your system tray and then selecting **Open**.
2. In the mini-dashboard, click **Dashboard**.
3. In the navigation pane of the main dashboard, click **Backups**.


4. Select a folder path in the box.  
Below it, folder details including its schedule are displayed.

The screenshot shows the 'Sync for FileCloud' application window. On the left is a sidebar with navigation links: Dashboard, Activity, CONFIGURATION (Cloud Storage, Network Folders, Backups), and MISC (Settings, Help). The main area is titled 'Backup Folders' and contains instructions about backups. Below this is a table titled 'Select Folder to Back Up' with columns for folder path, schedule, size, and an 'x' icon. Two folders are listed: 'C:\Custom Images' and 'C:\Dual Enrollment', both with a schedule of 'Every 30 Mins' and a size of '0 B'. A red arrow points to the 'C:\Custom Images' folder. Below the table is the 'Folder Details' section for 'C:\Custom Images'. It shows 'Stats: 0 folders, 0 files, 0 B synced, 0 ignored' and 'Schedule: Every 30 Mins' with a dropdown arrow. A red arrow points to the 'Every 30 Mins' text. To the right of the schedule is a 'Run Now' button. Below the schedule, it shows 'Last Run: 2020-10-21 13:35:54' and 'Time Taken for Last Run: 1 secs'. At the bottom, there is a checkbox for 'Email Notification after backup completes'.

5. In **Schedule**, choose a new time interval or **Manual** or **Custom** (the last two options in the drop-down list).  
If you choose a new time interval, sync runs immediately after you save the setting, and at the specified interval from that time on.



If you choose **Custom**, the following dialog box opens.



The dialog box is titled "Select folder" and has a close button in the top right corner. It contains the following options:

- Sync:**
  - ☐ Every day
  - ☒ Choose specific days of the week
- Days of the week:
  - ☐ Sunday ☒ Monday ☐ Tuesday ☒ Wednesday
  - ☐ Thursday ☒ Friday ☐ Saturday
- Start time:**
  - Hour: 12 (dropdown)
  - Minute: 00 (dropdown)
  - Period: AM (dropdown)
- Buttons: **Save** and **Cancel**


- Set up your custom schedule. You can only choose one **Start Time** that the custom backup runs.
- Click **Save**.
- To run a backup now, click **Run Now**.

## Viewing and Restoring Backups


### Viewing Backups

Files on your computer are backed up to your FileCloud **My Files/backups** folder.

You can view the backups folder by opening FileCloud in your web browser and opening your **My Files/backups** folder.



The backups folder includes a sub-folder for each device that is backed up to FileCloud. Each device folder includes a sub-folder for each folder backed up from that device.



**i** Note that backed up files are included in the total storage allocated to you in FileCloud.

## Restore Backups

You can restore backups from the FileCloud server by downloading backed up files using the web portal, FileCloud Drive or the WebDAV app.

## Old Versions of Files in Backup

When you edit and modify files that are being backed up, new versions will be uploaded to FileCloud, and it will create a new version of that file. So it is possible to roll back to a previous version.

## Deleted Files and Folders in Backup

When files and folders are deleted in a folder that is backed up, they are not removed from the FileCloud backup folder. So if files or folders are deleted accidentally, the backup files are not removed. If you want to remove backed up files or folders you must delete them directly from the FileCloud web portal.

## Globally Backing Up User Files and Folders

**This topic is for use by admins.**


You can configure Sync backup so that specific local paths on all users' computers and devices are backed up. This ensures that certain user content, including configuration files, is always backed up and easy to restore.


### Requirements:

- Endpoint Backup must be enabled for FileCloud Sync from the Admin Portal.
- FileCloud Sync must be installed on the users' computers and **Remote Management** must be enabled.

- The Sync users' policy in the Admin portal must include this custom device configuration for Sync.

### To configure Sync to globally back up users' files and folders:

1. Enable **Endpoint Backup** for FileCloud Sync from the Admin Portal.
  - a. In the FileCloud admin portal's left navigation bar, scroll down and click **Settings**. Then, on the **Settings** navigation page, click **Endpoint Backup**  . The **Endpoint Backup** settings page opens.
  - b. Enable the **Allow Users To Backup** option and click **Save**.



**Endpoint Backup** [Reset to defaults](#)

**Allow users to back up** ☒

Enable users to back up with FileCloud Sync app.

**Allow camera uploads** ☒

Allow automatic backup of photos and videos from mobile devices.

**Backup path**

Root storage path for user backups. Admin can override in user details. If 'My Files' is disabled, admin must specify a new path in user details for each user.


**Backup notification email**

Email for notification of backup status


### 2. Install FileCloud Sync and enable Remote Management

For the device configurations set up in policies to take effect, enable remote management in FileCloud Sync.

- a. To enable remote management:
  - either:
    - Have users manually enable the **Remote Management** option in the FileCloud Sync App. They can either do this on the **Get Started** screen when they log in or in the **Settings** screen after they log in.



**Allow Remote Management** in the **Get Started** screen.



**Allow Remote Management** in the **Settings** screen.

or:


- Enable the remote management setting for a mass deployment (set **allowcentralmgmt** to **1**). See Mass Deployment - Default Configuration Support for help with the configuration. Mass deployment registry entries must be created before FileCloud Sync is initialized in the users' local machines or the configuration in the registry will not take effect.


**i** You may set a registry key to hide the **Allow Remote Management** and **Remote Management** settings in Sync so that users cannot disable remote management. See Device Configuration XML For Sync for instructions.

3. In the policy used by Sync users, set a default device configuration for FileCloud Sync.

For help creating the XML, see the Device Configuration XML documentation for Sync.

a. In the FileCloud admin portal's left navigation bar, scroll down and click **Settings**. Then, on

the **Settings** navigation page, click **Policies**  .  
The **Policies** settings page opens.



**Policies**

New Policy  
Create a new policy New Policy

Policy Name	User Count	Group Count	Default	Actions
Global Default Policy	0	0	<input checked="" type="checkbox"/>	
TEAM FOLDER POLICY	1	0	<input type="checkbox"/>	

« < Page 1 of 1 > »  
2 rows

b. Edit the policy assigned to the user or group.

c. Click the **Device Configuration** tab.

d. Enter the configuration in XML format.

Effective Policy: "Global Default Policy"

General 2FA User Policy Client Application Policy Device Configuration Notifications

Some policy settings will not be applicable for Guest and External users.

Device Configuration

```
<xml>
<cloudsync>
<allowuserconfigforbackup>0</allowuserconfigforbackup>
<offline_folder_count>7</offline_folder_count>
<offline_folder_1>C:\Users\${USER}\AppData\Roaming\Microsoft\Outlook\/${USERID}/backups/${USERID}/Outlook|1|30m|1|0|0</offline_folder_1>
<offline_folder_2>C:\Users\${USER}\Pictures\/${USERID}/backups/${USERID}/Pictures|1|30m|1|0|0</offline_folder_2>
<offline_folder_3>C:\Users\${USER}\Desktop\/${USERID}/backups/${USERID}/Desktop|1|30m|1|0|0</offline_folder_3>
</cloudsync>
</xml>
```

Cancel Reset Save

Below is a sample script to use:

```
<xml>
<cloudsync>
<allowuserconfigforbackup>0</allowuserconfigforbackup>
<offline_folder_count>7</offline_folder_count>
<offline_folder_1>C:\Users\${USER}\AppData\Roaming\Microsoft\Outlook\/${USERID}/backups/${USERID}/Outlook|1|30m|1|0|0</offline_folder_1>
<offline_folder_2>C:\Users\${USER}\Pictures\/${USERID}/backups/${USERID}/Pictures|1|30m|1|0|0</offline_folder_2>
<offline_folder_3>C:\Users\${USER}\Desktop\/${USERID}/backups/${USERID}/Desktop|1|30m|1|0|0</offline_folder_3>
<offline_folder_4>C:\Users\${USER}\Music\/${USERID}/backups/${USERID}/Music|1|30m|1|0|0</offline_folder_4>
<offline_folder_5>C:\Users\${USER}\Favorites\/${USERID}/backups/${USERID}/Favorites|1|30m|1|0|0</offline_folder_5>
<offline_folder_6>C:\Users\${USER}\AppData\Roaming\Microsoft\Templates\/${USERID}/backups/${USERID}/Office_Templates|1|30m|1|0|0</offline_folder_6>
<offline_folder_7>C:\Users\${USER}\Documents\/${USERID}/backups/${USERID}/Documents|1|30m|1|0|0</offline_folder_7>
</cloudsync>
</xml>
```

Notice that the first parameter in Line 5 of the XML above is the local path of the user's computer. The lines after it are the other local directories that need to be included in the Sync Backup.

e. Save the configuration.

Now, the folders specified in the configuration settings will be backed up for all Sync users when a Sync backup runs.

## Managing Files in File Explorer



If you are using FileCloud Sync with Mac OSX, you must enable the FileCloudSync extension in your system to be able to view right-click options in explorer. See [Mac OSX Finder Right-Click Extension](#) for help.

You can use FileCloud Sync to synchronize your files with the FileCloud Server.

FileCloud Sync appears as a folder in a file explorer window in Windows Explorer or Mac OSX Finder. It's sub-folders are **My Files**, **Network Folders**, **Team Folders**, and **Shared with Me**.

Sync is an alternative to using the user portal to access files stored on the FileCloud Server. With Sync, the files are stored locally, and you work on them locally.

### In this section:


- [Browse My Sync Files](#)
- [Sharing Files in Sync](#)
- [Lock and Unlock Files in Sync](#)
- [Lock and Unlock Folders in Sync](#)
- [Create a Direct FileCloud Link in Sync](#)
- [Performing file explorer actions on Sync files](#)
- [Delete Files and Folders in Sync](#)
- [Download a File in Sync](#)
- [Upload a File in Sync](#)
- [Work with Comments in Sync](#)
- [Resolve conflicts in Sync](#)
- [View a file or folder's details in Sync](#)
- [Work with Metadata in Sync](#)
- [Sync Icon Overlays](#)
- [Move a File Outside Sync into FileCloud](#)
- [Mac OSX Finder Right-Click Extension](#)

## Browse My Sync Files


FileCloud Sync appears as a mapped drive in a file explorer window in Windows Explorer and Mac OSX Finder.

### To open Sync in file explorer

1. In your system tray, right-click on the Sync icon and choose **Open**.
2. At the bottom of the mini-dashboard, click the folder icon.



Your Sync folder in file explorer opens. It has the same folders for My Files, Network Folders, and Shared with Me that appear in the FileCloud user portal.




Navigate to files and sub-folders as you do for any other files and folders in your explorer window.

### To view FileCloud options:



- Right-click on a file or folder and choose **Show more options**, then hover over FileCloud Sync to view the FileCloud options.



## Sharing Files in Sync

File sharing allows you to provide public or private access to files stored in FileCloud and saved in your Sync folders.

While files can easily be shared by emailing them to someone, sharing files using Sync allows you to:

- Keep track of who you have shared a file with
- Add comments about the file
- Monitor file versions
- Control changes people make to the file or folder by setting a combination of permissions.
- Have an allocated amount of personal file storage in a common file system

You can share a file in many different ways.




	Requires a FileCloud Account	Set Permissions	Set Options	Share with Everyone	Share with a Specific User
Public	✗ Anyone with the link can access	<ul style="list-style-type: none"> <li>✓ View</li> <li>✓ Download</li> </ul>	<ul style="list-style-type: none"> <li>✓ Share Name</li> <li>✓ Expiration</li> <li>✓ Restrict Downloads</li> <li>✓ Notifications</li> <li>✓ Require Password</li> </ul>	✓	✓
Private	<ul style="list-style-type: none"> <li>✓ Invite those without an account to create one</li> </ul>	<ul style="list-style-type: none"> <li>✓ View</li> <li>✓ Download</li> <li>✓ Share</li> </ul>	<ul style="list-style-type: none"> <li>✓ Share Name</li> <li>✓ Expiration</li> <li>✓ Notifications</li> </ul>	<ul style="list-style-type: none"> <li>✗ Add Groups to share with multiple users at once</li> </ul>	<ul style="list-style-type: none"> <li>✓ With a FileCloud account</li> </ul>

To create a share or manage it, select the **Share Link** option from the right-click menu.

💡 If the file is already being shared, click the **Share Link** option to edit or manage the share.

The **Share link** window opens. By default, the share is private but no recipients are included. You can add recipients, or make the share public (allow anyone with the link to view the share), and send the link to the person or people you want to share it with.

**Share link for Admin hold**

**Share link**  
<http://127.0.0.1/url/yhsxcdiidywevg6t> [Modify link](#)   

**Shared folder**  
 My Files > Admin hold

**Share options** | **Share history**

Share name: Admin hold [Change](#)

Expires: [Never expires](#)

Send email notifications: [Yes](#)

Sharing permissions:

- ☐ Allow anyone with link
- ☐ Allow anyone with link and password
- ☒ Allow selected users and/or groups

**Users (0)** | **Groups (0)**

[+ Invite users](#)

User	View	Download	Upload	Share	Sync	Delete	Manage
No entries							

In this section:

- [Sharing Files Publicly in Sync](#)
- [Sharing Files Privately in Sync](#)
- [Sync: Share options for files](#)

## Sharing Files Publicly in Sync

By default, file shares are **private**, and you can make them available to specific people. You can share a file so that anyone can access the file even if they don't have a FileCloud account.

When you share a file:

- A **Share link** window opens to provide the link. By default the share is private.
- Under **Share options** you can change the share to **Allow anyone with link**.
- You can send the link in an email inviting users to access the share.


Create a public share:

In your system tray, right-click the Sync icon and choose **Open**.

1. At the bottom of the mini-dashboard, click the folder icon.  
Your Sync folder in file explorer opens.

	Name	Status	Date modified	Type
FileCloud	My Files		10/15/2020 3:37 PM	File folder
My Files	Network Folders		9/9/2020 3:39 PM	File folder
Network Folders	Shared with Me		6/15/2020 9:59 AM	File folder
Shared with Me	Team Folders		6/15/2020 9:59 AM	File folder
Team Folders				

2. Navigate to the file or folder you want to share, then right-click on it and choose **Show More Options**. In the next menu choose **FileCloud Sync > Share Link**.






The **Share link** dialog box opens. By default the share is private.

3. Under **Sharing permissions**, click **Allow anyone with link**, **Allow anyone with link and password**, or, if it's available, **Allow anyone with Secure Web Viewer Link and a password**.
4. Change any of the other options under **Share options**. See [Sync: Share options for files](#) for information about these settings.

5. To copy the link, click the **Copy Link** icon at the top of the screen.

**Share link for customers.docx**

**Share link**

[https://zerg.codelathe.com/...\\_esfwkdzdkfrpt3t](https://zerg.codelathe.com/..._esfwkdzdkfrpt3t) [Modify link](#)   

**Shared file**  
My Files > customers.docx

**Share options** | Share history


**Share name:** iILRQuRFjeYsDvqw [Change](#)

**Expires:** [Never expires](#)

**Max number of downloads:** [No Restrictions](#)

**Send email notifications:** [Yes](#)

**Sharing permissions:**

☒ Allow anyone with link  [change to public share](#)

Allow [View + Download](#)

☐ Allow anyone with link and password

☐ Allow selected users and/or groups

☐ Allow anyone with Secure Web Viewer Link and a password

[Remove share](#) [OK](#)

## Sharing Files Privately in Sync

When you share a file privately, you share it only with existing FileCloud users or groups, but you can invite a new user to create a FileCloud account and then access the share.

Sharing files privately:

- Provides more security than sharing files publicly.
- Is useful when you only have a small number of people you want to share with.
- Requires the user to log in with a FileCloud account to access the file on the User Portal.

Users have the following permission options in private shares:

Permission	Description
Read permitted	Read permission allows users to view, browse and download files. Removing read permission removes the user from the share completely.
Download permitted	Download permission allows the user to download and save the file.

Permission	Description
Share permitted	Share permission allows the user to share your file with other users. Share permission can be provided only if read and download permission are already provided.

To share files privately in Sync

The procedure for sharing a file privately from the Sync folder in content explorer is nearly identical to the procedure for sharing a file privately from the user portal, Only the first few steps for selecting the file and choosing to share it are different.


### Initial steps for sharing a file from Sync:

1. In your system tray, right-click on the Sync icon and choose **Open**.
2. At the bottom of the the mini-dashboard, click the folder icon.

Your Sync folder in file explorer opens.

	Name	Status	Date modified	Type
Fax				
FileCloud				
My Files	My Files		10/15/2020 3:37 PM	File folder
Network Folders	Network Folders		9/9/2020 3:39 PM	File folder
Shared with Me	Shared with Me		6/15/2020 9:59 AM	File folder
Team Folders	Team Folders		6/15/2020 9:59 AM	File folder

3. Navigate to the file or folder you want to share, then right-click on it and choose **Show More Options**. In the next menu choose **FileCloud Sync > Share Link**.



The **Share link** dialog box opens. By default, the file is shared privately.

4. Go to **Sharing Files Privately** and continue from Step 2.

### Sync: Share options for files


When you initially share a file or when you edit the share, you can add share options.

Note: To configure share options for a file that has already been shared, right-click a file in the Sync folder and choose **Share FileCloud Link**.


**Perform advanced share actions:**

1. In your system tray, right-click on the Sync icon and choose **Open**.
2. At the bottom of the mini-dashboard, click the folder icon.

Your Sync folder in file explorer opens.






3. Navigate to the file or folder that you want to share, then right-click on it and choose **Share FileCloud Link**.



The **Share link** dialog box opens. By default the share is private.

Share link for customers.docx

**Share link**

<http://127.0.0.1/url/rqzjbahapex6dmp> [Modify link](#)   

**Shared file**  
My Files > customers.docx

**Share options** | Share history

Share name: customers.docx [Change](#)

Expires: [Never expires](#)

Max number of downloads: [No Restrictions](#)

Send email notifications: [Yes](#)

Sharing permissions:

☐ Allow anyone with link

☐ Allow anyone with link and password

☒ Allow selected users and/or groups




**Users (0)** | Groups (0) [+ Invite users](#)

User	View	Download	Upload	Share	Sync	Delete	Manage
No entries							

4. Click the icons beside the share link to perform basic actions on it.

Share link for customers.docx

**Share link**

<http://127.0.0.1/url/rqzjbahapex6dmp> [Modify link](#)   

**Shared file**  
My Files > customers.docx

*Copy link* *Email link*

*Open link*

- Click **Copy Link** to paste the link into a message or email.
- Click **Open Link** to view the shared file in the FileCloud user portal.
- Click **Email Link** to email the link to one or more users.



5. Change any of the values under **Share Options**, and click **OK**.

Share options

Share history

Share name:

customers.docx

Change

Expires:

Never expires

Max number of downloads:

No Restrictions

Send email notifications:

Yes

Sharing permissions:

☐ Allow anyone with link
   
☐ Allow anyone with link and password
   
☒ Allow selected users and/or groups

Advanced option	To change
<b>Share Name</b>	Click the link, and enter a new name in <b>Share Name</b> . This is useful if you want to give the share a descriptive or memorable name.
<b>Expires</b>	Click the link, and click <b>Yes</b> , then choose an expiration date in the date picker.
<b>Max number of downloads</b>	Click <b>No Restrictions</b> , and select <b>Restricted to</b> . In <b>Max download allowed</b> , enter the maximum number of downloads. This enables you to prevent excessive distribution of the file.
<b>Send email notifications</b>	<b>Yes</b> , by default. Notifies you when the recipients make changes to the share. Click <b>Yes</b> and select <b>No</b> to stop receiving these notifications.
<b>Password (Public Shares only)</b>	Click the link, and click <b>Yes</b> . You may use the automatically generated password or change it to a more descriptive or memorable one. Check <b>Show Password</b> to check what you've entered.

Advanced option	To change																
Sharing permissions	<div><p>Select an option:</p><ul style="list-style-type: none"><li>• If you select <b>Allow anyone with link</b>, the share is public.</li><li>• If you select <b>Allow anyone with link and password</b>, the share is public, and users must enter a password to view it. When you choose this option, a password is automatically generated and listed, but you may change it.</li></ul></div> <div><div><div>Sharing permissions:</div><div><div><input type="radio"/> Allow anyone with link</div><div><input checked="" type="radio"/> Allow anyone with link and password</div><div><input type="radio"/> Allow selected users and/or groups</div></div><div><div>Allow</div><div>View + Download</div><div>4gbpexhk</div><div></div></div></div></div> <ul style="list-style-type: none"><li>• <b>(Default)</b> If you selected <b>Allow selected users and/or groups</b>, the share becomes private and you may add specific users and groups.</li></ul> <div><div><div>Sharing permissions:</div><div><div><input type="radio"/> Allow anyone with link</div><div><input type="radio"/> Allow anyone with link and password</div><div><input checked="" type="radio"/> Allow selected users and/or groups</div></div><div><div>Users (0)</div><div>Groups (0)</div></div><div><div>Invite users</div></div><div><table><thead><tr><th>User</th><th>View</th><th>Download</th><th>Upload</th><th>Share</th><th>Sync</th><th>Delete</th><th>Manage</th></tr></thead><tbody><tr><td colspan="8">No entries</td></tr></tbody></table></div></div></div> <div><p><b>When available:</b></p><ul style="list-style-type: none"><li>• If you choose <b>Allow anyone with Secure Web Viewer Link and a password</b>, the share is public, and users must view it using a password through a secure viewer. See Using the Secure Web Viewer for more information.</li></ul><p>For help inviting users and groups and setting their permissions, see:</p><p>Sharing Files Privately</p><p>Public Share Options for Files</p><p>Private Share Options for Files</p></div>	User	View	Download	Upload	Share	Sync	Delete	Manage	No entries							
User	View	Download	Upload	Share	Sync	Delete	Manage										
No entries																	

## Lock and Unlock Files in Sync

You can set a [lock](#) to prevent other users from opening a file.

Locking tells other users that you are actively using that file.

When a file is locked, the following conditions apply:


- The owner of the lock has full access to that file and can modify it
- An Admin can always override a lock
- Users can download and view the locked file
- Users cannot modify the locked file

When you lock a file, all of the following clients will be subject to the lock restrictions:


- User Portal accessed from a web browser
- FileCloud Drive
- FileCloud Sync
- Mobile clients
- WebDAV

#### To lock a file:

1. In your system tray, right-click the Sync icon and choose **Open**.
2. In the mini-dashboard, click **Open**.  
Your Sync folders open in file explorer.
3. Navigate to the file you want to lock, right-click it, and choose **Show more options**. Then choose **FileCloud Sync** > **Lock file**.




If you have checked **Show Lock Status in Icon Overlay** in [Sync Settings](#), the red lock overlay icon appears on the file.




#### To unlock a file:

1. Right-click the file you want to unlock, and choose **Show more options**. Then choose select **Unlock FileCloud File**.



The file is unlocked:



## Lock and Unlock Folders in Sync

You can set a lock to prevent other users from opening a folder.

Locking tells other users that you are actively using that folder.

When a folder is locked, the following conditions apply:

- The owner of the lock has full access to that folder and can modify it
- An Admin can always override a lock
- Users can download and view the locked folder
- Users cannot modify the locked folder


When you lock a folder, all of the following clients will be subject to the lock restrictions:

- User Portal accessed from a web browser
- FileCloud Drive
- FileCloud Sync
- Mobile clients

- WebDAV

### To lock a folder:

1. In your system tray, right-click the Sync icon and choose **Open**.
2. In the mini-dashboard, click **Open**.  
Your Sync folders in file explorer open.
3. Right-click the folder you want to lock, and choose **Show more options**. Then choose **FileCloud Sync > Lock folder**.




If you have checked **Show Lock Status in Icon Overlay** in [Sync Settings](#), the red overlay icon appears on the folder.



### To unlock a folder:

1. Right-click the folder you want to unlock, and choose **Show more options**. Then choose **FileCloud Sync > Unlock folder**.



The folder is unlocked:

Employees	4/11/2023
equipment	4/11/2023
estate data	4/11/2023
estate documents	5/11/2023
<b>Financial</b>	5/19/2023
folder0	4/14/2023
folder1	4/14/2023

## Create a Direct FileCloud Link in Sync

You can use this option to create a link to a share that can be accessed by users who are already part of the share.

The Direct Link option works only with items in the following folders:

- Shared with me
- Team Folders

When members of the share click the link, they are prompted to log in to FileCloud, and then they are taken directly to the selected folder or file.

In the **Shared With Me** or **Team Folders** sections, you may create a link to a folder or a file to send to users in an existing share without creating a new share.


When users click the link, they are prompted to log in and then taken directly to the selected folder or file.

**Limitation**


For Team Folders, direct links to files in sub-folders that are created by users who have access to the parent folder and sub-folder will not work for users who only have access to the sub-folder, because the links will include the parent folder path, which does not exist in the file structure of those users.

**To create a direct link:**

1. Navigate to the file or folder in **Shared With Me** or **Team Folders**.
2. Hover over the file or folder and click the **Direct Link** icon.



A **Direct Link is Ready** message pops up.




3. Click **Copy Link**.
4. Paste the link into an email or a file, and send it to users.

**To create a direct link:**

1. In your system tray, right-click the Sync icon and choose **Open**.

2. In the mini-dashboard, click **Open**.  
Your file explorer opens and displays the Sync folders.
3. Open **Team Folders** or **Shared with Me**.
4. Navigate to the item, then right-click it and choose **Show More Options**. In the next menu choose **FileCloud Sync > Create Direct FileCloud Link**.



The direct link is created and copied to the clipboard. You can now paste it into an email or a file.

## Performing file explorer actions on Sync files

You can perform most file explorer actions on Sync files and folders. Follow the same procedures you use to perform these actions on other files and folders in file explorer, and they are synced to the FileCloud server. They include:


- Creating a new folder in your Sync folders.  
Sync records this as an upload when it syncs with the FileCloud server.
- Deleting a Sync file or folder.  
Sync records this as a deletion when it syncs with the FileCloud server.
- Editing a Sync file or folder.  
Sync records this as an upload when it syncs with the FileCloud server.
- Moving a Sync file or folder within Sync folders.  
Sync records this as a deletion and an upload when it syncs with the FileCloud server.
- Renaming a Sync file or folder.  
Sync records this as a deletion and an upload when it syncs with the FileCloud server.

## Delete Files and Folders in Sync


When you are in your Sync folders in your file explorer, you can delete a file or folder from FileCloud by moving it from a Sync folder to a folder outside of your Sync folders. When the action is synced to FileCloud, it is recorded as a deletion.

In the example below, the file **Agreement to Receive Electronic Communication** is moved from a sub-folder in the Sync **My Files** folder to the external folder **Requisition**.





When syncing occurs, the **Agreement to Receive Electronic Communication** file is logged as a deletion:




You can also delete the file through the normal process of right-clicking on the file or folder within the Sync folders and choosing **Delete**.


## Download a File in Sync

If you create a new file or folder in FileCloud, when Sync runs and the file is added to the local Sync folder, it is recorded as a download action in Sync.

For example, the file **onlinecourses.txt** is created in a user's **My Files** folder in the FileCloud user portal.



Sync records the action as a download because it downloads the new file to the local Sync My Files folder.




## Upload a File in Sync


### How to upload files in Sync

Drag and drop files or folders into the Sync folders to upload them to FileCloud.

Here, a user drags a file from an external folder and drops it into **My Files**:



When FileCloud syncs, the action appears as an upload:



## Restrictions on filenames and file extensions

- Files with the same name:
  - If you upload a file with the same name and the same case as another file in the same folder, it overwrites the file.
  - If you upload a file with the same name but a different case than another file in the same folder, you cannot upload the file and the File Operations window displays a file name conflict message.
  - If you upload files with the same name but different file extensions, like **myfile.doc** and **myfile.docx**, they are treated as different files.
- FileCloud cannot upload files with leading spaces in the filename.
- By default, files with the extensions **php**, **php5**, **phar**, and **phtml** cannot be uploaded into FileCloud.

### For Admins


- To specify which file extensions may be uploaded into FileCloud, see [Managing File Extensions and Restricting File Extensions](#).
- To restrict certain filenames from being uploaded into FileCloud, see [Restricting File Names](#).

Please note the following restrictions when uploading files to FileCloud:

## Resolve conflicts in Sync


### Resolve a conflict from the Sync directory in file explorer:

1. In your system tray, right-click on the Sync icon and choose **Open**.
2. In the mini-dashboard, click the **Open Sync Folder** icon.




File explorer opens and displays your Sync directory.


3. Open the folder in your Sync directory that contains the conflict file or folder.  
A conflict file has a yellow warning icon over it and a name in conflict format in parentheses. It appears above or below the local version of the file.



4. Right-click on the conflict file, and choose **FileCloud Sync > Resolve conflict**.




A **Resolve Conflict** dialog box opens.




5. If you want to check the content of either file before choosing which copy to save, click **Open local** or **Open remote**.
6. Select **Use local modified file: (filename)** to discard the server file and keep your modified local file.  
or  
select **Use remote server file: (filename)** to discard your modified local file and save the server file.
7. Click **Resolve**, and confirm your change.  
The conflict file no longer appears.

## View a file or folder's details in Sync

1. In your system tray, right-click on the Sync icon and choose **Open**.
2. At the bottom of the the mini-dashboard, click the folder icon.  
Your Sync folder in file explorer opens.
3. In your Sync folders, navigate to the file or folder.
4. Right-click the file or folder and choose **Show More Options**. In the next menu choose **FileCloud Sync > View properties**.




- A **Properties** dialog box opens to the **Details**, **Metadata**, and **Versions** tabs.
5. To view file or folder details, remain on the **Details** tab.





- If you are viewing details of a file, as in the image above, the filename and last modified date are shown at the top of the **Details** tab.
  - Under **Path** the path of the file or folder is listed.
  - Under Permissions, your permissions for the file or folder are listed.
6. To see information about a file's versions, click the **Versions** tab.  
The tab lists details of each version of the file and includes a download arrow beside each version for downloading it.




7. To see information about the files metadata, click the **Metadata** tab.  
For information about working in the **Metadata** tab, see [Work with Metadata in Sync](#).

## Work with Metadata in Sync

You can view the metadata attributes for a file, or add an attribute if your administrator allows it.

**To view or add metadata:**

1. In your system tray, right-click the Sync icon and choose **Open**.
2. At the bottom of the the mini-dashboard, click the folder icon. In your Sync folders, navigate to the file or folder.
3. Right-click the file or folder and choose **Show More Options**. In the next menu choose **FileCloud Sync > View properties**.



A **Properties** dialog box opens to the **Details**, **Metadata**, and **Versions** tabs.

4. Click the **Metadata** tab.

The metadata sets available for the file or folder are listed.

The screenshot shows the 'Properties' dialog box with the 'Metadata' tab selected. The dialog has three tabs: 'Details', 'Metadata', and 'Versions'. Under the 'Metadata' tab, there is a section titled 'Document Life Cycle metadata'. It contains four fields, each with an information icon (i) to its right: 'Creation Date' with the value 'May 15, 2023 12:55 PM', 'Last Access' with the value 'Jul 24, 2023 2:17 PM', 'Last Modification' with the value 'Jul 24, 2023 2:17 PM', and 'Check Sum' with the value '6f7feb9d7761f5e9852475f4b493b37cf614689df'. Each field has a calendar icon to its right, indicating it is a date or time field.


5. View and if you have permission, add or modify metadata values.

For more information about metadata in FileCloud, see [Managing Metadata](#).

## Sync Icon Overlays

The FileCloud Sync app on Windows shows overlay icons on files and folders to indicate their sync status.

The overlay icons appear on all files and folders inside MyFiles, Network Shares, Team Folders, and Shared with Me.



The following icon overlays are currently supported.


Icon	Status
No Icon	File or Folder is new and has not been synced to the sync server.
	File or Folder has been synced to server and is up to date.
	File has been modified and has not yet been synced to the server.
	File is in conflict because changes have been made both in the server and locally. It needs to be resolved by the user.
	File is in a lock state and the owner must release the lock for other users to update it. The lock only appears if you have <a href="#">checked Show Lock Status in Icon Overlay</a> in <a href="#">Sync Settings</a> .

## Move a File Outside Sync into FileCloud

When Sync is running, if you right-click on a file or folder outside of the Sync folders the menu displays a **Move to FileCloud** action.

To move a file or folder outside the FileCloud Sync folder to **My Files**, right-click the file or folder and choose **Move To FileCloud**.

The file or folder is moved into the **My Files** Sync folder and automatically synced to the remote FileCloud server.




## Mac OSX Finder Right-Click Extension

### Mac OSX Finder Right-Click Extension


To include right-click sharing options with FileCloud Sync on Mac OSX, you must enable FileCloud Sync extensions.

1. Open your MacOS settings, and go to **System Preferences > Extensions**.

## 2. Search on *extensions*, and enable **Finder Extensions** for **filecloudsync**.



Now when you go to the Sync folder in the Finder, icons appear to the right of files and folders, and FileCloud Sync options appear in the right-click menu.




## Searching in Sync

Beginning with FileCloud Version 20.2, users are able to search for files in Sync using the desktop client.

## How do I access the search window?


1. In your system tray, right-click on the Sync icon and choose **Open**.
  2. In the mini-dashboard, click **Search**.
- The **Search** window opens. The current path is your local Sync folder.



## Basic and Advanced Search

Basic search view	Advanced search view
<p>Enter a search term. Searching begins automatically. The files and folders returned are listed in the lower portion of the Search window.</p> <p>Check <b>Include Folders</b> to search folder names as well as file names.</p>	<p>Click <b>Advanced Options</b> in the Basic search to view the Advanced Options fields. Choose any of the advanced options:</p> <ul style="list-style-type: none"> <li>• <b>All, Name Only, Content Only, or Metadata</b></li> <li>• Date range</li> <li>• <b>Filter by size</b> (check the box, then enter a size range)</li> </ul> <p>Click <b>Update</b> to begin the search. The results appear in Basic search view.</p>






## Accessing items after searching

**Access a file after searching:**


1. In the Search window, right-click the file.



2. To open the file in an application, click **Open File**.
3. To view the file listing in the Sync folder, click **Open Folder**.
4. To view the file listing in FileCloud, click **Open Website**.

**Access a folder after searching:**

1. In the Search window, right-click the folder.



2. To view the folder in the Sync folder, click **Open Folder**.

3. To view the folder in FileCloud, click **Open Website**.

Also see:

- [Changing the Sync search path](#)
- [Content Search in Sync](#)


- [Metadata Search in Sync](#)

## Changing the Sync search path


You can change the search path without leaving the Search window.

### To change the search path from the Search window:


1. Click the folder icon next to the search box.




**All Paths** opens:



2. Click the arrow to expand **All Paths**, and navigate to the folder you want to search.



3. Click the folder.  
The Search window displays the new path:



## Content Search in Sync

Content search enables you to search through the text in file types such as txt, pdf, doc, docx, xls, xlsx, ppt, and pptx.

Note that your admin must have configured content search in FileCloud for content searches to work.

Any files with matches are displayed with the link **Show Content Hit** below them.

To search in content:

1. Access the Search window in Sync.
  2. Click **Advanced Options**.
- Advanced options appear.

Sync for FileCloud

## Search

C: /

Search by keyword or filename

☐ Include Folders [Hide Advanced Options](#)

All

All

Name Only

**Content Only**


Metadata

Update


3. In the drop-down list, choose **Content Only**.
4. Enter a search term.

5. Click **Update**.

The Search window displays the results with the link **Show Content Hit** below each result.



6. Hover your cursor over **Show Content Hit** to view the text containing the search term:



## Metadata Search in Sync


You can search on metadata from any of the metadata sets in Sync.

To search on metadata:

1. [Access the Search window in Sync.](#)
  2. Click **Advanced Options**.
- Advanced options appear.



3. In the drop-down list, choose **Metadata**.



Sync for FileCloud

## Search

C: /

Search by keyword or filename

☐ Include Folders [Hide Advanced Options](#)

Content Only

All

Name Only

Content Only

**Metadata**

Update

A **Conditions defined** field appears.

4. To define conditions, click + to the right of the field.

Sync for FileCloud

## Search

C: /

0 conditions defined +

☐ Include Folders [Hide Advanced Options](#)

Metadata


Start Date - End Date

☐ Filter By Size

Update


A **Generate Metadata Conditions** window opens. Add search conditions in this window.

5. In the drop-down list, choose a metadata type.



A drop-down list of the metadata type's attributes appears below it.

## 6. Choose an attribute.



A field for the attribute value appears below it.

Sync for FileCloud

## Search

C: / FileCloud /

### Generate Metadata Conditions

Microsoft Office Tag metadata

Subject

Subject


Investments

Add

Set	Attribute	Value	Clear
Microsoft Office Tag metadata	Subject	Investments	x

Apply

7. Enter a value in the attribute field, and click **Add**.  
The value is case-sensitive.
8. Add any number of additional conditions, and click **Apply**.  
The search results are returned.




## Refreshing Sync

Users can refresh Sync from the Sync dashboard. Admins can refresh Sync for a particular user or users from the Device Management screen by entering a command.


### For users: Refresh Sync from the dashboard

1. To open the mini-dashboard, In your system tray, right-click on the Sync icon and choose **Open**.
2. To open the main dashboard, in the mini-dashboard, click **Dashboard**.
3. In the navigation panel, click **Help**.
4. Click **Full Sync Now**.



Files and folders are immediately re-synced.

**Refresh Sync Complete** appears at the bottom of the dashboard.



The screenshot shows the FileCloud dashboard interface. On the left is a navigation sidebar with links: Dashboard, Activity, Configuration, Cloud storage, Network Folders, Backup folders, Misc, Settings, and Help. The main content area displays system information and configuration options. At the bottom of the dashboard, a blue notification bar with a white 'i' icon contains the text 'Refresh Sync complete', which is pointed to by an orange arrow.

Section	Details
<b>Version</b>	23.1.0.8491 <a href="#">Check for updates</a>
<b>Configuration</b> Export and import Sync configuration data	<a href="#">Export configuration</a> <a href="#">Import configuration</a>
<b>Expert settings</b>	Only adjust if instructed by support <a href="#">Edit</a>
<b>Full Sync</b> Maintain current configurations, and resync all data. For use when there may be an issue with the previously synced data.	<a href="#">Full Sync now</a>
<b>Troubleshooting</b> Tools for troubleshooting issues with Sync	<a href="#">Export Sync log file</a> <a href="#">Open log folder</a>

**Refresh Sync complete**

#### For admins: Refresh Sync from the admin portal

 This command only works correctly when run in the **Manage Devices** screen, as shown in this procedure. Do not use it by entering it into the **Device Configuration** tab of a policy, as this will cause the command to run and refresh Sync every 5 minutes.

1. Log in to the admin portal, and in the navigation panel, click **Devices**.
2. In the Manage Devices screen, select the check boxes of the Sync devices to refresh.



3. In the upper-right corner of the screen, click **Command**.

The screenshot shows the FileCloud 'Manage Devices' page. The left sidebar has a 'Device Management' link highlighted with an orange arrow. In the top right corner of the main content area, the 'Command' button is highlighted with an orange arrow. Below the header, there is a table of devices with columns: Health, Type, User name, Device Name, Device Details, Last Access, Status, Access, Action, and Logs. The table lists several devices, including 'ncnp' (iPhone), 'tester' (FileCloud Drive), 'madhan' (FileCloud Drive), 'jennifer.perkins' (Cloud Sync), and 'demo' (iPhone 13). The 'jennifer.perkins' row is selected, and its 'Action' column shows a dropdown menu with 'Allowed' selected.

The **Send Config Command** dialog box opens.

4. Enter the following xml:

```
<cloudsync><refreshsync>1</refreshsync></cloudsync>
```

The screenshot shows the 'Send Config Command' dialog box. The title bar is blue with a close button. The main area contains a text input field with the XML code: `<cloudsync> <refreshsync>1 </refreshsync> </cloudsync>`. Below the text area are two buttons: 'Send' and 'Cancel'.

5. Click **Send**.

**i** **Full Sync now** and **Reset** (from the username drop-down list) are two different actions. **Full Sync now** clears your sync database and performs a new Sync without clearing your Sync configuration. **Reset** clears your configuration (the folders you have set up to sync) and also clears your sync database.

**Note:** Clicking [Sync Now](#) in the main dashboard or mini dashboard, performs an immediate sync of any changes so you don't have to wait for the automatic sync to run. It neither clears your Sync database nor clears your Sync configuration.


## View or Clear Log Messages in Sync

You can view log messages to troubleshoot Sync issues, or clear the log if the file is getting too large.

### To view log messages:

1. In your system tray, right-click the Sync icon and choose **Open**.
2. In the mini-dashboard, click **Dashboard**.
3. In the navigation pane of the dashboard, click **Activity**.

The **Sync Activity** page opens. By default, **View** is set to **All**, and all Sync activities are listed.



4. To view only certain types of log files, choose from the options in the **View** drop-down list.

The full list of options in the **View** drop-down list is:

- All
- Uploaded
- Downloaded
- Errors - You can resolve errors in this view. See [Resolve conflicts in Sync](#).
- Skipped (All)
- Skipped (My Files)

- Skipped (Network Folders)
- Skipped (Backup Folders)
- Skipped (Root Folder)

**Note:** For more information about skipped files, see [Reviewing Skipped Files](#).

5. To search for a file in your current view, enter a string into the search bar.

**To export activities:**

- To export a spreadsheet file of the list of files in your current view, click **Export**.

**To clear the log file:**


1. On the **Activity** screen, click **Clear Activities**.  
This clears all entries from the log, not just the entries for the current view.

## Updating a Changed Password in Sync

If your password is updated outside of Sync while you are working in Sync, a message tells you that you must enter the changed password.


**To update to the changed password so you can continue working in Sync:**

1. When the following message pops up, click on the text:




The following screen opens:

2. Enter the changed password into **Password** and click **Save**.  
A message that Sync has saved the password and is validating it appears.
3. Continue working in Sync.


 The **Password** field on the **Account Settings** screen cannot be used to change your password from Sync; you can only use it to update your password in Sync after it has been changed outside of Sync.

## Using DocIQ with Office for Sync Users

 **New FileCloud Sync users:** DocIQ has been replaced with FileCloud for Office. Please see the [FileCloud for Office with Sync documentation](#).

**Current FileCloud Sync users (DocIQ users):** FileCloud no longer supports DocIQ. Later this year, DocIQ will be fully deprecated. Although you can continue to use DocIQ with the current release, we recommend using FileCloud for Office, which can be downloaded from the Office add-ins store. Now, when you upgrade FileCloud Sync, you are given the choice of using FileCloud for Office or continuing to use DocIQ. If you choose to use FileCloud for Office, please see the [FileCloud for Office with Sync documentation](#).

DocIQ is a Microsoft Office add-in for FileCloud Sync and FileCloud Drive clients.



DocIQ works with the following Microsoft Office applications:

- Word
- Excel
- PowerPoint

#### What does DocIQ do?

DocIQ works with Office documents to help you manage shared files.

DocIQ gives you the ability to:

- manage file locking
- collaborate with your colleagues through comments
- see how shared files are being managed

#### How do I use DocIQ?

1. You open an Office application such as Word, Excel or PowerPoint.
2. Inside the Office application, you open a file saved to a FileCloud Sync or FileCloud Drive folder.
3. DocIQ displays as a task panel inside the Office application with the following information:
  - File details
  - Lock status
  - File sharing details
  - Comments attached to the file

#### How do I install and work with DocIQ?

1. [Install DocIQ with Sync.](#)
2. [Configure DocIQ for Sync.](#)
3. [Work with file locking.](#)
4. [Troubleshoot Doc IQ issues.](#)

## Install DocIQ with Sync

**For users who begin using FileCloud in version 23.1 or users who have not used DocIQ previously:** You will not see an option to install DocIQ when you install or upgrade FileCloud Sync. Instead, you will be given the option of installing [FileCloud for Office](#).

**Current FileCloud Sync users (DocIQ users):** Later this year, DocIQ will be deprecated, and FileCloud will no longer support it. Although you can continue to use DocIQ, we recommend using FileCloud for Office, which can be downloaded from the Office add-ins store. Now, when you upgrade FileCloud Sync, you are given the choice of using FileCloud for Office or continuing to use DocIQ. If you choose to use FileCloud for Office, please see the [Using FileCloud for Office with Sync](#) documentation.

DocIQ allows you to easily manage FileCloud options for a file directly in Microsoft Office applications.

To install DocIQ, you just need to update your FileCloud Sync software to the latest version.

## Install FileCloud Sync

### FAQ's

#### Do I need to do anything before installing it?

It's easy! Just make sure you have this:


Microsoft Office - Version 2007 or later for Windows

DocIQ does not support Microsoft Office for Mac OS. If you are a macOS user, install [FileCloud for Office \(FFO\)](#).

#### How do I continue to use it?

You may continue to use DocIQ when you update the FileCloud Sync Client.

When you reach this screen in the setup wizard, choose **Continue using DocIQ**.



## Install FileCloud Sync

#### Where is DocIQ installed on my computer?

DocIQ is installed in the following folder:

program files(x86) / DocIQ


## Configure DocIQ for Sync


DocIQ gets all configuration information from FileCloud Sync and Drive.

For example, when a file is opened from Sync, DocIQ will know which FileCloud account you are using.

- This allows DocIQ to show you information about the file that is uploaded to the FileCloud Server site in the Office application.

There are a few properties that can be configured in Sync and Drive for DocIQ:

Option	Description	How to Configure
 <p>Enable or Disable DocIQ Integration</p>	<p>This option removes the DocIQ panel that is shown in a Microsoft Office application after DocIQ is installed and enabled.</p> <p>This option is useful if you only need to disable DocIQ for a short time while troubleshooting computer issues.</p> <p>This option does not permanently remove DocIQ. To remove DocIQ, you have the following options:</p> <ul style="list-style-type: none"> <li>• uninstall Sync or Drive</li> <li>• use the Windows Programs Control Panel to remove DocIQ</li> </ul>	<ol style="list-style-type: none"> <li>1. In your system tray, right-click on the Sync icon and choose <b>Open</b>.</li> <li>2. At the bottom of the mini-dashboard, click <b>Settings</b>. The <b>Settings</b> page opens in the main dashboard.</li> <li>3. Beside Miscellaneous, disable DocIQ by unchecking <b>DocIQ Office integration</b>.</li> <li>4. To enable DocIQ again, check <b>DocIQ Office integration</b>.</li> </ol> <p>This configuration can be set in the admin portal (via centralized device configuration) using the following command:</p> <pre>&lt;cloudsync&gt; &lt;officehelperdisabled&gt;0&lt;/officehelperdisabled&gt; &lt;/cloudsync&gt;</pre> <p>Setting this value to 0 will enable DocIQ automatically, and setting it to 1 will disable DocIQ automatically.</p>

 <p>Automatically enable Lock on file open</p>	<p>This creates the following scenario:</p> <ul style="list-style-type: none"> <li>• When a supported file from Sync or Drive is opened</li> <li>• DocIQ will automatically attempt to lock the file, with read allowed status.</li> </ul>	<ol style="list-style-type: none"> <li>1. In your system tray, right-click on the Sync icon and choose <b>Open</b>.</li> <li>2. At the bottom of the mini-dashboard, click <b>Settings</b>. The <b>Settings</b> page opens in the main dashboard.</li> <li>3. Beside <b>Miscellaneous</b>, disable automatic locking in DocIQ by unchecking <b>Automatic locking in DocIQ</b>.</li> <li>4. To enable automatic locking in DocIQ again, check <b>Automatic locking in DocIQ</b>.</li> </ol> <p>This configuration can be set in the admin portal (via centralized device configuration) using the following command:</p> <pre>&lt;cloudsync&gt; &lt;officehelperlockonedit&gt;1&lt;/officehelperlockonedit&gt; &lt;/cloudsync&gt;</pre> <p>Setting this value to 1 will enable locking automatically, and setting it to 0 will disable locking automatically.</p>
---	--	--

## Work with DocIQ File Locking in Sync

You can use file locking to:

- See if you have the file locked for editing
- Easily turn locking on and off
- Prevent or enable downloads of this file

Locking is critical for shared files, since another user can also open the file and make changes.

- When one user opens a file, DocIQ automatically locks the file for editing.
- The lock is shown right in the Office application you are using to edit the file.


## FAQ's

### How do I know the status of a lock?

To see the lock status:


1. In a Microsoft Office application, open a file saved to your Sync folder.
2. In the DocIQ panel, under the file name, location, and date information, you can see the lock status.






File is not locked when:

- Lock is OFF



File is locked (read allowed) when:

- Lock is ON
- Prevent Download is OFF



The screenshot shows a window titled 'FileCloud DocIQ' with a close button and a maximize button. Below the title bar is a tab labeled 'Information (v1.0.0.31688)'. The main content area displays the file name 'Metadata Integration.docx', its path '/My Files/Metadata Integration.docx', and its metadata 'Sep 17, 2018 2:32:12 PM 103 KB'. A green banner with a lock icon and the text 'File is locked (read blocked)...' is prominently displayed. Below this banner are two toggle switches: 'Lock' (checked) and 'Prevent Download' (unchecked).

File is locked (read blocked) when:

- Lock is ON
- Prevent Download is ON

The following table describes what each lock status means and how it impacts what you can do with the file and others you have shared it with.

Lock Status	Access by lock owner	Access by others
File is locked (read allowed)	Read and Modification allowed	Only read is allowed, no modification is allowed
File is locked (read blocked)	Read and Modification allowed	No Read and Modification is allowed
File is not locked	Read and Modification allowed	Read and Modification allowed

### When does the lock status change?

In the following scenario:

- When a supported file from Sync or Drive is opened
- When automatic lock on an open file is enabled

DocIQ will automatically attempt to lock the file, with read allowed status.

For a file with a Read Blocked status:

If USER1 has locked (read blocked) the file:

- FileCloud Sync will not download the file for USER2

However, if USER2 has already downloaded the file, then:

- FileCloud Sync will allow DocIQ to open the file
- FileCloud Drive will not allow the file to be opened by USER2, unless Drive has already cached the file


You can use the following table to understand the status of lock:

Action	Doc IQ Lock Enabled	Prevent Download	Lock Status Before Open	Lock Status After Open	Lock Status After close
An unlocked file is opened by USER1			File is not locked	File is locked (read allowed) by USER1	File is not locked
An unlocked file is opened by USER1			File is not locked	File is not locked	File is not locked
A file locked by USER1 is opened by USER1			File is Locked (Read Allowed) by User 1	File is Locked (Read Allowed) by USER1	File is not locked
A file locked by USER1 is opened by USER1			File is Locked (Read Allowed) by User 1	File is Locked (Read Allowed) by USER1	File is not locked
A file locked by USER1 is opened by USER1			File is Locked (Read Blocked) by USER1	File is Locked (Read Blocked) by USER1	File is not locked
A file locked by USER1 is opened by USER2			File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1
A file locked by USER1 is opened by USER2			File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1
A file locked by USER1 is opened by USER2			File is Locked (Read Blocked) by USER1	File is Locked (Read Blocked) by USER1	File is Locked (Read Blocked) by USER1

💡 Note that you cannot enable *Prevent Download* unless DocIQ *Lock* is also enabled.

### How can I prevent another using from downloading a file I am working on?

When you lock a file, you can block other users from reading the file by enabling Prevent download.



💡 Note that you can not enable *Prevent Download* unless DocIQ *Lock* is also enabled.

If another user, USER2, attempts to download the file, USER2 will see the following conditions:

- The file cannot be downloaded from the FileCloud User Portal
- FileCloud Sync will not download the file that is locked and read-blocked.
- FileCloud Drive will not open the file that is locked and read-blocked.
- DocIQ will open the file from a Sync path when file is already available in the Sync client (previously downloaded).
- DocIQ will open the file from a Drive path when the Drive client allows a file to be opened.

## Troubleshoot DocIQ in Sync

DocIQ is very straightforward to install, configure, and use.

If you encounter issues, try using these troubleshooting tips.

### Tips for general issues


Review the DocIQ Log files

DocIQ logs are found in %appdata%/DocIQ/data/DocIQaddin.log

### DocIQ is not displayed in your Office app

Check if DocIQ office integration is enabled in Sync/Drive Path:

1. Check if the file you opened is in a Sync or Drive folder
2. Reconnect to Drive or Sync.
  - a. From the System Tray, right-click the FileCloud icon, and select **Exit**; then **start Sync** again.
3. In an Office application, such as Word, open File Options
  - a. From the menu, select File, then Options.
  - a. In Add-ins, under Active Application Add-ins verify that FileCloud DocIQ is listed.



### DocIQ cannot get file details

Check if file is available in FileCloud by logging into the FileCloud User Portal.


Logging in to the User Portal

To temporarily disable DocIQ to troubleshoot other computer issues, you can

[Configure DocIQ for Sync](#)


If you need to, you can uninstall DocIQ in the following ways:

### From the Windows Control Panel

1. Next to the Start button (  ), in the search box, type *Control Panel*.
2. From the results, select *Control Panel*.
3. Select *Programs and Features*, and then select *DocIQ*.
4. At the top of the list, next to Organize, click *Uninstall*.


## Uninstall the Sync application

DocIQ will be uninstalled when Sync application is uninstalled.

1. Next to the Start button (  ), in the search box, type *Control Panel*.
2. From the results, select *Control Panel*.
3. Select *Programs and Features*, and then select *FileCloudSync*.
4. At the top of the list, next to Organize, click *Uninstall*.

## Uninstall the Drive application

DocIQ will be uninstalled when Drive application is uninstalled.

1. Next to the Start button (  ), in the search box, type *Control Panel*.
2. From the results, select *Control Panel*.
3. Select *Programs and Features*, and then select *FileCloudDrive*.
4. At the top of the list, next to Organize, click *Uninstall*.

## Using FileCloud for Office with Sync

- i** FileCloud for Office is an MS Office add-in for Word, Excel, and PowerPoint which can be used in both Windows and macOS with FileCloud Sync, FileCloud Drive, and FileCloud Desktop. It is available in FileCloud beginning with version 23.1.  
For instructions on how to install FileCloud for Office, see [Using FileCloud for Office](#).  
If you have been using FileCloud Sync with DocIQ, see the instructions [for previous users of DocIQ](#) at the bottom of this page.

## Before using FileCloud for Office with Sync


The first time you install Sync or upgrade Sync to use FileCloud for Office you must:

- Contact FileCloud Support and request that your cookie same-site value be set to **None**.
- Confirm that you trust FileCloud for Office and enable it as shown in the following procedure.

### To confirm that you trust FileCloud for Office:

1. After you log in to FileCloud Sync, click the **Settings** tab.
2. Click the **Trust FFO** button.

The **Trust FFO** button disappears, and the checkboxes for **FFO Office integration** and **Automatic locking in FFO** are automatically checked:



FileCloud for Office is now enabled in Sync, but to use it in Office files, you must [include the add-in](#) in each type of Office file (Word, Excel, and PowerPoint) in your FileCloud Sync directory.

**Note:** To use FileCloud for Office without the automatic locking feature, uncheck **Automatic locking in FFO**.

## Working with FileCloud for Office in Sync

The FileCloud for Office task panel displays information about a file and enables you to:

- Lock or unlock a file.
- Prevent or allow download of a file while locked.
- Share a file.
- Manage file versions, and view file details and metadata.

### Lock or unlock a file

#### Locking and unlocking files

You can use the file locking function in FileCloud for Office to:


- See if you have a file locked for editing
- Turn a file lock on or off

- Prevent or enable downloads of a locked file

If a shared file is not locked when you open it for edit, another user can also open the file and make changes.


To avoid this, by default, FileCloud for Office automatically locks files for editing when they are opened.

When you open an Office file in your client directory, the FileCloud for Office panel shows **File is locked**, and by default, users are allowed to download or read the file (**Prevent download** is disabled).






- To prevent other users from downloading or reading the file while it is locked, click the **Prevent download** slider.



- To unlock the file while you have it opened for edit, click **Unlock**. Now other users can modify as well as view and download the file.

**Note:** Prevent download cannot be enabled when the file is unlocked.



The following table describes what each lock status means and how it impacts what you and others you have shared the file with can do with the file.

Lock Status	Access by lock owner	Access by others
File is locked (download allowed)	Read and modification allowed	Only read is allowed, no modification is allowed
File is locked (download prevented)	Read and modification allowed	Neither read nor modification is allowed
File is not locked	Read and modification allowed	Read and modification allowed

**i For a locked file with download (read) prevented:**  
If USER1 has locked (and read blocked) the file:


- The FileCloud client will not download the file for USER2

However, if USER2 has already downloaded the file in Sync or Drive, then:

- FileCloud Sync will allow FileCloud for Office to open the file.
- FileCloud Drive will not allow the file to be opened by USER2, unless Drive has already cached the file.


**If an admin prevents file locking after a user has locked a file in a client:**

- The lock is automatically removed from the file
- Additional files cannot be locked using FileCloud for Office, and when you attempt to lock a file, an error message similar to the following appears:



If you are an admin and want to disable locking, see Managing User Locks.

You can use the following table to understand the status of lock:


Action	Doc IQ Lock Enabled	Prevent Download	Lock Status Before Open	Lock Status After Open	Lock Status After close
An unlocked file is opened by USER1			File is not locked	File is locked (read allowed) by USER1	File is not locked
An unlocked file is opened by USER1			File is not locked	File is not locked	File is not locked
A file locked by USER1 is opened by USER1			File is Locked (Read Allowed) by User 1	File is Locked (Read Allowed) by USER1	File is not locked
A file locked by USER1 is opened by USER1			File is Locked (Read Allowed) by User 1	File is Locked (Read Allowed) by USER1	File is not locked
A file locked by USER1 is opened by USER1			File is Locked (Read Blocked) by USER1	File is Locked (Read Blocked) by USER1	File is not locked
A file locked by USER1 is opened by USER2			File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1
A file locked by USER1 is opened by USER2			File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1
A file locked by USER1 is opened by USER2			File is Locked (Read Blocked) by USER1	File is Locked (Read Blocked) by USER1	File is Locked (Read Blocked) by USER1

## Share a file

### Sharing a file

**To share a file or folder that is opened with FileCloud for Office:**

1. In the FileCloud for Office panel, click **Create**.



A Share Link screen that is nearly identical to the one in the user portal opens:

Share link for customers.docx

Share link

<http://127.0.0.1/url/vkzsyjks4fefndwb>
[Modify link](#)

Shared file

My Files > customers.docx

Share options

Share history

Share name:

customers.docx

Change

Expires:

Never expires

Max number of downloads:

No Restrictions

Send email notifications:

Yes

Sharing permissions:

☐ Allow anyone with link
 ☐ Allow anyone with link and password
 ☒ Allow selected users and/or groups

Users (0)

Groups (0)

Invite users

User	View	Download	Upload	Share	Sync	Delete	Manage
No entries							


Remove share

OK

- Share the file using the same settings and options that you would for a share in the user portal. See Sharing Files and Folders for help.

**Note:** The option for downloading the share QR code, which is available for shares created from the user portal, is not available for shares created in FileCloud for Office.

After you have shared the file, the FileCloud for Office panel displays details of the share:



3. Click **Manage** to change the options or permissions in the share.


Download versions, view details and metadata

**Downloading versions, viewing details, viewing metadata**

Versions


**To view a file's version information in FileCloud for Office:**

1. At the bottom of the FileCloud for Office panel, click the **+** across from **Versions**.






The expanded **Versions** section shows you version information about the file.




**To download file versions in FileCloud for Office:**

1. In the **Versions** section of the FileCloud for Office panel, click **Manage versions**.



The Properties dialog box opens to the **Versions** tab.




2. Click **Download** for the version that you want to download, and save it.

## Details


**To view file details:**

1. In the **Versions** section of the FileCloud for Office panel, click **Manage versions**.



The **Properties** dialog box opens to the **Versions** tab.

2. Click the **Details** tab.




The details shown are the filename and type, the last modified date, the path of the file in FileCloud, and your permissions for the file.

## Metadata


To view metadata information for the file:

1. In the **Versions** section of the FileCloud for Office panel, click **Manage versions**.



2. The **Properties** dialog box opens to the **Versions** tab.

3. Click the **Metadata** tab.



Each metadata set applied to the file is listed with the values for its fields.

FileCloud for Office log locations

### Locating FFO logs

The locations of log files for FileCloud for Office in Windows and macOS are the following:

**Windows:** %appdata%/FFOServer

**macOS:** /Users/[USERNAME]/Library/Preferences/FFOServer

View and add comments


### Viewing and adding comments

Comments added to files and folders in FileCloud for Office also appear in the user portal and any of the other client apps.

#### To view and add comments in FileCloud for Office:

1. If **Comments** is not visible in the FileCloud for Office panel, scroll down to the bottom of the panel.


2. Click the **+** across from **Comments**.




Any existing comments added to the file or folder here or anywhere else in FileCloud appear above



the **Comments** box.




3. To add a new comment, click inside the **Comments** box and enter the comment.



4. Click **Add comment**.


The comment is added.




## For previous users of DocIQ

If you have never used FileCloud Sync with DocIQ before, the installer will automatically configure Sync for use with FileCloud for Office, and this section does not apply to you.

If you have previously been using FileCloud Sync with DocIQ, when you run the FileCloud Sync installer, the first screen of the wizard introduces you to FileCloud for Office:



The installer prompts you to choose whether you want to continue using DocIQ or switch to FileCloud for Office (DocIQ will be deprecated in the future).



Choose whether you want to use FileCloud for Office or DocIQ. If you choose FileCloud for Office, you are also required to install an add-in.

The installer configures your Sync installation to function with the option you have chosen.

## Sync Troubleshooting Guide

The FileCloud Sync client ensures that the content of your local files is exactly the same as the same files on the FileCloud server.

But, because of the wide variety of local computer environments and network and server configurations, there may be occasional issues when synchronization occurs.

You can troubleshoot synchronization issues by understanding how sync works and taking steps to resolve specific issues.

- [Files that don't sync](#)
- [Change Sync Folder Location](#)

- [Sync Logs](#)
- [Sync Engine Types](#)
- [View Sync Error Details](#)
- [Sync Errors: Causes and Resolutions](#)

## Files that don't sync

Under the following conditions, FileCloud sync client might be unable to sync files to or from your FileCloud installations.

### Long Filenames or Paths

Windows Operating Systems only allow files and folder names of around 260 characters or less. So paths longer than those are not synced. If the entire file path and name exceed 260 characters, shorten the name or move the file or folder to a higher-level folder within your FileCloud.

**Note:** This is a limitation of Windows explorer, not a limitation of FileCloud Sync.

### Names Ending with "." or ","

Files and folders ending with these characters will cause an error. The files must be renamed.

### Special Characters

FileCloud Sync doesn't sync some files with characters that are incompatible with some operating systems.

Rename them to something more suitable for use across multiple operating systems.



- The \* character
- The < character
- The > character
- The : character
- The \ character
- The / character
- The | character
- The ? character
- The \* character
- The ~ character

The following files will also **not be synchronized**:



- tonido.db
- Thumbs.db
- desktop.ini
- Anything ending with .tmp
- Anything ending with .lnk
- Files or Folders ending with space
- .tonidocache

- Folders with the name .cache
- Anything starting with Conflict\_
- sync.ico
- .ds\_store (starting with 4.71 version of Sync Client)
- Any hidden files (usually files starting with . in Linux and files with hidden attribute in windows)
- File names and file extensions which are restricted by the server admin
- Files that are in use

**i** Beginning in Version 19.1, FileCloud supports overriding file type restrictions. To allow users to sync file types such as lnk, ini and thumbs.db, as well as hidden files, use the **allowedfilelist** option on page XML Options for Sync.

**i** Sync only detects changes when the file size changes. If the file size does not change, then the file modification is not detected by sync.

## Change Sync Folder Location


The FileCloud Sync app stores synchronized files at the following default locations:

- **Windows:** C:\users\<user>\Documents\FileCloud
- **Mac OSX:** {HomeDir}\FileCloud
- **Linux:** {HomeDir}\FileCloud

### To change the Sync folder location:

1. In your system tray, right-click the Sync icon, and choose **Open**.  
The mini-dashboard opens.
2. At the bottom of the mini-dashboard, click **Settings**.  
The main dashboard opens to the **Settings** screen.

3. Across from **Sync Folder Location**, click **Change**.



Your content explorer opens.

4. Choose a new Sync folder.

At the bottom of the Settings screen, the message **Changes Saved. Restart Sync to apply the changes** is shown.

5. Restart Sync.

## Sync Logs


If the FileCloud Sync client stops working, you might need to send Sync data logs to Technical Support, so they can help address the issue.

To access log files:

1. In your system tray, right-click the Sync icon and click **Open**.
2. In the mini-dashboard, click **Dashboard**.




3. In the main dashboard, click **Help**.



- To get the most recent log file, click **Export Sync Log File**.
- To get all the log files, click **Open Log Folder**.

The folder where the syncclient.log files are located opens. Sometimes there are multiple syncclient.log files numbered syncclient.log.0, syncclient.log.1, etc. You can copy them all to a zip file and send it via email to support.



## Sync Engine Types

FileCloud Sync has two types of synchronization engines.

- A real-time synchronization engine
- A periodic synchronization engine

### Real-time Synchronization

Real-time synchronization synchronizes files as they change locally and with minimum delay from the server. You can initiate a sync immediately using the **Sync Now** option. Real-time synchronization works for all files inside Managed Storage (My Files and Shared with Me) .

### Periodic Synchronization

Periodic synchronization synchronizes files on a specified time interval starting at every 30 minutes, 1 hour, etc, depending on your setting in **Sync Frequency** in the [Settings screen](#) of the main dashboard. [Backing up files from your local computer to your remote server](#) is also a form of periodic synchronization.


	Real-time Synchronization	Periodic Synchronization
Local Change Upload Frequency	Uploads local changes as soon as a local file changes.	Uploads changes after specific intervals.
Remote Change Download Frequency	Default is every 2 minutes; can be changed by changing the <b>Sync Frequency</b> in the <a href="#">Settings screen</a> of the main dashboard.	Downloads changes after specific intervals.
Type of Remote Storage	Managed Storage (My Files and Shared with Me)	Local to remote backup,
Initial Setup	Folders under My Files and Shared Folders with Sync permissions are automatically downloaded.	User manually chooses folders to download and sync.
Limits	<ul style="list-style-type: none"> <li>• Managed Files (no limit, tested up to 300,000 files).</li> </ul>	Efficient up to 500-1000 folders. The more folders, the longer it takes to synchronize.

## View Sync Error Details

### View errors from the Sync Activity screen

To view details about an error from the **Sync Activity** screen:

1. In the system tray, right-click the Sync icon and choose **Open**.
2. In the mini-dashboard, click **Dashboard**.
3. In the main dashboard, click **Activity**.  
The **Sync Activity** screen opens.
4. In the **View** drop-down list, choose **Errors**.  
The screen lists activities that resulted in errors along with the location of the error.
5. To access options for managing the conflict, click the three dots next to the error description.



6. To resolve file conflicts, see [Managing Sync Conflicts](#).

## Sync Errors: Causes and Resolutions

Because of the wide variety of local computer environments and the many network and server configurations, there can sometimes be issues when synchronization occurs.

💡 Click an issue in the following list to read more about it.

### Shared with Me Folder is not syncing

#### Cause

The shared folder must have permissions set in order for you to sync with it.

#### Resolution

Make sure the shared folder has **Sync** permissions enabled.

Private Share Permissions for Folders

### Team Folders are not synchronizing

#### Cause

FileCloud treats Team Folders in the same way as Managed Storage.

- If one file fails to synchronize because it is locked, the sync operation is cancelled, and no files in Team Folders are synced..

#### Resolution

Verify that none of the files on the server that you are trying to sync are locked.

### Initial sync is taking too long

#### Cause

When starting up for the first time on a new computer, Sync:


1. Downloads all the files from the FileCloud server; and
2. Stores the files in the temporary Sync cache folder; and
3. Copies the files into the Sync folder.

If there are a large number of files and data on the FileCloud server, initially downloading the files will take a long time.

★ Subsequent file synchronization will be faster.

#### Resolution

- At the top of the mini-dashboard or the main dashboard (in the Dashboard screen) confirm that you see the message **Sync is ON**, which indicates that Sync is enabled.



- In the main dashboard, on the **Activity** screen, in the **View** drop-down list, choose **Errors**.



If there are errors, please find the description of the error type on this page.

## Download Sync Error

### Cause

After downloading files, Sync finds an inconsistency with the downloaded file from the server. This could be due to several factors:

- An interruption in the download
- A temporary interruption in network availability
- A problem with the file on the server

#### Resolution

- Download the same file via the web browser and see if it downloads correctly.
  - Note the size of the file. Does the size match the size displayed in the web browser listing?
  - If the size matches then there could be a transient network condition. Try syncing the files again.
  - If the file size doesn't match then there is something wrong with storage. Please contact FileCloud support.

### Upload Sync Error

#### Cause

Sync is unable to upload a file back to the server.

#### Resolution

- Try uploading the same file to the same location using the web browser.
  - If the upload fails, then note the error.
  - The problem could be that the location you are trying to upload to has no permissions or that there is an issue with a server configuration or the environment.
  - Check with your administrator to see if the server has sufficient disk space in the drive FileCloud is installed on.
- Check the file name for any special characters that could make the upload fail.
  - If this is the issue, try renaming the file and see if the upload works.

### File Overlays not appearing on Windows

#### Cause

The computer requires a reboot after installation.

#### Resolution

- Check if Windows Explorer integration was installed and the PC was rebooted.

### Some files are not syncing

#### Cause

FileCloud restricts the use of certain special characters in file names. If a file contains one of these characters it is not synchronized.

..  
 \  
 /  
 :  
 \*  
 ?

```
"
<
>
|
```

FileCloud allows an administrator to restrict certain types of files for security reasons.

### Resolution

- Check the [full list of special characters that don't get synchronized](#).
- Check if the file has an extension that is disallowed for Sync by server.
  - For example, by default, PHP, PHP5 file extensions don't get synced.
  - You can change the allowed file types on the server and restart the sync

### Sync is looping continuously on some folders

#### Cause

If you try to share a folder that contains other folders already being shared, Sync might continuously try to sync those folders.

For example:

- You share */SHARED/john/toplevel*
- And a sub-folder inside the *toplevel* folder is also being shared */SHARED/john/toplevel/subfolder*

### Resolution

Check if there is a share set up for a top folder and one of its sub-folders, both of which have sync permissions.

- Only sync the top-level folder, which will also cause the sub-folder to be synchronized.

### File changes are not uploading

#### Cause

Sync uses file sizes to detect file changes and then upload them. Some file formats like XLS don't change the file size when content is changed so these files might not be uploaded.

### Resolution

- Try changing to XLSX format if possible
- Use the optional parameters to detect changes using file checksums or modified timestamps (or both). See: **Document Life Cycle Metadata** in Working With Built-In Metadata

### Number of synced files and sizes don't match Mac OSX Finder

#### Cause

Finder includes files and folders in the total list of items so that number will be different from the number of files reported in Sync.

Also .DS\_Store files are not synced by sync app, so those files will not be synced.

```
A = 'find . -type f | wc -l'
```

```
B = 'find . -type f -name ".DS_Store" | wc -l'
```

Number of files in sync will match A - B

Finally, the size reported by Finder uses a different way of calculating GB size vs FileCloud.

Windows uses the standard GB while Macs use a GB = 1,000,000,000 bytes.

#### **No error is shown when a user copies/pastes a file/folder into the parent folder**

Filecloud Sync does not show an error every time a user copies and then pastes a file or folder into a read-only parent folder. In FileCloud Drive, the same action displays an error that the parent folder is read-only. The user can be confused when no error is shown in FileCloud Sync but is shown in Drive.

**Cause:** In FileCloud Sync, these errors are shown every 3 hours only.

- The user will see the message: **Skipping top level files or folders that are not inside a sync-able folder**
- The message is displayed in the **Activity** log and also as a pop-up notification
- Only the name of the very first folder or file that cannot be synchronized is displayed in the **Activity** log and pop-up (Instead of every file and folder name)



# FileCloud Drive

**i** FileCloud Drive versions below 22.1 do not support MacOS Ventura. If you are using MacOS Ventura, please install or upgrade to FileCloud Drive 22.1.

FileCloud Drive now supports Big Sur Version 11.3 and higher running on Apple Silicon. However, a change to your security settings is required. See [FileCloud Drive: Configuration for Big Sur Running on Apple Silicon](#).

You can use FileCloud Drive to store, access, and share files to collaborate with the people you work with or share data with.

- FileCloud Drive is a client application that allows you to access FileCloud and the files you store there.
- You can access files in Drive in the same way you access them on a Windows PC in Windows Explorer.
- The same features that are available on the User Portal are available in Drive.
- Drive allows you to easily open the User Portal.
- You can access Drive files from Microsoft applications.

This section describes how to use Drive on a Windows computer; however, you can also use Drive on a Mac with [FileCloud Drive for Mac](#).

## What is FileCloud Drive?

FileCloud Drive allows you to access files in FileCloud the same way you access them in Windows.



If you are used to working with Windows File Explorer, you may think that changing to a Web-based UI will reduce your efficiency. Traditionally, with a Web-based UI, you must open the website to download files, then modify them in their application, and then open the website again to upload them back to the Web UI. This effort is eliminated when you work through FileCloud Drive. You can actually edit files the same way you edit them in Windows because the files (and folders) appear virtually in File Explorer and are directly accessible.


**This is how our files are accessible in the FileCloud Server application.**



When you open one of your Drive folders, the same contents that appear in the FileCloud user portal are listed. Files are cached when they are initially accessed (either by the system during download or by you when you initially open them).

To help you determine how quickly you can access files, checkmark overlays appear on files:


- Files with icons overlaid with a white check on a blue background  are cached.
- Files with icons overlaid with a blue check on a white background  are not cached.



The following FileCloud options are available for Drive from the Explorer window when you right-click on a file or folder in My Files or Network Folders and choose **Show More Options > FileCloud Drive**:


A File	A Folder
<div>FileCloud Drive &gt;</div> <div>Share link</div> <div>View properties</div>	<div>FileCloud Drive &gt;</div> <div>Share link</div> <div>View properties</div> <div>Search</div>

When you right-click on a file or folder in Team Folders or Shared with Me and choose **Show More Options**, you also see an option to share a link with someone who already has access to the Team Folder or Shared with Me. To share a link with someone who already has access to a folder, see [Sending a link from a Team Folder or Shared With Me](#)


A File in a Team Folder or Shared with Me	A Folder in a Team Folder or Shared with Me
	

## Understanding FileCloud Drive


FileCloud Drive provides a virtual view of your FileCloud files and makes it appear as if the files are actually local, but in reality they are not. When you open them in your explorer or finder, they are downloaded to a local cache. When you save the files, they are saved to the cache and then uploaded to FileCloud's remote server.



When you save your files, confirm that they have been uploaded to FileCloud by looking for the notification in the Drive app or the FileCloud user portal notifications.



File upload notification in Drive app.



File upload notification in FileCloud user portal.

Network Dependency	Description	Best Practice
💡 Network must be available.	FileCloud Drive depends on your network to download files from the remote FileCloud server and to upload them back to it.	✅ Use a reliable network connection.

Network Dependency	Description	Best Practice
💡 File size determines download time.	When you have a large file, for example 1 GB, and you try to open it in an application via FileCloud Drive, it is not instantaneously available like smaller files. The time it takes to be downloaded from the remote connection and then opened is visible to you, and depending upon your network connectivity this could take a while.	<ul style="list-style-type: none"> <li>✅ Use FileCloud Drive to work with small to medium sized files</li> <li>✅ Use FileCloud Drive to edit documents</li> <li>✅ Use FileCloud Drive to upload a small number of files or download small documents.</li> <li>✅ FileCloud Drive is more convenient than using the web portal to edit files because it avoids manually downloading the file first, editing it, and then re-uploading it to the server.</li> <li>✅ FileCloud Drive's explorer window automatically opens the document in the application, allows you to edit, saves it, and then uploads the file back to the server.</li> <li>✅ Use FileCloud Sync If you are working with files that are 1 GB or larger, because they are stored directly in File Explorer.</li> </ul>
💡 Network connectivity determines how long it takes to complete an action.	When you choose an action like copy or delete from the system tray menu, the cursor icon animates until all operations are committed to the FileCloud Server. When the action is complete, the cursor stops animating. The time it takes the action to complete depends on the speed of your network connection. That is why it is better to use Drive with small files and small amounts of files at once.	<ul style="list-style-type: none"> <li>✅ Wait for the cursor to stop moving before choosing another action.</li> </ul>


## Installing FileCloud Drive

Beginning in FileCloud Version 21.3, Drive installs into the folder **Program Files** instead of the folder **Program Files(x86)**.


### To install FileCloud Drive:

1. Download FileCloud Drive from the following URL:  
<http://www.filecloud.com/additional-downloads/#drive>

2. To run the installation wizard, click the FileCloudDrive2eSetup.exe execution file you just downloaded. The first screen recommends that you use the FileCloud for Office feature.




3. Click **Next**.




4. Leave the checkbox checked, and click **Next**.

If you are already a Drive user using DocIQ, and this is an upgrade, the next screen gives you the option of using DocIQ or FileCloud for Office. For more information, see [Using FileCloud for Office with Drive](#). If you are a new Drive user, the following screen does not appear.






The next screen appears:




5. Click **Install**.

The wizard shows the installation's progress.



When installation is complete, the following screen appears:




6. Leave **Yes, restart the computer now** selected to begin using Drive or the latest version of Drive, and click **Finish**.

## Checking for Drive Updates

**To check if there are updated versions of Drive:**

1. Click your username in the upper-left corner of the dashboard, and choose **Check for updates**.



If there is a new version of Drive available, the message **A newer version is now available. Updating is highly recommended. Download the new version and exit now?** appears.

2. Click **Yes**.  
Drive is closed and the new installation file is downloaded to your system.
3. Save and run the installation file.  
The new version of Drive is installed and you are prompted to restart your computer.

## Start and Log In to Drive

After installation and restarting your computer, FileCloud Drive should open automatically.

- The same content that is available from the User Portal is listed locally as a drive.


- You can add/delete/edit files that are stored on your FileCloud Server folder from the drive.

## Starting Drive


### Starting Drive and the startup wizard

If Drive did not run after you restarted your computer:

1. From the Start menu, click **FileCloud Drive > More > Run as administrator**.



A log-in window opens.




2. To change the user interface language from English, use the drop-down list at the bottom of the screen.
3. Click the **Get Started** banner to go to the next screen.

### Step 1: The wizard's log-in screen

After you click the **Get Started** banner in the first wizard screen, the **Login** screen opens:


1. Choose a **Login Method**.  
To log in with SSO, see [Log In Using Single sign-on \(SSO\)](#).  
To log in using a device authentication code, see [Using Code Based Authentication for Drive](#).
2. In **Server URL**, enter your server address.
3. In **Account**, enter your username.
4. In **Password**, enter your FileCloud account password.  
You may enter proxy settings instead. See [Proxy server for FileCloud Drive](#).
5. Click **Login**.

Setting	Description	Example
Server URL	<p>The URL to the FileCloud Server.</p> <p>You can find this URL</p> <ul style="list-style-type: none"> <li>• In the Welcome to FileCloud email you received with your user account</li> <li>• By contacting your Administrator</li> </ul>	<p>https:// &lt;myteam&gt;.&lt;filecloud_site&gt;.co m</p>

Setting	Description	Example
Account	<p>Your FileCloud account name or email address.</p> <p>You can find this URL</p> <ul style="list-style-type: none"> <li>In the Welcome to FileCloud email you received</li> <li>By contacting your Administrator</li> </ul>	<p>&lt;user name&gt;</p> <p><a href="#">username@myteam.myfilecloud.com</a></p>
Password	The password to your FileCloud account.	
SSO	<p>Single sign-on (SSO) is a user authentication process that permits you to enter one name and password in order to access multiple applications.</p>	<p>Drive users can read about:</p> <p>➔ <a href="#">Log In Using Single sign-on (SSO)</a></p>
Device Authentication Code	<p>This allows you to get a Device Authorization Code to connect to the server instead of a username and password.</p> <p>Your administrator must configure this option. If they do:</p> <ol style="list-style-type: none"> <li>You must enter the server URL, the user account name (or email), and then click the "Request Access" button.</li> <li>If the request access was successful, you will get the following dialog which needs a device authorization code to login.</li> </ol> 	<p>Administrators can read about:</p> <p>➔ <a href="#">Configuring Desktop Apps Login support - Code Based Authentication</a></p> <p>Drive users can read about:</p> <p>➔ <a href="#">Using Device Authorization Codes</a></p>
Proxy Settings	<p>If your company requires a proxy server to connect to internet, then you must provide that information. In the log-in screen of the dashboard, click Proxy Settings in the wizard's Log In screen.</p>	<p>➔ <a href="#">Enter Proxy Settings</a></p>

### Step 2: The wizard's Download Limit screen

After you click **Login**, the **Download Limit** screen opens.




Before a user can read or update a file in Drive, the file must be fully downloaded, which may lead to heavy bandwidth usage. To limit this, FileCloud Drive has a maximum file size download limit setting which is set to 50 MB by default. You may adjust this setting depending on your system's performance and the size of files that your users commonly access in Drive.

**i** The download limit does not apply to the following file types: .txt, .rtf, .doc, .docx, .xls, .xlsx, .ppt, .pptx, and .indd.

1. To change the **Download Limit**, move the arrow to the left or right.
2. Click the right arrow to go to the next wizard screen.

### Step 3: The wizard's General Settings screen

After you click the right arrow in the **Download Limit** screen, the **General Drive Settings** screen opens.




1. **Mount Point** is entered automatically as your next available drive letter.  
Optionally, choose a different drive letter in the **Mount Point** drop-down list.
2. By default, **Recovered folder location** is set to **%APPDATA%/FileCloudDrive/data/Recovered**.  
Click **Edit** to select a new location.  
For information about recovering files, see [Recover Files After Interrupted Drive Uploads](#).
3. By default, system notifications are enabled. To turn off system notifications, click the slider button for **Mute all notifications** until it is enabled.
4. By default, when Office files are opened for edit, they are not locked. To lock Office files files when they are opened, click the slider button for **Lock Office files automatically on edit** until it is enabled.
5. By default, Drive runs when Windows starts up. To disable running of Drive when Windows starts, click the slider button for **Run at Windows startup** until it is disabled.
6. Click the right arrow to go to the next wizard screen.

#### Setting the mount point's the volume name:




By default, FileCloud Drive autogenerated the volume name as **FileCloudDrive**. This appears in the volume label.



**To have the volume label use the user's display name:**

1. Open the FileCloud Drive configuration file for editing.  
It is located in **Program Files/FileCloud Drive/service/config.xml**.
2. Add the following key:  
**<useuniquemountlabel>1</useuniquemountlabel>**  
Now the user's display name appears in the volume label.



**Allowing multiple instances to run:**


For a server environment where multiple sessions are simultaneously running, use the keys: **<multimount>** and **<useuniquemountlabel>**

1. Open the FileCloud Drive configuration file for editing.  
It is located in **Program Files/FileCloud Drive/service/config.xml**.


2. To allow multiple instances to run, include the key:  
**<multimount>1</multimount>**
3. Also include the key:  
**<useuniquemountlabel>1</useuniquemountlabel>**

#### Step 4. Finish

After you click the right arrow in the **General Settings** screen, the **Finish** screen opens.



Click **Start using Drive** to open the **Recent activity** screen of the Drive dashboard and the mounted Drive folder in file explorer.



## Related topics

- [Log In Using Single sign-on \(SSO\)](#)
- [Using Code Based Authentication for Drive](#)
- [FileCloud Drive Two-Factor Authentication](#)
- [Proxy server for FileCloud Drive](#)
- [FileCloud Drive System Tray Options](#)

## Log In Using Single sign-on (SSO)

Note: Filecloud only supports SAML SSO. It does not support NTLM SSO.

Single sign-on (SSO) is a type of a user authentication that enables you to log in once to multiple software applications. If your admin sets it up, they will provide you with an SSO username and password.

During FileCloud Drive login, you may choose **SSO** in the **Login** screen of the Startup wizard.

#### To login to FileCloud using SSO:

1. In the **Login** screen of the Drive wizard, for **Login Method**, click **SSO**.
2. In **Server URL**, enter your FileCloud address.
3. Click **Login**.  
You are logged in and taken to the next Drive wizard screen, **Download Limit**.


## Using Code Based Authentication for Drive

Your Administrator may require you to log in with a code instead of a user name and password.

#### To login to the FileCloud Server using a code:

1. In the **Login** screen of the Drive wizard, for **Login Method**, click **Device Authentication Code**.

2. Type in the server URL and the user account name (or email).



The image shows a screenshot of the FileCloud Drive application window. The window has a title bar with the text "FileCloud Drive" and standard window controls (minimize, maximize, close). Below the title bar is a navigation bar with four tabs: "1 LOGIN", "2 DOWNLOAD LIMIT", "3 GENERAL SETTINGS", and "4 FINISH". The "1 LOGIN" tab is currently selected and highlighted in blue. The main content area of the window displays the heading "Login to your account" followed by the instruction "Please log in using one of the methods below." Below this, there is a "Login Method" section with three buttons: "Password", "SSO", and "Device Authentication Code". The "Device Authentication Code" button is currently selected. To the left of the input fields is a large grey arrow pointing left. Below the "Login Method" section are two input fields: "Server URL" with the value "http://127.0.0.1" and "Account" with the value "jenniferp". Below the "Account" field is a link for "Proxy Settings" and a blue "Login" button.

FileCloud Drive

1 LOGIN 2 DOWNLOAD LIMIT 3 GENERAL SETTINGS 4 FINISH

### Login to your account

Please log in using one of the methods below.

**Login Method**

Password SSO **Device Authentication Code**


**Server URL** http://127.0.0.1

**Account** jenniferp

[Proxy Settings](#) **Login**

3. Click **Login**.


4. If the request access was successful, a window for opening the **Device Authorization** code opens:



5. Sign in to the FileCloud user portal, and go to Settings > Devices.

6. Approve the device.

The following message appears:



7. Copy the **Device Authorization Code** and paste it into the authorization code field.  
8. Click **Submit** to log in.

9. You are logged in and taken to the next Drive wizard screen, **Download Limit**.

## FileCloud Drive Two-Factor Authentication

FileCloud Drive supports two-factor authentication (2FA) codes when your administrator enables 2FA in the FileCloud server.

- The code is required the first time a new device is connected.
- On subsequent logins to FileCloud Drive the user is prompted to enter a new 2FA code.

💡 Two-Factor authentication codes are required if the device record is removed by your Administrator from the Device Management panel

### To log in when 2FA is enabled:

1. When you log in to Drive for the first time, the dashboard appears as:

The screenshot shows the FileCloud Drive login interface. At the top, there is a progress bar with four steps: 1 LOGIN (active), 2 DOWNLOAD LIMIT, 3 GENERAL SETTINGS, and 4 FINISH. The main heading is "Login to your account" with the instruction "Please log in using one of the methods below." Below this, there are input fields for "Login Method", "Server URL", "Account", and "Password". A "Submit" button is located to the right of the "Password" field. A modal window titled "Enter 2FA Code" is open in the center, containing an "Enter Code" input field and a "Submit" button. At the bottom of the login form, there are links for "Proxy Settings" and a "Login" button. A back arrow is visible on the left side of the dashboard.

You receive your authentication code by the method configured by you administrator, such as email or SMS.

1. Enter the code, and click **Submit**.
2. You are logged in and taken to the next Drive wizard screen, **Download Limit**.

## Proxy server for FileCloud Drive

FileCloud Drive can use a proxy server to connect with FileCloud server.

To enter proxy settings:

1. In the Login screen of the Drive wizard, for **Login Method**, click **Proxy Settings**.

The **Proxy Settings** dialog box opens:.

2. Fill in the proxy settings and click **Save**.
3. Click **Login**.
4. You are logged in and taken to the next Drive wizard screen, **Download Limit**.

## FileCloud Drive System Tray Options


You can use system tray icons to quickly access menu options for opening the FileCloud Drive dashboard, navigating to drive in file explorer, searching for files and exiting FileCloud Drive.

**To open the right-click menu:**


1. In the lower right corner of your Windows desktop, open the system tray.



2. Right-click on the FileCloud Drive icon.



The menu of options opens:




Option	Description
Dashboard	Opens a window of FileCloud Drive activity and settings.
Open Folder	Launches an explorer window that displays the contents of the mounted drive volume. If the remote server is not available or configured then nothing is launched.
Search	Opens a FileCloud Drive Search window where you can type in a keyword, browse to a specific folder, and set Advanced Search options. For more information, read <a href="#">Searching in Drive</a> .
Exit	Unmount and exit FileCloud Drive application.

## Exit or Log Out of Drive

When you exit Drive, your session ends, but your username, password, and configuration settings are saved, so that when you re-open Drive, your settings are automatically filled in.

Logging out of Drive removes your username, password, and configuration settings and takes you back to the startup wizard, where you must enter your server URL, account, and password and configure Drive.

You can exit or log out of Drive from the user drop-down list in the Drive dashboard.




## Settings


**To change settings for FileCloud Drive:**

1. [Log in to Drive.](#)

2. At the bottom of the Drive dashboard, click the **Settings** button.




The Settings screen of the dashboard opens. The first time you open it after installing, a **Trust FFO** button appears (unless you have chosen to continue to use docIQ.)



After you click **Trust FFO** once, it does not appear on the settings screen again. Now when you click **Settings**,

the following screen appears.



3. Change any settings.

For more information about the settings, click or expand the links below:

### Enable and set the download limit

FileCloud Drive sets a limit on the size of files you can download (with exceptions for some file types) to 50MB by default.

**i** File types that this limit does not apply to are: .txt, .rtf, .doc, .docx, .xls, .xlsx, .ppt, .pptx, and .indd.

This default limit is set for the following reasons:

- FileCloud Drive must download a file from the server before it can be read, modified, or updated.

- Windows can pre-fetch files to improve user experience and can request files that are not actively used.
- This activity can sometimes cause heavy bandwidth usage.
- To limit this, FileCloud Drive has a maximum file size limit setting to prevent downloading large files.

To change the download limit size, slide the pointer to the left or right.

To disable the download limit, click the **Enable download limit** slider until it appears gray.

## Notifications

The default setting is **Enable all notifications**, which enables display of both Drive system toast notifications and floating status notifications.

You may change the setting to:

**Mute all notifications** - Disables display of both system toast and floating status notifications. **Note:** *File transactions and important notifications may be missed.*

**Mute system notifications** - Disables display of system toast notifications, but enables display of floating status notifications.

**Mute app notifications** - Disables display of floating status notifications, but enables display of system toast notifications. **Note:** *File transactions and important notifications may be missed.*

## Lock files automatically on edit

Use the automatic lock feature to lock a file on the FileCloud server while it is being edited by one user to prevent another user from editing it at the same time.

By default, the automatic lock feature is disabled. To enable it, click the **Lock files automatically on edit** slider.

Note that only certain types of files can be automatically locked. For more information, see [Automatic Locking in FileCloud Drive](#).

## Disable FFO Office integration

If you have installed [FileCloud for Office](#), the first time you log in and view settings, a **Set up FFO** label and a **Trust FFO** button appears. You must click the **Trust FFO** button to install the certificate for FFO. This removes the **Set up FFO** label and **Trust FFO** button from **Settings**. They will not appear again. However, to use FFO, you are still required to [include the FFO add-in](#).

[FileCloud for Office](#) is enabled by default. To disable it, click the **Disable FFO Office Integration** slider so that it turns blue.

## Run at Windows Startup

By default, FileCloud Drive is run on Windows startup. To prevent Drive from automatically running on startup, click the **Run at Windows Startup** slider so that it turns gray.

## Show Dashboard At Startup

By default, when FileCloud Drive starts, it automatically displays the dashboard. To prevent Drive from automatically displaying the dashboard when it starts, click the **Show Dashboard At Startup** slider so that it turns gray.

## Clear Cache

If Drive is not displaying updated information or is running slowly, clear your cache by clicking the **Clear Cache** button.

## Get Logs

To open the folder that stores Drive log files, click the **Get logs** button.

### Commit Pending Changes to Server

If you experience a lag between the time you perform an action and the time it is committed to the server, click **Commit Pending Changes to Server** to commit the changes to the server now.

## Automatic Locking in FileCloud Drive

Automatic locking is only supported for certain file types in Drive. When you open file types that do not have automatic lock support, you must manually lock them to ensure that Drive does not attempt to upload them while they are being edited.

### Automatic locking of Adobe and Quickbooks files

In Drive in Windows, automatic locking is supported for the following file types:

- Microsoft Word
- Bluebeam Revu
- Adobe InDesign
- Adobe Illustrator
- Microsoft PowerPoint
- Microsoft Excel
- Corel WordPerfect
- Quickbooks
- AutoCAD

To enable the automatic lock feature, see [Settings](#).




## Working in FileCloud Drive

### In this section:

- [Searching in Drive](#)
- [Viewing FileCloud Drive Activity](#)
- [Sharing Files in Drive](#)
- [Using DocIQ with Microsoft Applications](#)
- [Using FileCloud for Office with Drive](#)
- [Viewing Your File Permissions](#)
- [Viewing and Modifying Metadata](#)
- [Viewing and Downloading File Versions in Drive](#)
- [Checking Drive Status](#)

## Searching in Drive

How do I access the search window?

<p>Initiating search from the Drive system tray</p> <p>The taskbar Search option opens the basic Search UI with the default search path.</p> 	<p>Initiating search from the Drive folder</p> 	<p>Initiating search from the dashboard</p> 
--	--	---

## Basic and Advanced Search

<b>Basic search view</b>	<b>Advanced search view</b>
--------------------------	-----------------------------



Enter a search term, and click **Enter**. The files and folders returned are listed in the lower portion of the Search window.

By default, file names, content, and metadata are searched. To include folders in the search or to filter the search, click **Show advanced options**.



The number of items found appears in the red oval near the Search icon at the bottom of the view.

Click **Show advanced options** in the basic search to view the advanced options fields. Configure any of the advanced options:

- **Search Location** - Click **Edit** and navigate to the folder path that you want to search
- **Include Folders** - Toggle the button to include folders as well as files in the search
- **Search type** - **All content** (default), **Name only**, **Content only**, or **Metadata**
- **Date** - Enter a date range
- **Size (KB)** - Enter a size range

Click **Start search** to begin the search. The results appear in the basic search view.


The number of items found appears in the red oval near the Search icon at the bottom of the view.




## Accessing items after searching

After your search results are returned, you can access any location in the item's path in content explorer by clicking on it.

**Click here:**



**To open here:**



Also see:

- [Content Search in Drive](#)
- [Metadata Search in Drive](#)


## Content Search in Drive

Content search enables you to search through the text in file types such as txt, pdf, doc, docx, xls, xlsx, ppt, pptx. Search results display the matching term in bold.

### To perform a content search:

1. [Access the Search window in Drive.](#)

2. Click **Show advanced options**.



3. In the drop-down list, choose **Content Only**.

4. Enter a search term.

FileCloud Drive

FILECLOUD jenniferp

loan

[Hide advanced options](#)

Search Location : **Everywhere** [Edit](#)

Include Folders ☐

Search type **Content only**

Date

Size (KB) **Min size (KB)** - **Max size (KB)**


**Start Search**

Live Activity **Search** Settings

5. Click **Start Search**.

The search returns files that include the search term in their content. The phrase including the search term

appears in bold.




## Metadata Search in Drive

You can search on metadata from any of the metadata sets in Drive.

### To search on metadata:

1. Open the [Search window](#) in Drive.
2. Click **Show advanced options**.
3. Choose **Metadata** as the **Search type** and define search conditions.

This video shows you how:




## Viewing FileCloud Drive Activity

 The ability to cancel pending and in progress downloads and to view a count of pending downloads is available in FileCloud version 21.3 and later.

You can view live activity as well as the history of recent activity in FileCloud Drive.


### To view live activity in Drive:

1. [Log in to Drive](#), or in the system tray, right-click on the Drive icon, and choose **Dashboard**.  
Click the **Live** button at the bottom of the page.



The number of uploads and downloads pending and in progress appears at the top of the dashboard.

While uploads and downloads occur, their progress is shown on the dashboard.




To cancel pending or in-progress downloads in Drive:

While a file's download is still in progress, a cancel button appears to its right on the Drive dashboard.




- Click the **Cancel** button to cancel the download.



To view recent activity in Drive:

1. [Log in to Drive](#), or in the system tray, right-click on the Drive icon, and choose **Dashboard**.  
If the dashboard does not display the **Recent Activity** screen, click the **Activity** button at the bottom of the

page.



## Sharing Files in Drive

File sharing allows you to provide public or private access to files stored in FileCloud Server and saved in your Drive folders with various levels of access privileges.

Sharing files allows you to:

- Keep track of who you have shared a file with
- Add comments about the file
- Monitor file versions
- Control changes people make to the file or folder by setting a combination of permissions to read, view, modify, copy, or delete it

You can share a file in many different ways.

	Requires a FileCloud Account	Set Permissions	Set Options	Share with Everyone	Share with a Specific User
Public	✗ Anyone with the link can access	<ul style="list-style-type: none"> <li>✓ View</li> <li>✓ Download</li> <li>✓ Share</li> </ul>	<ul style="list-style-type: none"> <li>✓ Share Name</li> <li>✓ Expiration</li> <li>✓ Restrict Downloads</li> <li>✓ Notifications</li> <li>✓ Require Password</li> </ul>	✓	✓
Private	✓ Invite those without an account to create one	<ul style="list-style-type: none"> <li>✓ View</li> <li>✓ Download</li> <li>✓ Share</li> </ul>	<ul style="list-style-type: none"> <li>✓ Share Name</li> <li>✓ Expiration</li> <li>✓ Notifications</li> </ul>	✗ Add Groups of multiple user to share with	✓ With a FileCloud account


## Sharing Files or Folders Publicly in Drive

You can share a file or folder so that anyone can access the share even if they don't have a FileCloud account.

If you want more security but still want a large number of people to access the file, you can enable password protection.

Create a public share:

1. Open your Drive folder and navigate to the file or folder that you want to share.
2. Right-click on the file or folder and choose **Show More Options > FileCloud Drive > Share Link**.






The **Share Link** dialog box opens. By default the share is private.

3. Under **Sharing permissions**, click **Allow anyone with link**, **Allow anyone with link and password**, or, if it's available, **Allow anyone with Secure Web Viewer Link and a password**.

**Share link for certificate of deposit 2021.pdf**

**Share link**

<http://127.0.0.1/url/hymhnumxtnbnyf7d> [Modify link](#)   

**Shared file**

My Files > certificate of deposit 2021.pdf

**Share options** | Share history


**Share Name:** zUbXgM2ENGI6uT8k [Change](#)

**Expires:** Never Expires

**Max number of downloads:** No Restrictions

**Send email notifications:** Yes

**Sharing permissions:**

☒ Allow anyone with link  [change to public share](#)

Allow View + Download

☐ Allow anyone with link and password

☐ Allow selected users and/or groups

☐ Allow anyone with Secure Web Viewer Link and a password

[Remove share](#) [Ok](#)

4. Change any of the options under **Share options**.  
The **Max number of downloads** setting is available for files but not for folders.  
See Public Share Options for Files or Share Options for Public and Private Folders for help changing the settings.
5. If you click **Allow anyone with link and password**, the share is still public, but requires users to enter the password shown.  
You may change the password, and click **Save** to save it.
6. Click the **Copy link** button to paste the link (and password if it exists) in a message and send it to users to give them access to the shared file  
OR  
Click the **Email link** button to open an email message that includes the link (and password if included). Fill in the addresses of recipients you want to send the email to.

For information about additional options and settings when sharing files and folders, see [Sharing Files and Folders](#)

## Sharing Files or Folders Privately in Drive

When you share a file or folder privately, you can either share it with existing FileCloud users or groups or invite a new user to create a FileCloud account and then access the share.

Sharing files or folders privately:


- Provides more security than sharing files or folders publicly.
- Is useful when you only have a small number of people you want to share with.

- Requires the user to log in with a FileCloud account to access the file or folder on the User Portal.

## To share files or folders privately with users or groups

### Share a file or folder privately with an existing or new user

1. Open your Drive folder and navigate to the file or folder that you want to share.
2. Right-click on the file or folder and choose **Show More Options > FileCloud Drive > Share Link**.



The **Share Link** dialog box opens.

3. Change any of the settings under **Share Options**.

See Private Share Options for Files or Share Options for Public and Private Folders for help changing the settings.

The **Max number of downloads setting** is not available for folders.


4. In the **Sharing Permissions** section, click **Invite Users**.

The screenshot shows the 'Share link for certificate of deposit 2021.pdf' dialog box. At the top, there is a 'Share link' section with a text input field containing 'http://127.0.0.1/url/wpu7ffwnptudcgsm' and a 'Modify link' button. Below this is the 'Shared file' section showing the file path 'My Files > estate documents > certificate of deposit 2021.pdf'. The 'Share options' tab is active, showing settings for 'Share Name' (certificate of deposit 2021.pdf), 'Expires' (Never Expires), 'Max number of downloads' (No Restrictions), and 'Send email notifications' (Yes). In the 'Sharing permissions' section, the option 'Allow selected users and/or groups' is selected, indicated by an orange arrow. Below this, there is a table with columns for 'User' and actions (View, Download, Upload, Share, Sync, Delete, Manage). The table is currently empty, with 'Users (0)' and 'Groups (0)' tabs. An 'Invite users' button is located to the right of the table. At the bottom, there is a 'Remove share' button and an 'Ok' button.


5. Click **Invite Users**.

An **Invite Users to this share** dialog box opens.

6. In the **Add email address or account** box, enter the email address or username of an existing user or a new user's email address.



Adding an existing user.



Adding a new user: when you click **Invite**, an account is created for the user and the account password is sent to their email.

7. Click **Add** to add an existing user or **Invite** to invite a new user.
8. Add any number of share users. When you are done adding users, click **Add Users to this Share**.  
 The users are added to the share and emails are sent to them with a link to the share. For information about sending and editing share emails to users, see [Sending an email notification for a private share](#), below.  
 For any new user(s) you have added to the share, a FileCloud account is automatically created for them and an email with the account password is sent to them.  
 The **Users** tab lists the users with checkboxes for various types of permissions next to them.

Share link for certificate of deposit 2021.pdf

My Files > Estate documents > Certificate of deposit 2021.pdf

**Share options** | Share history

Share Name: certificate of deposit 2021.pdf [Change](#)

Expires: [Never Expires](#)

Max number of downloads: [No Restrictions](#)

Send email notifications: [Yes](#)

Sharing permissions:

☐ Allow anyone with link

☐ Allow anyone with link and password

☒ Allow selected users and/or groups

**Users (1)** | Groups (0)

[Invite users](#)

User	View	Download	Upload	Share	Sync	Delete	Manage
jm2344311@gmail.com ✕	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

[Remove share](#) [Ok](#)

View is selected by default, and cannot be edited.

The permissions available for files and folders are different. See [Private Share Permissions for Files](#) or [Private Share Permissions for Folders](#) for more information.

9. Change any of the permissions.

10. Click **OK**.

**i** If you are not able to invite a new user to access your share, contact your administrator about allowing new user account creation. See [Sharing Files Privately with New Users](#).

### Sharing files or folders privately with a group

The procedure for sharing files or folders privately with a group is similar to sharing them privately with a user.

1. Follow steps 1 through 3, above, in [Share a file or folder privately with an existing or new user](#).



2. In the **Share Links** dialog box, click the **Groups** tab.

Share link for certificate of deposit 2021.pdf

Share link

http://127.0.0.1/url/wpu7ffwnptudcgsm [Modify link](#)

**Shared file**  
My Files > estate documents > certificate of deposit 2021.pdf

**Share options** | Share history

Share Name: certificate of deposit 2021.pdf [Change](#)

Expires: [Never Expires](#)

Max number of downloads: [No Restrictions](#)

Send email notifications: [Yes](#)

Sharing permissions:

- ☐ Allow anyone with link
- ☐ Allow anyone with link and password
- ☒ Allow selected users and/or groups


Users (1) | **Groups (0)**

[Add group](#)


Group | View | Download | Upload | Share | Sync | Delete | Manage

[Remove share](#) | [Ok](#)

3. Click **Add Group**.  
An **Add Group** dialog box opens:



4. Choose a group and click **Add**.
5. The **Groups** tab lists the group with checkboxes for various types of permissions.



6. **View** is selected by default, and cannot be edited.
7. Change any of the permissions.
8. Add any number of additional groups.
9. Click **OK**.

### Sending an email notification for a private share


#### Sending an Email Notification for a Private Share

By default, when you are adding a user to a private share, the **Send Email** box in the **Invite users to this share** dialog box is checked.

If you leave the box checked, an email with the share link is sent to users added to the share.

#### To not send the email to share members:

1. Uncheck **Send Email** before clicking **Add Users to this Share**.



**Invite users to this share**

Add email address or account

Search Users...

Invited Users

Jared  
jaredtaylor978@gmail.com

☐ Send Email Edit

Cancel Add Users to this Share

**To customize the email content**

1. Leave **Send Email** checked and click **Edit**.

Invite users to this share

Add email address or account

Search Users...

Invited Users

Jared  
jaredtaylor978@gmail.com

☒ Send Email [Edit](#) Cancel Add Users to this Share

An email form with the subject and text message of the email opens.

Customize Email

← Back

Subject

Jennifer has shared files with you

Message

Jennifer has shared files with you

[Advanced](#) Cancel OK

2. If you want to change the subject or text of the message, change it here, and click **OK**.

3. If you want to add additional recipients, change the format of the email, or remove the link, click **Advanced**.  
An email form with additional customization options opens.

**Customize Email**

← Back

**Existing Users**

**To**

Enter comma separated emails

jaredtaylor978@gmail.com

**Subject**

Jennifer has shared files with you

☐ Send a copy to myself

**Message**

**B I U** |

**FILECLOUD**

Jennifer has shared files with you.


Basic Cancel OK

4. Make any changes, and click **OK**.


## Editing a Share Link in Drive

From the **Share Link** dialog box, you can edit the name of a link to be more descriptive.


1. In the **Share Link** dialog box, click **Modify Link**.  
The portion of the link that you can change becomes highlighted.



2. Enter a new name for the link, and click **Save**.



The link name is changed, and you are prompted to confirm whether or not you want to send an email to share recipients with the updated link:




**Note:** If this is the first time you are adding a user to the share, they will receive an email with the link regardless of whether you choose **OK** or **Skip Email**.

## Copying a Share Link in Drive

In the **Share Link** dialog box, you can copy a link and then post it in a site or send it to a user.

- In the **Share Link** dialog box, click the Copy icon next to the share link.




The link is now copied and you may paste it into website or message.


## Previewing a Share in Drive

From the **Share Link** dialog box, you can view a share as it appears to recipients when they click the share link.

- Click the Preview icon next to the share link.




The share link opens in the browser as it would for a user who clicked the link:



## Emailing a Share Link in Drive

From the **Share Link** dialog box, you can email a link to users to give them initial access to your share or to resend a private link to share recipients.


1. In the **Share Link** dialog box, click the Email icon next to the share link.



The 'Share Link For dicom' dialog box has a dark blue header with a close button. Below the header, a light gray bar contains the text 'Your share has been created!'. The main area has a 'Share Link' section with a text input field containing 'http://127.0.0.1/url/ckd6vbhmnbrfdwnt' and a 'Modify Link' button. To the right of the input field are three icons: a calendar, a link icon, and an email icon. An orange arrow points to the email icon.

A **Send Share Link via Email** dialog box opens.

2. Enter a To address and a message.



The 'Send Share Link via Email For dicom' dialog box has a blue header with a close button. It contains several input fields: 'Your Name' (Emma), 'Your Email' (blurred), 'To Email' (David@example.com), and 'Share Link' (http://127.0.0.1/url/ckd6vbhmnbrfdwnt). Below these is a 'Message' text area containing the text 'Click this link to see the accounts file.'. At the bottom, there are two buttons: 'Close' and 'Send Email'.

3. Click **Send Email**.



## Sending a link from a Team Folder or Shared With Me

You can use the Direct Link option to copy a link to an item and send it to others who already have share access to it. That means they must already have permission to access the item.

The Direct Link option works only with items in the following folders:

- Shared with me
- Team Folders

After clicking the share link, the user must log in to FileCloud Server, and is then taken directly to the selected folder or file.

In the **Shared With Me** or **Team Folders** sections, you may create a link to a folder or a file to send to users in an existing share without creating a new share.


When users click the link, they are prompted to log in and then taken directly to the selected folder or file.

### Limitation


For Team Folders, direct links to files in sub-folders that are created by users who have access to the parent folder and sub-folder will not work for users who only have access to the sub-folder, because the links will include the parent folder path, which does not exist in the file structure of those users.

### To create a direct link:

1. Navigate to the file or folder in **Shared With Me** or **Team Folders**.
2. Hover over the file or folder and click the **Direct Link** icon.




A **Direct Link is Ready** message pops up.




3. Click **Copy Link**.
4. Paste the link into an email or a file, and send it to users.

#### To share a file by creating a direct link:

1. Launch FileCloud Drive by right-clicking on the icon in your system tray and choosing **Open Folder**. A File Explorer window opens, displaying the contents of your mapped drive.
2. Open a Team Folder or Shared with Me folder, right-click the item you want to share, and then select **Copy Direct FileCloud Drive Link**.



The link is copied to the clipboard and if alerts are enabled, the following alert appears:



3. Paste the link and send it to a user.


## Using DocIQ with Microsoft Applications

**New FileCloud Drive users:** DocIQ has been replaced with FileCloud for Office. Please see the [Using FileCloud for Office with Drive](#) documentation.

**Current FileCloud Drive users (DocIQ users):** FileCloud no longer supports DocIQ. Later this year, DocIQ will be deprecated. Although you can continue to use DocIQ with the current release, we recommend using

FileCloud for Office, which can be downloaded from the Office add-ins store. Now, when you upgrade FileCloud Drive, you are given the choice of using FileCloud for Office or continuing to use DocIQ. If you choose to use FileCloud for Office, please see the [Using FileCloud for Office with Drive](#) documentation.

DocIQ is a Microsoft Office add-in for FileCloud Sync and FileCloud Drive clients.



DocIQ works with the following Microsoft Office applications:

- Word
- Excel
- PowerPoint

#### What does DocIQ do?

DocIQ works with Office documents to help you manage shared files.

DocIQ gives you the ability to:

- manage file locking
- collaborate with your colleagues through comments
- see how shared files are being managed


#### How do I use DocIQ?

1. Open an Office application such as Word, Excel or PowerPoint.
2. Inside the Office application, you open a file saved to a FileCloud Sync or FileCloud Drive folder.
3. DocIQ displays as a task panel inside the Office application with the following information:
  - File details
  - Lock status
  - File sharing details
  - Comments attached to the file

#### How do I install and work with DocIQ?

1. [Install DocIQ.](#)
2. [Configure DocIQ.](#)
3. [Work with file locking.](#)
4. [Troubleshoot Doc IQ issues.](#)

## Install DocIQ

 DocIQ is no longer supported, and can no longer be installed. When you install or upgrade FileCloud Drive, you will be given the option of installing [FileCloud for Office](#).

 [Install FileCloud Drive](#)

### Where is DocIQ installed on my computer?

DocIQ is installed in the following folder:

program files(x86)/DocIQ



## Configure DocIQ

DocIQ gets all configuration information from FileCloud Sync and Drive.

For example, when a file is opened from Drive, DocIQ will know which FileCloud account you are using.

- This allows DocIQ to show you information about the file that is uploaded to the FileCloud Server site in the Office application.

There are a few properties that can be configured in Sync and Drive for DocIQ:

Option	Description	How to Configure
Enable or Disable DocIQ Integration	<p>This option removes the DocIQ panel that is shown in a Microsoft Office application after DocIQ is installed and enabled.</p> <p>This option is useful if you only need to disable DocIQ for a short time while troubleshooting computer issues.</p> <p>This option does not permanently remove DocIQ. To remove DocIQ, you have the following options:</p> <ul style="list-style-type: none"> <li>• uninstall Sync or Drive</li> <li>• use the Windows Programs Control Panel to remove DocIQ</li> </ul>	<ol style="list-style-type: none"> <li>1. In the system tray, right-click on the FileCloud Drive icon, and then select <b>Dashboard</b>.</li> <li>2. Click  . Settings open.</li> <li>3. To disable DocIQ, select <b>Disable DocIQ Office integration</b>.</li> <li>4. To enable DocIQ, select <b>Disable DocIQ Office integration</b> again.</li> </ol>
Mute all notifications in DocIQ	<p>When other users access a file you have open, DocIQ displays notifications in the DocIQ panel.</p> <p>Select this option when you do not want to see notifications.</p>	<ol style="list-style-type: none"> <li>1. In the system tray, right-click on the FileCloud Drive icon, and then select <b>Dashboard</b>.</li> <li>2. Click  . Settings open.</li> <li>3. To mute notifications for DocIQ (as well as all other notifications for FileCloud Drive) in <b>Notifications</b>, select <b>Mute all Notifications</b>.</li> <li>4. To turn back on notifications for DocIQ (as well as all other notifications for FileCloud Drive) in <b>Notifications</b>, select <b>Enable all Notifications</b>.</li> </ol>

## Work with DocIQ File Locking

You can use file locking to:

- See if you have the file locked for editing

- Easily turn locking on and off
- Prevent or enable downloads of this file

Locking is critical for shared files, since another user can also open the file and make changes.




- When one user opens a file, DocIQ automatically locks the file for editing.
- The lock is shown right in the Office application you are using to edit the file.

## FAQ's

### How do I know the status of a lock?

To see the lock status:

1. In a Microsoft Office application, open a file saved to your Drive folder.
2. In the DocIQ panel, under the file name, location, and date information, you can see the lock status.

		
<p>File is not locked when:</p> <ul style="list-style-type: none"> <li>• Lock is OFF</li> </ul>	<p>File is locked (read allowed) when:</p> <ul style="list-style-type: none"> <li>• Lock is ON</li> <li>• Prevent Download is OFF</li> </ul>	<p>File is locked (read blocked) when:</p> <ul style="list-style-type: none"> <li>• Lock is ON</li> <li>• Prevent Download is ON</li> </ul>

The following table describes what each lock status means and how it impacts what you can do with the file and others you have shared it with.

Lock Status	Access by lock owner	Access by others
File is locked (read allowed)	Read and Modification allowed	Only read is allowed, no modification is allowed
File is locked (read blocked)	Read and Modification allowed	No Read and Modification is allowed
File is not locked	Read and Modification allowed	Read and Modification allowed

## When does the lock status change?

In the following scenario:

- When a supported file from Sync or Drive is opened
- When automatic lock on an open file is enabled

DocIQ will automatically attempt to lock the file, with read allowed status.

For a file with a Read Blocked status:











If USER1 has locked (read blocked) the file:







- FileCloud Sync will not download the file for USER2

However, if USER2 has already downloaded the file, then:

- FileCloud Sync will allow DocIQ to open the file
- FileCloud Drive will not allow the file to be opened by USER2, unless Drive has already cached the file

You can use the following table to understand the status of lock:


Action	Doc IQ Lock Enabled	Prevent Download	Lock Status Before Open	Lock Status After Open	Lock Status After close
An unlocked file is opened by USER1			File is not locked	File is locked (read allowed) by USER1	File is not locked
An unlocked file is opened by USER1			File is not locked	File is not locked	File is not locked
A file is locked by USER1 before it is opened by USER1			File is Locked (Read Allowed) by User 1	File is Locked (Read Allowed) by USER1	File is locked
A file is locked by USER1 before it is opened by USER1			File is Locked (Read Allowed) by User 1	File is Locked (Read Allowed) by USER1	File is locked
A file is locked by USER1 before it is opened by USER1			File is Locked (Read Blocked) by USER1	File is Locked (Read Blocked) by USER1	File is locked

Action	Doc IQ Lock Enabled	Prevent Download	Lock Status Before Open	Lock Status After Open	Lock Status After close
A file locked by USER1 is opened by USER2			File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1
A file locked by USER1 is opened by USER2			File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1
A file locked by USER1 is opened by USER2			File is Locked (Read Blocked) by USER1	File is Locked (Read Blocked) by USER1	File is Locked (Read Blocked) by USER1

💡 Note that you cannot enable *Prevent Download* unless DocIQ *Lock* is also enabled.

### How can I prevent another using from downloading a file I am working on?

When you lock a file, you can block other users from reading the file by enabling Prevent download.



💡 Note that you can not enable *Prevent Download* unless DocIQ *Lock* is also enabled.

If another user, USER2, attempts to download the file, USER2 will see the following conditions:

- The file cannot be downloaded from the FileCloud User Portal
- FileCloud Sync will not download the file that is locked and read-blocked.
- FileCloud Drive will not open the file that is locked and read-blocked.

- DocIQ will open the file from a Sync path when file is already available in the Sync client (previously downloaded).
- DocIQ will open the file from a Drive path when the Drive client allows a file to be opened.

### Manual file locking in DocIQ

Please note that whether or not manual file locks are released when a file is closed depends on the setting for automatic locking:

- Manual locks are released when closing a file and Drive Automatic Locking is not active.
- Manual locks are not released when closing a file and Drive Automatic Locking is active.


### Troubleshoot, Disable, and Uninstall DocIQ

DocIQ is very straightforward to install, configure, and use. If you encounter issues, try using these troubleshooting tips.

#### DocIQ is not displayed in your Office app

Check if DocIQ office integration is enabled in Sync/Drive Path:

1. Check if the file you opened is in a Sync or Drive folder
2. Restart Drive or Sync.
3. In an Office application, such as Word, open File Options
  - a. From the menu, select File > More > Options.
  - a. In Add-ins, under Active Application Add-ins verify that FileCloud DocIQ is listed.






### DocIQ is present but does not appear when I open an Office application

This occurs if the Office application is storing DocIQ as an inactive add-on. To fix this problem, activate the DocIQ add-on:

1. In the Office application, with the file open, select **File**, then **Options**.


An Options dialog box opens:



2. In the navigation bar, click **Add-ins**.
3. Look for **FileCloud DocIQ** under Inactive Application Add-ins.
4. If it is listed there, make sure the **Manage** drop-down list at the bottom of the dialog box displays **COM Add-ins**.

5. Click **Go**.

The COM Add-ins dialog box opens.



## 6. Check FileCloud DocIQ.


7. Click **OK**.

The Office document should now display DocIQ.

To temporarily disable DocIQ to troubleshoot other computer issues, see [Configure DocIQ](#).

If you need to, you can uninstall DocIQ in the following ways:

#### From the Windows Control Panel

1. Next to the Start button (  ), in the search box, type *Control Panel*.
2. From the results, select *Control Panel*.
3. Select *Programs*.
4. Select *Programs and Features*, and then select *DocIQ*.
5. At the top of the list, next to Organize, click *Uninstall*.


#### Uninstall the Sync application

DocIQ will be uninstalled when Sync application is uninstalled.

1. Next to the Start button (  ), in the search box, type *Control Panel*.
2. From the results, select *Control Panel*.
3. Select *Programs*.
4. Select *Programs and Features*, and then select *FileCloudSync*.
5. At the top of the list, next to Organize, click *Uninstall*.

#### Uninstall the Drive application

DocIQ will be uninstalled when Drive application is uninstalled.

1. Next to the Start button (  ), in the search box, type *Control Panel*.

2. From the results, select *Control Panel*.
3. Select *Programs*.
4. Select *Programs and Features*, and then select *FileCloudDrive*.
5. At the top of the list, next to Organize, click *Uninstall*.

## Using FileCloud for Office with Drive

- i** FileCloud for Office is an MS Office add-in for Word, Excel, and PowerPoint which can be used in both Windows and macOS with FileCloud Sync, FileCloud Drive, and FileCloud Desktop. It is available in FileCloud beginning with version 23.1.  
For instructions on how to install FileCloud for Office, see [Using FileCloud for Office](#).  
If you have been using FileCloud Drive with DocIQ, see the instructions [for previous users of DocIQ](#) at the bottom of this page.

### Before using FileCloud for Office with Drive


The first time you install Drive or upgrade Drive to use FileCloud for Office you must:

- Contact FileCloud Support and request that your cookie same-site value be set to **None**.
- Confirm that you trust FileCloud for Office and enable it as shown in the following procedure.


#### **To confirm that you trust FileCloud for Office and enable it:**

1. After you log in to FileCloud Drive, click the **Settings** tab.

2. Click the **Trust FFO** button.



The **Trust FFO** button disappears, and **Disable FFO Integration** remains automatically turned off:



FileCloud for Office is now enabled in Drive, but to use it in Office files, you must [attach the add-in](#) to each type of Office file (Word, Excel, and PowerPoint) in your FileCloud Drive directory.

## Working with FileCloud for Office in Drive

The FileCloud for Office task panel displays information about a file and enables you to:

- Lock or unlock a file.
- Prevent or allow download of a file while locked.
- Share a file.
- Manage file versions, and view file details and metadata.

### Lock or unlock a file


#### Locking and unlocking files

You can use the file locking function in FileCloud for Office to:


- See if you have a file locked for editing
- Turn a file lock on or off
- Prevent or enable downloads of a locked file

If a shared file is not locked when you open it for edit, another user can also open the file and make changes. To avoid this, by default, FileCloud for Office automatically locks files for editing when they are opened.

When you open an Office file in your client directory, the FileCloud for Office panel shows **File is locked**, and by default, users are allowed to download or read the file (**Prevent download** is disabled).




- To prevent other users from downloading or reading the file while it is locked, click the **Prevent download** slider.



- To unlock the file while you have it opened for edit, click **Unlock**. Now other users can modify as well as view and download the file.

**Note:** Prevent download cannot be enabled when the file is unlocked.



The following table describes what each lock status means and how it impacts what you and others you have shared the file with can do with the file.

Lock Status	Access by lock owner	Access by others
File is locked (download allowed)	Read and modification allowed	Only read is allowed, no modification is allowed
File is locked (download prevented)	Read and modification allowed	Neither read nor modification is allowed
File is not locked	Read and modification allowed	Read and modification allowed

**i For a locked file with download (read) prevented:**  
If USER1 has locked (and read blocked) the file:




- The FileCloud client will not download the file for USER2

However, if USER2 has already downloaded the file in Sync or Drive, then:

- FileCloud Sync will allow FileCloud for Office to open the file.
- FileCloud Drive will not allow the file to be opened by USER2, unless Drive has already cached the file.



**If an admin prevents file locking after a user has locked a file in a client:**

- The lock is automatically removed from the file
- Additional files cannot be locked using FileCloud for Office, and when you attempt to lock a file, an error message similar to the following appears:



If you are an admin and want to disable locking, see Managing User Locks.

You can use the following table to understand the status of lock:


Action	Doc IQ Lock Enabled	Prevent Download	Lock Status Before Open	Lock Status After Open	Lock Status After close
An unlocked file is opened by USER1			File is not locked	File is locked (read allowed) by USER1	File is not locked
An unlocked file is opened by USER1			File is not locked	File is not locked	File is not locked
A file locked by USER1 is opened by USER1			File is Locked (Read Allowed) by User 1	File is Locked (Read Allowed) by USER1	File is not locked
A file locked by USER1 is opened by USER1			File is Locked (Read Allowed) by User 1	File is Locked (Read Allowed) by USER1	File is not locked
A file locked by USER1 is opened by USER1			File is Locked (Read Blocked) by USER1	File is Locked (Read Blocked) by USER1	File is not locked
A file locked by USER1 is opened by USER2			File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1
A file locked by USER1 is opened by USER2			File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1
A file locked by USER1 is opened by USER2			File is Locked (Read Blocked) by USER1	File is Locked (Read Blocked) by USER1	File is Locked (Read Blocked) by USER1

Share a file

### Sharing a file

**To share a file or folder that is opened with FileCloud for Office:**




1. In the FileCloud for Office panel, click **Create**.



A Share Link screen that is nearly identical to the one in the user portal opens:

Share link for customers.docx

Share link

<http://127.0.0.1/url/vkzsyjks4fefndwb>
[Modify link](#)




Shared file

My Files > customers.docx

Share options

Share history

Share name:

customers.docx

Change

Expires:

Never expires

Max number of downloads:

No Restrictions

Send email notifications:

Yes

Sharing permissions:

☐ Allow anyone with link
 ☐ Allow anyone with link and password
 ☒ Allow selected users and/or groups

Users (0)

Groups (0)

Invite users

User	View	Download	Upload	Share	Sync	Delete	Manage
No entries							


Remove share

OK

- Share the file using the same settings and options that you would for a share in the user portal. See Sharing Files and Folders for help.

**Note:** The option for downloading the share QR code, which is available for shares created from the user portal, is not available for shares created in FileCloud for Office.

After you have shared the file, the FileCloud for Office panel displays details of the share:



3. Click **Manage** to change the options or permissions in the share.


Download versions, view details and metadata

### Downloading versions, viewing details, viewing metadata


Versions

**To view a file's version information in FileCloud for Office:**

1. At the bottom of the FileCloud for Office panel, click the + across from **Versions**.




The expanded **Versions** section shows you version information about the file.




**To download file versions in FileCloud for Office:**

1. In the **Versions** section of the FileCloud for Office panel, click **Manage versions**.





The Properties dialog box opens to the **Versions** tab.




2. Click **Download** for the version that you want to download, and save it.

Details


**To view file details:**

1. In the **Versions** section of the FileCloud for Office panel, click **Manage versions**.



The **Properties** dialog box opens to the **Versions** tab.

2. Click the **Details** tab.




The details shown are the filename and type, the last modified date, the path of the file in FileCloud, and your permissions for the file.

#### Metadata


To view metadata information for the file:

1. In the **Versions** section of the FileCloud for Office panel, click **Manage versions**.



2. The **Properties** dialog box opens to the **Versions** tab.

3. Click the **Metadata** tab.



Each metadata set applied to the file is listed with the values for its fields.

FileCloud for Office log locations

### Locating FFO logs

The locations of log files for FileCloud for Office in Windows and macOS are the following:

**Windows:** %appdata%/FFOServer

**macOS:** /Users/[USERNAME]/Library/Preferences/FFOServer

View and add comments


### Viewing and adding comments

Comments added to files and folders in FileCloud for Office also appear in the user portal and any of the other client apps.

#### To view and add comments in FileCloud for Office:


1. If **Comments** is not visible in the FileCloud for Office panel, scroll down to the bottom of the panel.

2. Click the **+** across from **Comments**.




Any existing comments added to the file or folder here or anywhere else in FileCloud appear above

the **Comments** box.




3. To add a new comment, click inside the **Comments** box and enter the comment.





4. Click **Add comment**.


The comment is added.




### For previous users of DocIQ

If you have never used FileCloud Drive with DocIQ before, the installer will automatically configure Drive for use with FileCloud for Office, and this section does not apply to you.

When you run the FileCloud Drive installer, the first screen of the wizard introduces you to FileCloud for Office:



If you have been using FileCloud Drive with DocIQ, the installer prompts you to choose whether you want to continue using DocIQ or switch to FileCloud for Office (DocIQ will be deprecated in the future).




Choose whether you want to use FileCloud for Office or DocIQ. If you choose FileCloud for Office, you are also required to [install an add-in](#).


The installer configures your Drive installation to function with the option you have chosen.

## Viewing Your File Permissions

In Drive, you can view the permissions you have on a file or folder by right-clicking it in content explorer and choosing **Show more options > FileCloud Drive > View properties**:



Drive's Properties window opens to the Details tab, which displays your permissions for the file or folder.




## Viewing and Modifying Metadata

You can see version and metadata information or add metadata tags by viewing file or folder properties.

### To view properties:

1. Launch FileCloud Drive by right-clicking on the icon in your system tray and choosing **Open Folder**.
2. A File Explorer window opens, displaying the contents of your mapped drive.

3. Right-click the item you want to view the properties for, and then select **View FileCloud Drive Properties**.



The **Properties** dialog box opens.


4. Click the **Metadata** tab.  
5. View the metadata. Modify any values with edit permission,

A screenshot of the 'Properties' dialog box with the 'Metadata' tab selected. The dialog has three tabs: 'Details', 'Metadata', and 'Versions'. Under 'Add Metadata', there is a dropdown menu and an 'Add' button. The 'Image metadata' section includes fields for 'Width' (2448), 'Height' (3264), and 'Image Orientation' (a dropdown menu). At the bottom, there is a field for 'Image Orientation - Numeric'.

## Viewing and Downloading File Versions in Drive


When a file is modified in FileCloud, the original file is saved as the prior version.

In Drive, you can view and download all versions of a file by right-clicking it in content explorer and choosing **Show more options > FileCloud Drive > View properties:**



Drive's **Properties** window opens. Click the **Versions** tab.




The **Versions** tab displays each version of the file and enables you to download it.



## Checking Drive Status

Drive indicates its status by the icon shown in the system tray:



Icon	Image	Status
	Drive standard icon	Drive action was successful or no activity
	Hourglass	Drive is performing an action
	Hourglass with red dot	Error in Drive activity

Click the icon to open the dashboard.

## Using FileCloud Drive in a Remote Desktop Service Environment.

### Configuration Requirements


- FileCloud Drive needs to have multi-mount enabled. To enable multi-mount, add the parameter `<multimount>1</multimount>` in **config.xml**.
- To avoid mount letter overwrites, add the parameter `<useuniquemountlabel>1</useuniquemountlabel>` in **config.xml**.
- config.xml file is located at **C:\Program Files\FileCloud Drive\service**.

### Environment Requirements

- Windows Server 2012-2019 x64
- The Remote Desktop Service environment containing the following minimum requirements (1 Domain controller / 1 RD Connection Broker / 1 RD Session Host / 1 RD Gateway & Licensing / 1 RD Web Access (IIS) ).

### Additional Information.

- The Remote Desktop Service Terminal Server will share its resources across all active user sessions. Due to this FileCloud Drive's performance may be impacted if the server does not have enough resources. Please be sure to assign enough resources to your server depending on your usage.
- FileCloud Drive will be hosted on the terminal server, but it will mount directly on the user's computer.
- Make sure FileCloud Drive is visible in RD Web Access once you have published it.
- The config.xml file is located at **C:\Program Files\FileCloud Drive\service**.



## FileCloud Drive Remote Desktop Service Access

In order to provide access to remote users, install FileCloud Drive within the hosting Remote Desktop Service server, and then publish it.

### To publish FileCloud Drive:

1. Go to **Windows Server Manager > Remote Desktop Services > Collections**.
2. In the navigation panel, under **Collections**, choose your collection.  
In the image below, the selected collection is **FileCloud Deployment**.

3. Under **Remoteapp Programs**, in the **Tasks** drop-down list, choose **Publish RemoteApp Programs**.


The screenshot shows the Server Manager console with the following structure:


- Navigation Pane (Left):** Overview, Servers, Collections (selected), FileCloud Deployment (selected).
- Properties Pane (Top):** Properties of the collection. Collection Type: Session, Resources: RemoteApp Programs, User Group: FILECLOUDSERVER\Domain Users.
- RemoteApp Programs Section:**
  - Header: REMOTEAPP PROGRAMS, Last refreshed on 7/1/2019 3:31:04 PM | Published RemoteApp programs | 9 total.
  - Filter: [Filter]
  - Table:
- Host Servers Section:**
  - Header: HOST SERVERS, Last refreshed on 7/1/2019 2:37:32 PM | All servers | 1 total.
  - Filter: [Filter]
  - Table:
- Connections Pane (Right):** CONNECTIONS, Last refreshed on 7/1/2019 2:37:35. Filter: [Filter]. Links: Server FQDN, User, Session Stat.

In the **RemoteApp Programs** section, the **TASKS** dropdown menu is open, showing the following options:

- Publish RemoteApp Programs (highlighted)
- Unpublish RemoteApp Programs


The Publish RemoteApp Programs dialog box opens.

4. Select **FileCloudDrive2** from the list and click **Next**.

5. Then click **Publish**.

## 6. When publishing completes, close the window.

**FileCloudDrive2** appears under **RemoteApp Program Name**.



## Accessing FileCloud Drive via Remote Desktop Web Access.


After you publish FileCloud Drive, if it is enabled in your **RemoteApp and Desktops** setup, your users will have access to it via Web.

### To access FileCloud Drive via web:

1. Enter the web IP or URL, and once authenticated, you will see **Work Resources** with FileCloud Drive listed.
2. To open a remote desktop protocol, click on the FileCloud Drive icon.


3. Click on a file to open it in FileCloud Drive.

**NOTE:** You may be asked to authenticate your windows credentials as well as FileCloud Drive credentials on the first run.



## Accessing FileCloud Drive via Remote Desktop

To access FileCloud via Remote Desktop, connect via RDP using the URL or IP provided by the system administrator, and authenticate with your username and password. Once done you will be able to access FileCloud Drive from within the virtual machine.



## Troubleshooting Drive

### Limitations:

- If Sophos Antivirus is installed, Drive application performance with large files (10MB+) is impacted.

## FAQ - FileCloud Drive

Here are some of the Frequently Asked Questions (FAQ) about FileCloud Drive.



Click on a link to expand it.

### Why Are My Shortcuts Not Working?

There is a limitation to creating shortcuts to FileCloud Drive. When a user reboots their PC shortcuts no longer work because the map FileCloud Drive uses to build the path to your files is deleted when the PC reboots. You can create a new shortcut after you navigate through the application, and the map is recreated.

### Which Special Characters Cannot Be Used in File and Folder Names?

Folder and file names cannot contain:

- ..
- \
- /
- :
- \*
- ?
- "
- <
- >
- |

### Why, when my computer is restarted, does Drive log me in as the previous log-in user?

By default, Drive automatically logs you in as the previous log-in user even after your machine is restarted.

### Can I See a List of My Recent Activities?

### How Do I Use a Proxy Server to Connect?

[How Do I Lock Files that I Am Editing?](#)

[Can I Use Two-Factor Authentication to Connect?](#)

[Can I Upload Files Larger Than the Storage Quota?](#)

[Drive File Issues](#)

## Drive File Issues


FileCloud Drive may be unable to upload files and folders with the following naming characteristics.

 These differ slightly for Drive for Mac.


## Special Characters

FileCloud Drive doesn't upload some files with characters that are incompatible with certain operating systems.

Please rename them to something more suitable for use across multiple operating systems.

- 
- The \* character
  - The < character
  - The > character
  - The : character
  - The \ character
  - The / character
  - The | character
  - The ? character
  - The \* character
  - The ~ character

The following file and folder names are also not uploaded.

- 
- tonido.db
  - Thumbs.db
  - desktop.ini
  - \*.tmp\*
  - \*.~tmp
  - \*.lnk
  - Files or Folders ending with space
  - Files or folders ending with "." or ","
  - .tonidocache



- Anything starting with Conflict\_
- sync.ico
- .ds\_store
- Any hidden files (usually files starting with . in Linux and files with hidden attribute in windows)
- \*.fuse\_hidden
- \*.crdownload
- \*.partial
- \*.part
- \*.download
- \*.MACTF
- \*.dwl
- \*.dwl2

## Issues with Uploading a File to Drive

### Restrictions on filenames and file extensions

- Files with the same name:
  - If you upload a file with the same name and the same case as another file in the same folder, it overwrites the file.
  - If you upload a file with the same name but a different case than another file in the same folder, you cannot upload the file and the File Operations window displays a file name conflict message.
  - If you upload files with the same name but different file extensions, like **myfile.doc** and **myfile.docx**, they are treated as different files.
- FileCloud cannot upload files with leading spaces in the filename.
- By default, files with the extensions **php**, **php5**, **phar**, and **phtml** cannot be uploaded into FileCloud.



#### For Admins

- To specify which file extensions may be uploaded into FileCloud, see [Managing File Extensions and Restricting File Extensions](#).
- To restrict certain filenames from being uploaded into FileCloud, see [Restricting File Names](#).

Please note the following restrictions when uploading files to FileCloud:

### Why can't I upload files larger than the storage quota to a Network Folder or Team Folder?

- To create a drive in Windows, FileCloud must specify a size.
- When FileCloud mounts a virtual drive, your storage quota is used as the size of the drive.
- This mechanism restricts uploading files larger than the total size of the drive.



You must have Administrator privileges to reset your storage quota.  
If you do not, please contact your administrator to change it for you.

If you need to change the storage quota for a particular user, you can edit their current policy settings or create a new policy.

Administrators can read more about [Setting the Storage Quota for Users](#)


**To change the upload limit and size of the drive by changing the User Storage Quota:**

1. In the FileCloud admin portal's left navigation bar, scroll down and click **Settings**. Then, on

the **Settings** navigation page, click **Policies**  .

The **Policies** page opens.













2. Click the **New Policy** button.



**Policies**

New Policy  
Create a new policy

**New Policy**

Policy Name	User Count	Group Count	Default	Actions
Global Default Policy	0	0	<input checked="" type="checkbox"/>	     
TEAM FOLDER POLICY	1	0	<input type="checkbox"/>	     

Page 1 of 1  
2 rows

3. In the **New Policy** dialog box, type in a name for the policy, and then click **Create**.

- Click the edit button for the policy you just created.

**Policies**

New Policy  
Create a new policy New Policy

Policy Name	User Count	Group Count	Default	Actions
Admin user policy	0	0	<input type="checkbox"/>	
Global Default Policy	0	0	<input checked="" type="checkbox"/>	
TEAM FOLDER POLICY	1	0	<input type="checkbox"/>	

Page 1 of 1  
3 rows

- On the **General** tab, change the **User storage quota**.  
To set unlimited storage quota for the user, set **User storage quota** to **0**.
- Click **Save**.
- From the left navigation pane, click **Users**.
- On the **Manage Users** screen, click the user who you want to add to the new policy, and then click the edit button ( ).
- On the **User Details** screen, click **Manage Policy**.
- On the **User Policy** screen, across from **Selected Policy** click **Select**.
- On the **Policy List** page, select the policy you created for this user, and then click **Select**.
- On the **User Policy** screen, click **Close**.
- On the **User Details** screen, click **Save**.

To change the default storage size in Drive, please Contact FileCloud Support.

## Recover Files After Interrupted Drive Uploads


In the following scenarios, an upload may be interrupted because of network issues or other reasons:

- saving documents using FileCloud Drive
- uploading files using FileCloud Drive

In these cases the uploaded file is saved to a Recovered folder.

If there are any recovered files in the **Recovered** folder, your **Live** screen alerts you and displays an **Open recovered**

**files folder** and **Clear recovered files folder** buttons.



#### To retry the upload:

1. Click the **Open recovered files folder** button.  
Your file explorer opens to the **Recovered** folder location.
2. Copy the interrupted file to the server and retry the upload.  
To avoid looping, first copy the files into another local directory (for example Downloads) and from there into the Drive folder for the upload.

#### To empty the Recovered folder:

- Click the **Clear recovered files folder** button.

## Cannot Lock XSL Files in Drive

When DocIQ is not enabled, locking of XSL files is not supported in Drive. In other words, When one user has opened an XSL file, other users can open it as well.

However, locking other types of files, including XSLX files, is supported when DocIQ is not enabled.

## Blank Error Messages in FileCloud Drive

### Problem

In the following scenarios, FileCloud Drive users may see a blank error message when connecting:

#### Attempted Retry without Admin Intervention

1. A new device using FileCloud Drive tries to login to the FileCloud Server site.
2. An error notification appears without providing any text.
3. The FileCloud user clicks OK in the error message dialog box and then exits FileCloud Drive.
4. The user tries to open FileCloud Drive again.
5. An error notification appears without providing any text.

#### Attempted Retry with Admin Intervention

1. A new device using FileCloud Drive tries to login to the FileCloud Server site.
2. An error notification appears without providing any text.
3. The FileCloud user clicks OK in the error message dialog box and then exits FileCloud Drive.
4. The administrator logs on to the Admin Portal and deletes the device.
5. The user tries to open FileCloud Drive again.
6. An error notification appears without providing any text.

### Cause

This is a known issue when all of the following conditions are set:

Condition	For more information
The Administrator enables and configures two-factor authentication	➔ <a href="#">Enable Two-Factor Authentication</a>
The Administrator creates and configures a workflow to block client access	➔ <a href="#">Using Workflows</a>
You are running FileCloud Server version 18.1 or earlier	➔ <a href="#">FileCloud Server 18.1 Notes</a>


### Resolution

This issue is fixed in FileCloud Server 18.2.

When the following conditions occur:

- The Administrator enables and configures two-factor authentication
- The Administrator creates and configures a workflow to block client access
- You are running FileCloud Server version 18.2 or later

The FileCloud Drive user now sees the error message with text:




➔ Upgrade FileCloud

## Windows Can't Access This Disk in Drive

### Problem

FileCloud Drive users may see the following error message when connecting:



### Cause

In the following scenario:

1. The Administrator enables and configures two-factor authentication.
2. The Administrator creates and configures a workflow to block client access.
3. A new device using FileCloud Drive tries to login to the FileCloud Server site.
4. An error notification appears.

This error appears by design. It is the expected result when all of the following conditions are set:

Condition	For more information
The Administrator enables and configures two-factor authentication	<a href="#">Enable Two-Factor Authentication</a>
The Administrator creates and configures a workflow to block client access	<a href="#">Using Workflows</a>


## Resolution


Administrators can explain to the user why the device is blocked by their company policies.


## How to uninstall FileCloud Drive


FileCloud Drive can be uninstalled from Windows "Add/Remove Programs" widget.

# FileCloud Drive for Mac

 FileCloud Drive for Mac is entering the end-of-life process and will no longer be available for download as of October 1, 2024. Support will no longer be available as of March 31, 2025. For more information, see <https://www.filecloud.com/end-of-life-policy>.

 FileCloud Drive versions below 23.1.2 do not support macOS 14 (Sonoma). If you are using macOS 14, please install or upgrade to FileCloud Drive 23.1.2 or higher.

 FileCloud Drive versions below 22.1 do not support macOS Ventura. If you are using macOS Ventura, please install or upgrade to FileCloud Drive 22.1 or higher.

 FileCloud Drive version 21.1 and higher supports Catalina and Big Sur.

Please note that for Drive running on Apple Silicon M1, Big Sur 11.3 or higher is required and security settings have to be adjusted.

See [FileCloud Drive: Configuration for Big Sur 11.3 or later versions Running on Apple Silicon](#).

FileCloud Drive for Mac is a client application available for macOS (Catalina and later).

It allows you to access your FileCloud server files like you would access any other files in Mac through the Mac Finder. The files can be edited from and saved directly to your FileCloud server

- [About FileCloud Drive for Mac](#)
- [FileCloud Drive for Mac Menu Options](#)
- [How Can I Increase File Size Limits for FileCloud Drive for Mac?](#)
- [How to Fix Problems Uploading Large Files](#)
- [Proxy Server for FileCloud Drive for Mac](#)
- [Enable Right-Click Support in Drive for Mac](#)
- [Viewing a Crash Report for Drive for Mac](#)
- [FileCloud Drive: Configuration for Big Sur 11.3 or later versions Running on Apple Silicon](#)
- [How to uninstall FileCloud Drive for Mac](#)
- [Enabling Thumbnail Previews in Drive for Mac](#)
- [MacDrive file issues](#)

## About FileCloud Drive for Mac

 Beginning with FileCloud 23.1, Drive for Mac includes [FileCloud for Office](#).

Although FileCloud Drive for Mac makes your remote FileCloud server files available as if it is a local drive in your MacOSX Computer, it is important to understand the underlying technology powering FileCloud Drive so that you can use it most efficiently for it's intended purpose.



FileCloud Drive for Mac provides a virtual view to your FileCloud files and makes it appear as if the files are actually local, but in reality they are not. The files are present on the remote server and if the underlying network connection is not available, FileCloud Drive for Mac cannot work. So in cases when you are going to be offline and want access to your files, FileCloud Drive for Mac is not a suitable tool and it is recommended to use the FileCloud Sync app instead which keeps a copy of the remote server files locally on your computer.


Also, note that when you have a large file (for example, 1 GB) and you try to open it in an application via FileCloud Drive for Mac, it will first have to be downloaded from the remote connection and then opened. Depending upon your network connectivity this could take a while. So even though these files appear connected to your MacOSX, they are in reality in the FileCloud server.

So it is best to use FileCloud Drive for Mac to work with small to medium sized files, to edit documents and use it for uploading small number of files or downloading small documents etc. FileCloud Drive for Mac is more convenient than using the web portal to edit files because it avoids downloading the file first, editing and then re-uploading it back. This can be done seamlessly by just opening the document in the application via explorer, editing and then saving it to upload it back to the FileCloud.

## Viewing FileCloud Drive for Mac Activity


FileCloud Drive for Mac provides a way that shows the activities being performed by FileCloud Drive for Mac and this provides "under the hood" view.

Select the "View Activity" option in FileCloud Drive for Mac task bar menu



## FileCloud Drive for Mac Menu Options

This section describes the various menu options in FileCloud Drive for Mac.




<b>Open Drive</b>	This will launch a finder window to the mounted drive volume. If the remote server is not available or configured then nothing will be launched
<b>Settings</b>	This will display the dialog window to input new server information. If a server is already mounted, then it will be first unmounted and the new server will be mounted.
<b>Run at Startup</b>	This will start FileCloud Drive for Mac automatically when the user logs into the computer.
<b>View Activity</b>	Open a window that shows the current activity as well as transfer details
<b>Check for Updates</b>	This will check if there is a newer version of FileCloud Drive for Mac is available
<b>Help</b>	Launch browser to open online documentation
<b>About</b>	Display version information
<b>Exit</b>	Unmount and exit FileCloud Drive for Mac application

<b>Clear Cache</b>	FileCloud Drive for Mac stores locally accessed file in a local cache. This cache location will be cleared when this option is selected and the volume will be remounted. Any further access to files will cause FileCloud Drive for Mac to download it first. Care must be taken to make sure there are no existing application are actively using files during this operation.
<b>Open Log Folder</b>	This option will launch explorer window to the location containing FileCloud log files. This is used for debug purposes.
<b>Lock Automatically on Edit</b>	This option will lock a file on file open action and will unlock a file on file cloud action. <b>NOTE this function is a file system level behaviour and FileCloud Drive CANNOT KNOW IF A FILE IS OPENED IN AN APPLICATION AFTER THE CONTENTS ARE READ.</b> This also attempts to detect special cases such as Microsoft Office apps and will attempt to keep the lock enabled when a document file is edited but changes in behaviour to MS Office apps can affect this algorithm.
<b>Mute All Notifications</b>	FileCloud Drive for Mac will try to show notifications on various conditions and selecting this option will prevent those notifications from being displayed
<b>Max Single File Limit</b>	FileCloud Drive for Mac will cache a file locally when windows explorer requires it (Typically Finder will try to pre-cache files for quicker access or to display thumbnails or previews). The files are also cached on file open/copy operations. This option will set a limit to max file size that can be accessed. This is primarily meant to manage bandwidth usage .

## How Can I Increase File Size Limits for FileCloud Drive for Mac?

FileCloud Drive for Mac downloads a file from server before it can be read/modified/updated FileCloud Drive for Mac. MacOSX can prefetch files to improve user experience and can request files that are not actively used . This can sometimes cause bandwidth usage. To limit this, FileCloud Drive for Mac has maximum file size limit setting to prevent downloading large files. This limit is set to 30MB by default. You can change this value from the FileCloud Drive for Mac context menu.




## How to Fix Problems Uploading Large Files

If you are trying to upload a file of 3-5 GB to Drive for Mac and see an error message or a Waiting to Start message that doesn't disappear, you may be able to resolve the problem by granting Drive full disk access.

To enable full disk access:

1. Go to **System Preferences > Security and Privacy**.
2. Click the **Privacy** tab.
3. Click **Full Disk Access** in the left panel.

4. If the **CloudDrive** application does not appear in the window, click the +, and add it.



Drive now has full disk access.


## Enable Right-Click Support in Drive for Mac

Starting in FileCloud Version 20.1, you can enable right-click support in Drive for Mac.

### To enable right-click support in Drive for Mac:

1. Start FileCloud Drive for Mac.
2. Click the Apple logo in the top left corner of the page and choose System Preferences > Extensions.
3. In the left pane, click **All**.

4. Under **clouddrive**, check the box for **Finder Extensions**.




5. To relaunch Finder, click the Apple logo in the top left corner of the page and choose Force Quit -> Finder -> Relaunch.
6. Restart your computer.
7. Start FileCloud Drive for Mac again.

## Viewing a Crash Report for Drive for Mac

In addition to log file, if the app exits without user intervention, a crash report file is also very useful.


To get the crash report file:

1. In the Spotlight window, type "console"




2. Locate the "User Diagnostic Reports" section.

3. Expand the User Diagnostic Reports section and locate the report that starts with "filecloudmacdrive" and the latest time stamp.





#### 4. Right click the report and select "Reveal in Finder" and email that file.



## FileCloud Drive: Configuration for Big Sur 11.3 or later versions Running on Apple Silicon


- i** Beginning in FileCloud Version 21.1, Drive supports using Big Sur versions 11.3 and higher. However, you must configure a workaround for FileCloud to run the kernel extension (kext) that Drive uses. Note that prior to version 21.1, Drive does not support Big Sur 11.3 or later versions.

### To configure FileCloud Drive to use Big Sur 11.3 or later versions running on Apple Silicon:


1. Follow the instructions in macOS User Guide to [change the level of security used on your startup disk](#) to **Reduced Security**.
2. Install Drive for Mac.

When Drive attempts to start, the message **System Extension Blocked** appears.


- i** **Note:** If you see the message, "**FileCloudDrive**" can't be opened because Apple cannot check if for **malicious software**, see the workaround below.



3. To open **Security and Privacy** settings in MacOS, click **Open Security Preferences**.




4. Click **Allow**.




5. Click **Restart**.  
6. When MacOS restarts, you can start Drive normally.

### **Workaround**

If you see this message when Drive initially attempts to open:



a. On the Drive icon, click **CTRL + right-click** and choose **Open**.



Drive opens.

b. Reboot your system.


c. Attempt to open Drive again.

You should now see the **System Extension Blocked** message shown in Step 2, above, and can proceed to Step 3.

## How to uninstall FileCloud Drive for Mac

To uninstall FileCloud Drive for Mac, first you have to quit the Drive app.

Then navigate to Applications, select Filecloud Drive for Mac and click Move to Trash.



To clear the data of FileCloud Drive for Mac, please Contact FileCloud Support.


## Enabling Thumbnail Previews in Drive for Mac

Drive for Mac must download all content within a folder in order to generate a thumbnail. To avoid potential performance issues, thumbnail previews are disabled by default in Drive for Mac, and files are only downloaded when selected. However, thumbnail previews may be enabled in Drive for Mac manually.

To enable thumbnail previews in Drive for Mac:

1. Log in to Drive for Mac.
2. At the bottom of the Drive dashboard, click the **Settings** button.

3. Click the **Enable Thumbnail Preview slider** (so that it appears blue).




## FileCloud for Outlook Add-In

**i** The updated FileCloud for Outlook add-in is available in FileCloud 23.242.

The FileCloud for Outlook Add-in enables you to save Outlook email attachments to FileCloud and attach FileCloud files to Outlook emails as attachments or share links.

The FileCloud for Outlook Add-in is available in:

- Windows and macOS
- the classic and the new Outlook interfaces
- Outlook desktop and Outlook Web




The FileCloud for Outlook Add-in can only be opened from within an email, either one you are composing or one you have received. The add-in appears as a side panel to the right of the email.

## Logging in to the Outlook add-in

When you open the FileCloud Outlook add-in, if you are not already logged in to FileCloud, you can log in through the add-in.

You can log in by entering your FileCloud server address, username, and password, or if it is enabled, you can click the

SSO tab and log in using SSO. If 2FA is enabled, you are prompted to log in using 2FA.




The screenshot shows the 'FileCloud for Outlook' login window. At the top, there's a header with the FileCloud logo and the text 'FILECLOUD FOR OUTLOOK'. Below this is a large blue shield icon with a white person silhouette. The main heading is 'Log in to your account', followed by the instruction 'Please log in using one of the methods below.' There are two tabs for 'Login method': 'Password' (selected) and 'SSO'. Below the tabs is a 'Server URL' field. The 'Account' field contains the text 'jennifer'. The 'Password' field is masked with asterisks. A vertical scrollbar is visible on the right side of the form.

## Attaching a file from FileCloud to an Outlook email

1. Open Outlook.




2. Click **Home** in the menu bar, and then click **New mail**.




An empty email opens.

3. Click the Apps icon , which appears when **Message** is selected in the menu bar, and choose **FileCloud Outlook**.




The FileCloud Outlook add-in opens as a panel to the right of the screen.

4. If you are not already logged in to FileCloud, log in.  
All of your FileCloud folders appear in the Outlook add-in.




5. Navigate to the file that you want to add to the email, and select it.

6. Click **Attach to Email**.




An **Attachment Options** dialog box opens.



7. Choose **Attach as a File** or **Attach as a Link**, and click **Attach**.

**If you attach as a file:**

- The file appears as an attachment in the email:



**If you attach as a link:**

a. A share link appears in the email:




The screenshot shows an Outlook email draft interface. At the top, there is a blue 'Send' button with a right-pointing arrow and a dropdown arrow. To the right of the 'Send' button are three icons: a shield with a question mark, a downward arrow, and a trash can. Below the 'Send' button is a 'To' field with a dropdown arrow and a 'Bcc' field. Below the 'To' field is a 'Cc' field. Below the 'Cc' field is a subject line that says 'Add a subject'. To the right of the subject line, it says 'Draft saved at 9:56 AM'. Below the subject line, the email body contains the text 'bank statement1.pdf:' followed by a blue hyperlink 'http://127.0.0.1/url/' which is partially obscured by a blue highlight.

The type of share link created is the default share type in your FileCloud system.

**Note:** Once you insert the share link, the share is created in FileCloud, even if you do not send the email or if you delete the link.


- b. If the default share type in your system is **private**, you are prompted to choose users to share with. The email recipient is not automatically added to the share; if you want to add them, add them now.



Add any number of users to the share, and click **Done**.

A confirmation that the users have been added to the share appears.


The share gives the user view and download permissions, and sets the other share options to the defaults for your system. Later, you can open the FileCloud user portal and change the share options.



If the default share type in your system is **Public**, the link is added directly to the email, and you are not prompted to do anything else.

## Attaching a large file to an email


The limit on the size of an email in Outlook is 20 MB. If including an attachment would cause the email to be greater than 20 MB, the FileCloud Outlook add-in attaches it as a share link instead, and it is added as a share in FileCloud.




As with other shares added to emails, the share is the default type in your system. If the default share type is private, you are prompted to add recipients.

## Uploading an Outlook attachment to FileCloud

1. In the navigation panel click **Inbox** or **Sent Items**, and then open an email.



2. In the upper-right corner of the email, click the Apps icon, and choose FileCloud Outlook.  
(Click More if the Apps icon is not listed).




The FileCloud Outlook add-in opens as a panel to the right of the email.


3. If you are not already logged in to FileCloud, log in.  
By default, the email's attachments are listed at the bottom of the screen, and the **Save** button is not yet available.  
(You can also configure custom upload settings. See [Automatically uploading an email attachment to FileCloud](#),



below.)



4. Navigate to and check the FileCloud folder you want to store the file in.



5. Click **Save**.

The file is now stored in FileCloud.


## Automating attachment upload

You can specify a default FileCloud folder where Outlook attachments are saved.


You can also automatically save attachments to that folder.

### To enter upload settings:

1. After you open the FileCloud Outlook add-in in an email, click the cog icon next to the search bar.




Upload settings appear.



### To set up a default upload folder:

- a. Click **Select Default Folder**.  
Your FileCloud folders appear.

b. Navigate to a folder and select it.




c. Click **Save**.


d. If you want email attachments to be automatically saved to your default folder when you open an email, enable **Auto-Upload**.

**Note:** The file is automatically saved only when the email is open and the Outlook add-in is opened

beside it.




When the FileCloud Outlook add-in is opened, if you have set up a default folder, but you have not set up auto-upload, the FileCloud dashboard gives you the option of saving to the default folder without requiring you to navigate to it:



You can click **Save** to save to the default folder or navigate to another folder and select it, and then click **Save**.

When the FileCloud Outlook add-in is opened, if you have set up auto-upload, the FileCloud dashboard uploads the email attachment to FileCloud when you open it.



### Restrictions on filetypes and file extensions in FileCloud

Please note the following restrictions when uploading files to FileCloud:

- Files with the same name:
  - If you upload a file with the same name and the same case as another file in the same folder, it overwrites the file.
  - If you upload a file with the same name but a different case than another file in the same folder, you cannot upload the file and the File Operations window displays a file name conflict message.
  - If you upload files with the same name but different file extensions, like **myfile.doc** and **myfile.docx**, they are treated as different files.
- FileCloud cannot upload files with leading spaces in the filename.
- By default, files with the extensions **php**, **php5**, **phar**, and **phtml** cannot be uploaded into FileCloud.

#### **i** For Admins

- To specify which file extensions may be uploaded into FileCloud, see [Managing File Extensions and Restricting File Extensions](#).
- To restrict certain filenames from being uploaded into FileCloud, see [Restricting File Names](#).

## Troubleshooting

### **I am not able to see the FileCloud Outlook add-in inside Outlook.**

At times, MS Outlook may disable an add-in if there is a 0.234 second delay in starting Outlook for any reason. In Outlook, go to **File > Options > Add-Ins**. Find the FileCloud Outlook Add-In from the disabled add-ins list and enable the add-in. You can set Outlook to always enable FileCloud Outlook add-in so that it does not get disabled.




## Integration With Office

FileCloud allows users to share any file or folder with custom permissions.

- Install the FileCloud Office Add-In
- [Configure Sync for Edit in Desktop](#)
- Access Files Using Mobile Apps
- Enabling DocIQ

## Configure Sync for Edit in Desktop

 Edit in Desktop requires the Sync App to be installed on the local computer. Edit in Desktop does not work when the Sync App is set to run as a service.

Edit in Desktop allows you to select a document file from the Web UI and automatically open it locally in its native document editor. Changes you save automatically appear in the cloud as new versions. This function is ideal for users who need to edit files on their desktops, but don't want to install FileCloud Drive or sync all files to their local machine. It's also more convenient than downloading, editing, saving and uploading the saved version back to the cloud.

File types supported in Edit in Desktop include DOCX, DOC, PPTX, PPT, XLSX, XLS, IDD, PSD, XLSB, TXT and MD.

To perform Edit in Desktop, first install the Sync application locally on your computer.

When setting up account information, you may select the option to disable syncing and only provide document editing support. If you leave it unchecked, you will be able to use Edit in Desktop as well as Offline Syncing.

The screenshot shows a window titled "Sync for FileCloud" with a progress bar at the top. The progress bar has five steps: 1 LOGIN, 2 CLOUD STORAGE (highlighted in blue), 3 NETWORK FOLDERS, 4 BACKUP FOLDERS, and 5 FINISH. Below the progress bar, the heading "Choose which files to sync" is displayed. A paragraph explains: "Choose which remote files from FileCloud to sync to this computer. A copy of the files will be downloaded to the computer, and you can work with them just as you would any other files on your computer." There are three radio button options: "Sync everything (My Files, Team Folders, Shared Folders)", "Sync nothing and use only Document Editing mode" (which is selected), and "Sync only selected folders". An orange arrow points to the selected option. Navigation arrows (left and right) are visible on the sides of the content area.

1 LOGIN

2 CLOUD STORAGE

3 NETWORK FOLDERS

4 BACKUP FOLDERS

5 FINISH

### Choose which files to sync


Choose which remote files from FileCloud to sync to this computer. A copy of the files will be downloaded to the computer, and you can work with them just as you would any other files on your computer.

☐ Sync everything (My Files, Team Folders, Shared Folders)

☒ Sync nothing and use only Document Editing mode

☐ Sync only selected folders

Next select any file in the web browser, and then click on the **Edit in Desktop** option to download and open the file in the local document editing application.



The document is opened in an editor, for example, Microsoft Word. Simply edit as you would normally and then click save. The file is saved to the server and a notification shows that the version has been saved.

You can continue to edit the document and save it. Each time you save it a new version is uploaded.

### Note for Administrators:

To enable Edit in Desktop, you must check the customization option in the Admin control panel.

Go to **Customization** → **General** → **UI Features** → **Show Edit in Desktop Option**.

The screenshot displays the FileCloud Online Customization interface. On the left is a sidebar menu with categories: NOTIFICATIONS, DEVICES, GOVERNANCE, MISC., SETTINGS, CUSTOMIZATION, and SYSTEM. The 'CUSTOMIZATION' category is selected, and 'Customization' is highlighted. The main content area shows a tabbed interface with 'General' selected. Under 'General', the 'UI Features' tab is active. The title 'Customize User UI Features' is displayed. Below this, several settings are listed, each with a checkbox and a description:

- Enable UI Customizations**: ☒ Enable UI customization
- Show Document Preview**: ☒ Show "Preview" in document file menu options (Requires "Document Preview" configured)
- Enable additional email templates**: ☒ Enable email templates based on user access level
- Show Single File Share Full Preview**: ☒ Show full screen preview for single file public shares
- Show New Document Creation Option**: ☒ Show new document creation option in the folder menu
- Show Edit in Desktop Option**: ☒ Show "Edit in Desktop" (Requires user to install CloudSync client)

The 'Show Edit in Desktop Option' setting is highlighted with a red rectangular box.

# FileCloud File Browser


**i** FileCloud File Browser is entering the end-of-life process and will no longer be available for download as of October 1, 2024. Support will no longer be available as of December 31, 2024. For more information, see <https://www.filecloud.com/end-of-life-policy>.

The FileCloud File Browser lets you work in a file explorer format where you can perform the same view, share, edit, and delete file operations that you perform in the user portal.


## Install and open File Browser

### Running File Browser

To start File Browser when it is not running, in your system navigation panel, open the File Browser folder and click the File Browser icon.




File Browser opens:



## System tray icon

When File Browser is running, an icon appears in your system tray. Right click on it to see the following options;



- **Open Website** - Opens FileCloud in the user portal.
- **File Browser** - Opens the File Browser.
- **Search the Cloud** - Opens the File Browser search dialog box. See [Search for a File or Folder in File Browser](#).
- **Run at Windows Startup** - Enabled by default. File Browser starts when you start your system.

- **Logout** - Log out of File Browser. You will be prompted to log in again.
- **Exit** - Close File Browser without logging out. The icon disappears from the system tray.


## In this section

- [Perform File Actions in File Browser](#)
- [Search for a File or Folder in File Browser](#)
- [Share a File or Folder in File Browser](#)

## Perform File Actions in File Browser

The following actions can be performed on files and folders in File Browser. These actions occur in real-time, and are reflected in the user portal soon after they occur.


Many of the actions can be performed by right-clicking on the file or folder and then choosing a menu option:




## Browsing files

There are several ways you can navigate to locations in the remote FileCloud server in File Browser.


- Use the left folder tree to navigate to different folders.




- Double-click folders on the right folder listing.




- Enter the full path in the path entry text area, and then press enter.



- Navigate to older locations that you previously visited by using the History back and forward arrows.



- In any file listing, select the Refresh icon, or click F5 to refresh the listing.



### Creating a new folder

Select the Create Folder icon to create a new folder in the current location.





## Deleting Files and Folders

You can delete a file or folder in File Browser.

Right-click the item you want to delete, and choose **Delete**.

 Alternatively, select items you want to delete and choose the Edit menu and select the **Delete** option.

## Downloading a file

You can download a file in File Browser

1. Right-click the item you want to download and choose **Download**.  
Your file system's explorer window opens.
2. Choose the location where you want to store the downloaded file and select it.

## Editing a file

From File Browser, you can quickly open a file for editing in the application you have associated with it in your system.

To edit a file:

1. Double-click the file or right-click on it and choose **Quick Edit**.  
The file opens for editing.
2. Make changes and then click **Save**.

## Locking and unlocking files and folders

You can set a **lock** to prevent other users from opening a file or folder.

Locking tells other users that you are actively using the file or folder.

When a file or folder is locked, the following conditions apply:

- The owner of the lock has full access to that file or folder and can modify it
- An Admin can always override the lock
- Users cannot download the locked file or folder
- Users cannot view the locked file or folder
- Users cannot modify the locked file or folder

When you lock a file or folder, all of the FileCloud client apps and the FileCloud user portal are subject to the lock restrictions.

To lock a file or folder

Right-click the item you want to lock, and then select **Lock**.

A message indicates if the lock is successful or not.


To unlock a folder:

Right-click the item you want to unlock, and then select **Unlock**.

A message indicates if the lock is successful or not.

## Moving or copying files and folders


You can move or copy a file or folder in File Browser.



1. Select items you want to move and choose the Edit menu and select **Cut** or **Copy**.
2. Navigate to another path and choose the Edit menu and select **Paste**.

### Renaming files and folders


You can rename a file or folder in File Browser.



1. Select item you want to rename and choose the Edit menu, and select **Rename**.
2. Type in the new name, and click Enter or **OK**.

### Uploading files and folders

You can drag and drop files or folders into the right folder listing to upload the files directly to FileCloud.



You can also use the following icons located in the top bar to upload a file or upload a folder.



💡 Clear the pending upload or download queue items by selecting the View menu and selecting **Clear Queue**.

### Restrictions on filenames and file extensions in FileCloud

Please note the following restrictions when uploading files to FileCloud:

- Files with the same name:
  - If you upload a file with the same name and the same case as another file in the same folder, it overwrites the file.
  - If you upload a file with the same name but a different case than another file in the same folder, you cannot upload the file and the File Operations window displays a file name conflict message.
  - If you upload files with the same name but different file extensions, like **myfile.doc** and **myfile.docx**, they are treated as different files.
- FileCloud cannot upload files with leading spaces in the filename.
- By default, files with the extensions **php**, **php5**, **phar**, and **phtml** cannot be uploaded into FileCloud.

#### **i** For Admins


- To specify which file extensions may be uploaded into FileCloud, see Managing File Extensions and Restricting File Extensions.
- To restrict certain filenames from being uploaded into FileCloud, see Restricting File Names.

## Viewing and clearing the log and the queue

You can view log messages to troubleshoot File Browser issues, or clear the log if it is getting too large. You can also view and clear the queue of pending and current actions.

### To view the log or queue:

1. In the **View** menu, choose **Logs and Queue**.
2. By default, the **Log** tab opens; click the **Queue** tab to view the queue.



### To clear the log or queue:

In the View menu, choose **Clear Queue** or **Clear Log**.


## Viewing file information and versions

You can view information about file size, create dates, and permissions, and download previous file versions in the **Details** tab of a file's properties.

### To access file details and versions:

1. Right-click the item you want to view the properties for, and then select **View FileCloud Properties**. The **FileCloud Properties** dialog box opens to the **Details** tab. On this tab you can view information such as file size, create date, and your permissions for the file (hover over the icons to see the types of permissions).

2. Click the Edit icon next to **Versions** to open a list of versions that enables you to download each version.




### Working with metadata

You can view the metadata attributes for a file, or add an attribute if your administrator allows it.

To view or add metadata:

1. Right-click the item you want to access the metadata for, and then select **Properties**.  
The **FileCloud Properties** dialog box opens.

2. Click the **Metadata** tab.




3. Use the following instructions to manage metadata.

## Search for a File or Folder in File Browser

You can search in a folder that appears on the left or right side in File Browser


### To search in File Browser:

1. Select a folder in the left panel, and click **Search** in the menu bar. Then choose **Search the Cloud for Files/Folders**;




OR

Right-click a folder in the right panel, and choose **Search**;



OR


Right-click the system tray icon and choose **Search the Cloud**.



A FileCloud search dialog box opens. It shows the folder path you selected.

2. Enter a search term.

Your search results are returned.



- 3.
4. Right-click a result, and choose **Open directory** to open the directory in File Browser if it is not already open. Right-click a result, and choose **Open browser** to open it in the FileCloud user portal.

Click **Advanced Options** to open advanced search options. For help using these options, see Search.


## Share a File or Folder in File Browser

You can share a file or folder from File Browser.


**To share a file or folder:**



1. Right-click the item you want to share, and select **Share**.








A box with a link to the share opens:



- This link is public by default and can be accessed by external users.
  - When you share the link with someone, they can access the file even if they do not have a FileCloud account.
  - You can set advanced options to share the file or folder privately, too.
2. To copy the URL to your clipboard, click **Copy URL**.  
Use the URL you copied to share your item.

3. To share privately or access advanced share options click **Advanced**.  
A **Manage share for file** dialog box opens.

Manage share for file - 01 (They Call It) Stormy Monday.mp3

Share URL:      

**Share Options**

Shared File/Folder:  
**/jenniferp/CustomerAccounts/...**

Share name:

Expires (Optional)  
☒ Never Expires ☐ Expires

Restrict Downloads (Optional)  
☒ No Restrictions ☐ Restrict to

Email File Change Notifications  
☒ Yes ☐ No

Enable Password Protection  
☐ Yes ☒ No

**Share Permissions**

☒ Allow Everyone  
☐ Allow Selected Users/Groups

Guest Groups

Guest	View	Download	Share

See the section Sharing Files and Folders for complete information about sharing and instructions on using advanced share options.

## FileCloud WebDAV Access



- In FileCloud 23.241 (December 31, 2024), support for WebDAV in FileCloud ended. For more information, see <https://www.filecloud.com/end-of-life-policy>
- Prior to this, in FileCloud 23.1, as part of the end-of-sale process, WebDAV could no longer be enabled or managed through the FileCloud admin portal. The documentation on this page only applies to customers who are using FileCloud versions prior to this.

FileCloud supports the WebDAV protocol to allow accessing your files using a WebDAV client.

Web Distributed Authoring and Versioning is an extension of the Hypertext Transfer Protocol that allows clients to perform remote Web content authoring operations.

## FileCloud WebDAV Access



2FA login is not supported for WebDAV.



Ensure that WebDAV is enabled in your server by your Administrator.

Use the following information to use a WebDAV client to access your storage space.




WebDAV URL: <http://site/webdav/>

Username: useraccount

Password: yourpassword

**NOTE the trailing slash after "webdav" in the URL. Clients will fail without it**



## WebDAV Client Compatibility



### Mac OSX Finder

**Finder generates a lot of unnecessary WebDAV requests. When coupled with AD or LDAP authentication this can be slow.**

**To mount FileCloud WebDAV in Mac Finder: See [this link](#)**

WebDAV Client	Browsing Folders	Download Files	Create Folder	Delete Files/ Folders	Upload File
<a href="#">WebDAV Navigator (iOS)</a>	YES	YES	YES	YES	YES
<a href="#">BitKinex 3.2.3 (Windows)</a>	YES	YES	YES	YES	YES
<a href="#">My WebDav (iOS)</a>	YES	YES	YES	YES	YES
Finder (Mac OSX) *	YES	YES	YES	YES	YES
<a href="#">WebDrive (Windows)</a>	YES	YES	YES	YES	YES


WebDAV Client	Browsing Folders	Download Files	Create Folder	Delete Files/ Folders	Upload File
NetDrive 1.3.2 (Windows)	YES	YES	YES	YES	YES
CyberDuck 4.3.2 (Windows & OSX)	YES	YES	YES	YES	YES
Microsoft Windows Explorer	NO	NO	NO	NO	NO
Apple Pages (iOS)	YES	YES	NO	NO	NO
Office2 HD (iOS)	YES	YES	NO	NO	YES
OfficeSuite Pro (iOS & Android)	YES	YES	YES	YES	YES
Documents (iOS)	YES	YES	YES	YES	NO
Dav -E (iOS)	YES	NO	YES	YES	YES
Kingsoft Office (iOS & Android)	YES	YES	NO	NO	NO
Transmit (Mac OSX)	YES	YES	YES	YES	YES

## Save to FileCloud Chrome Browser Extension

**i** The FileCloud Chrome extension is entering the end-of-life process and will no longer be available for download as of October 1, 2024. Support will no longer be available as of December 31, 2024. For more information, see <https://www.filecloud.com/end-of-life-policy>.

Save to FileCloud chrome extension allows users to right click any file (documents, images, audio and video) and save to FileCloud. One can take screenshots of entire page and save to thier respective FileCloud account. This extension is useful in activities such as product research, market research, web design and others. Users can also choose the target folder where one want to store the files.

1. Once the extension is installed, set your FileCloud site URL and click connect. If you have not logged into your FileCloud portal, you need to first login. The default upload path for files is My Files. But you can choose an another folder.



2. You can take page screenshot by clicking the "Save entire page ScreenShot". The screenshots are automatically uploaded to your FileCloud target directory that you specified. This action is also available from browser context menu.

Technology News - The New York Times

www.nytimes.com/pages/technology/index.html?action=click&pgtype=Homepage&region=TopBar&module=HPMiniNav&contentCollection=Tech&WT.nav=page

**Technology**

filecloud


Cloud: <https://zerg.codelathe.com>  
You are logged in, Venkat Ramasamy

Save entire page ScreenShot

**FEATURED**

## The First Big Company to Say It's Serving the Legal Marijuana Trade? Microsoft.

By NATHANIEL POPPER



Benjamin Rasmussen for The New York Times

As the marijuana industry grows inexorably more mainstream, an established company moves to enter the government compliance side of the business.

**COMMON SENSE**  
**Microsoft-LinkedIn**


**BITS**

Insight and analysis on Silicon Valley and the technology industry.

Continue to Bits »

**BITS SPECIAL SECTION**

### The Internet Can Be Mean. But Sometimes It Redeems Itself.



The internet has altered global culture almost beyond recognition and is reshaping issues from gender identity to military conflict.

**PERSONAL TECHNOLOGY**

**TECH TIP**

### Checking Your Windows 10 Lists

By J. D. BIERSDORFER

Microsoft's latest version of Windows has its own style, but you can still use Jump Lists and find recently opened files quickly.

**TECH TIP**

### Keeping an iPhone Online When the Signal Is Weak

By J. D. BIERSDORFER

**Sign Up for the Bits Newsletter**

Get caught up on the latest news, insight and analysis from our reporters and editors delivered to your inbox six days a week.

SIGN UP

**@NYTIMESBITS ON TWITTER**


For news and analysis, plus interesting links curated by our journalists. [Staff Twitter List »](#)

FOLLOW

**EVERKI**


**VERSA Executive Backpack**

3. You can right click an image and Save to FileCloud.






## 4. You can right click any document and save that file to FileCloud.



5. You can right click any file and save that File to FileCloud. While saving, you can also rename the file name and change the destination folder




## FileCloud for Gmail Browser Extension

**i** The FileCloud for Gmail extension is entering the end-of-life process and will no longer be available for download as of October 1, 2024. Support will no longer be available as of December 31, 2024. For more information, see <https://www.filecloud.com/end-of-life-policy>.

FileCloud for Gmail chrome extension enables users to share files directly from FileCloud without leaving their Gmail compose window. When users share files they can share it as a FileCloud link or as a regular file attachment.


Users can also store email attachments directly to FileCloud from Gmail. One can also quickly find files using FileCloud search tool to share the file. This extension is really useful for organizations who use Gmail as their primary email app.

1. Once the extension has been installed in your browser, click the FileCloud icon on the Gmail compose window. If you have not logged into your FileCloud portal, you need to first login
2. Once you login, you can select a file to share as a link or on attachment.




3. You can also search for a file and share as a gmail attachment.

## 4. One can also save an attachment directly to FileCloud.




# FileCloud Desktop for Windows

 FileCloud Desktop for Windows is currently available as a beta version.

FileCloud Desktop for Windows enables you to access your FileCloud files and folders in Windows file explorer, where you can work with them online or make them available offline. Changes you make to offline files stored in FileCloud are immediately synced to the copies in FileCloud.


FileCloud Desktop for Windows opens as a dashboard that shows you live and recent actions and the folders you have downloaded offline, and also gives you access to user settings:



When you open FileCloud Desktop, its **FileCloud** folder becomes available in your Windows explorer. From there, you can work with your files online, or download them and work with them offline. Your online files and folders appear with cloud icons beside them. When you work with them, you are working with the copies in FileCloud, and if you view your


user portal, you can see the modifications there. Your folders downloaded from FileCloud Desktop as offline folders and their files are marked with green icons with white check marks. When you work with them, you are working with downloaded copies of the files in FileCloud offline folders, and if you go offline, your changes are not synchronized to FileCloud until you go back online.

When a file in Window Explorer's FileCloud folder is opened, the file is temporarily downloaded, but not into FileCloud Desktop's offline folders, and it is not synced with FileCloud when you go online. The temporarily downloaded files are marked with a white icon with a green check mark.




### Sync Status

If a file or folder is currently being synced with FileCloud, a double arrow icon appears in the Status column:



If a file or folder is waiting to be synced with FileCloud, a double arrow icon with an x icon next to it appears in the Status column:



If a file or folder is only available online, and therefore cannot be synced, a cloud icon with a not available offline icon appears in the Status column:



When you right-click on a file or folder in the FileCloud Desktop folder, the options **Always keep on this device**, **Free up space**, and **FileCloud Desktop** appear in the context menu. These options enable you to make files and folders available offline, remove downloaded copies to free up space, and to perform FileCloud Desktop tasks.


**FileCloud Desktop** tasks include:

- **Open in Browser** - Open the file or folder in the FileCloud user portal

- **Share** - Share the file or folder. See Sharing Files and Folders for help.
- **Lock** - Lock the file so other users cannot edit it.
- **Unlock** - Unlock a file you have locked so other users can edit it.

**Notes:**

- You may have to right-click directly on the file or folder name to view these options.
- On Windows Server 2019 right-click options are not supported.



FileCloud Desktop automatically installs with [FileCloud for Office \(FFO\)](#), which enables you to automatically lock and unlock Office files and share them when you open them from the FileCloud Desktop directory.

Begin by [installing FileCloud Desktop](#), and then try out its various functions.

## Installing or Upgrading FileCloud Desktop for Windows

**⚠** You must have FileCloud 23.232 or higher installed in order to use FileCloud Desktop for Windows.

The supported OS versions for FileCloud Desktop for Windows are:

Windows 10  
Windows 11  
Windows Server 2019  
Windows Server 2022


Note: Windows Server 2016 is not supported for FileCloud Desktop for Windows.

### To install or upgrade FileCloud Desktop on Windows:

1. Install or upgrade to FileCloud 23.241 if you have not already done so.

2. Run **FileCloudDesktopInstaller.msi**.

The installer's welcome screen opens:




3. Read the license agreement, and check **I accept the terms in the License Agreement**.


4. Click **Install**.

Installation begins. The wizard shows you installation status.





When installation is complete, the following screen appears:



5. Click **Finish**.

The FileCloud Desktop login page opens.

FileCloud Desktop

—

×

Welcome

Log in to your account

Please log in using one of the methods below.

Login Method

Password

SSO

Device Authorization Code

Server URL


https://

Account Name

Account

Password

\*\*\*\*\*




Log in

**Admins:** Users who are running the FileCloud Desktop for Windows app when it is being upgraded in the background must restart the app to see the updated version.

## Opening and Logging in to FileCloud Desktop in Windows


Initially, the login page for FileCloud Desktop opens after you install it. After that, by default, it opens automatically when you start up your computer. If you do not want it open automatically on startup, you can change the [setting in FileCloud Desktop](#).

To open FileCloud Desktop's login screen, search for FileCloud Desktop in the Windows Start menu, and choose Open.



**Log in with password**

Leave **Password** selected for **Login Method**, and enter your **Server URL**, **Account Name** (username), and **Password** into the **Log in** screen, and click **Log in**:



FileCloud Desktop

# Welcome

## Log in to your account

Please log in using one of the methods below.

Login Method: **Password** | SSO | Device Authorization Code

Server URL:  ✓


Account Name:  ✓

Password:  ✓

Log in

### Log in with SSO

1. Select **SSO** for **Login Method**.  
The screen changes; now it only displays a field for **Server URL**.
2. Type the address to the FileCloud server that was sent to you when your FileCloud account was created, and click **Log in**.  
You are redirected to the **SSO Login** page, where you can enter your username and SSO password to log in.

A screenshot of the FileCloud Desktop application window. The window has a dark blue title bar with the text "FileCloud Desktop" and standard window control buttons. The main content area has a blue header with the word "Welcome" in white. Below the header, the text "Log in to your account" is displayed in blue, followed by the instruction "Please log in using one of the methods below." in gray. There are two rows of input fields. The first row is labeled "Login Method" and contains three buttons: "Password", "SSO" (which is highlighted with a dark blue background), and "Device Authorization Code". The second row is labeled "Server URL" and contains a text input field with the value "https://" and a blue checkmark icon on the right. At the bottom right of the window is a blue button labeled "Log in".

FileCloud Desktop

# Welcome

## Log in to your account

Please log in using one of the methods below.

Login Method

Password SSO Device Authorization Code

Server URL


https://

Log in

### Log in with Device Authorization Code

1. Select **Device Authorization Code** for **Login Method**.

The screen changes to:

A screenshot of the FileCloud Desktop application window. The title bar says "FileCloud Desktop". The main content area has a blue header with the word "Welcome" in white. Below the header, it says "Log in to your account" in blue, followed by "Please log in using one of the methods below." in gray. There are three login methods: "Password", "SSO", and "Device Authorization Code". The "Device Authorization Code" method is selected and highlighted in dark blue. Below the methods, there are two input fields: "Server URL" with the value "https://[redacted]" and a blue checkmark icon, and "Account Name" with the value "Jennifer" and a blue checkmark icon. At the bottom right, there is a blue "Log in" button.

FileCloud Desktop

# Welcome

## Log in to your account

Please log in using one of the methods below.

Login Method

Password SSO **Device Authorization Code**


Server URL  ✓

Account Name  ✓

Log in

2. Enter your **Server URL** and **Account Name** (username).

An **Enter Device Code** dialog box opens.

A screenshot of the "Enter Device Code" dialog box. The title bar says "Enter Device Code" with a close button (X). The main content area says "User needs to approve and submit device code:" in gray. Below this, there is a label "Enter Code" followed by a text input field. To the right of the input field, there is a blue link "Open Website". At the bottom right, there is a blue "Submit" button.

Enter Device Code

User needs to approve and submit device code:

Enter Code

Open Website

Submit

3. Click **Open Website**.  
The log-in screen of the user portal opens.
4. Log-in to the user portal.
5. In the upper-right corner of the screen, click your username and choose **Settings**.

6. In the **Settings** screen, click **Devices**.
7. Next to the listing for FileCloud Desktop, click the check.

General <b>Devices</b> Notifications				
				<button>Refresh</button>
Device Name	Device Details	Last Login	Device Status	Actions
Desktop Edit (ITSe-5662)	OS: macOS 22.1.0 App: 22.1.0.8079	2023-06-02 11:29:58	Needs Approval	✓ ✕

A dialog box with the device authentication code opens.


8. Enter the authentication code into the **Enter Device Code** dialog box, and click **Submit**.

Logging in moves through a few screens introducing you to FileCloud Desktop, and then opens the FileCloud Desktop dashboard.

The dashboard opens to the **Live** screen. FileCloud Desktop cannot begin tracking and synchronizing online and offline FileCloud file activity until you download FileCloud folders and files to your local drive. So initially, the **Live** tab appears empty.


Click the folder icon at the bottom of the FileCloud Desktop dashboard to view the FileCloud folder, which now

appears in File Explorer.





If this is the first time you have logged in to FileCloud Desktop, each file and folder should appear with a cloud icon next to it, which indicates that it hasn't been downloaded locally (made available offline) yet.




Name	Status	Date modified
DI 19-20	Cloud icon	5/29/2020 1:16 PM
Info Sheets	Cloud icon	4/26/2023 1:11 PM
Annuity template.docx	Cloud icon	5/23/2022 8:34 AM
BMNT-59 Double Vanity.dwg	Cloud icon	4/24/2023 3:45 PM
certificate of deposit	Cloud icon	4/3/2023 3:20 PM
certificate of deposit.xlsx	Cloud icon	5/29/2020 1:25 PM
Conveyor Belt CB-900-3D DWF_from_papacad.com.dwf	Cloud icon	5/3/2023 9:25 AM
Custom pricing.pptx	Cloud icon	2/2/2021 1:04 PM
Example 1.docx	Cloud icon	9/26/2023 2:37 PM
FileCloud Online DataSheet - copy.pdf	Cloud icon	5/23/2022 2:05 PM
FileCloud Online DataSheet.pdf	Cloud icon	5/27/2022 3:01 PM
Insurance Policy 1.docx	Cloud icon	5/29/2020 1:26 PM
MySharingFlows.pptx	Cloud icon	5/14/2021 1:50 PM
Part1.dwg	Cloud icon	5/3/2023 9:33 AM
Phase1.dwg	Cloud icon	5/3/2023 9:21 AM
Plastic Shell Cover Drawing.dwg	Cloud icon	5/3/2023 9:39 AM
Preliminary.dwg	Cloud icon	4/24/2023 3:45 PM
Registration Form.docx	Cloud icon	3/10/2021 12:16 PM

Begin setting up FileCloud Desktop by [making FileCloud files and folders available offline](#).

For more information about the dashboard, see [Using the Dashboard in FileCloud Desktop for Windows](#).

## Push service is down

If the **Push service is down** warning appears at the top of your dashboard, you are unable to sync files and folders. Please contact your admin, who is able to restart the service so that you are able to sync files and folders again.




**Admins:** If users are seeing the **Push service is down** warning, restart the Push service from the FileCloud admin portal.

## Using the Dashboard in FileCloud Desktop for Windows

FileCloud Desktop for Windows opens to its dashboard, which has the tabs **Live**, **Activity**, **Offline**, and **Settings**, and a button for opening your FileCloud website (in Windows explorer).

### Live tab


The dashboard opens to the **Live** tab, which shows current uploads and downloads of files and folders.



- You will only see uploads and downloads that take a substantial amount of time in progress. To search for a file or folder in the list, enter a string from its name into the **Filter items** box.


**Activity tab**

To view a list of recent FileCloud Desktop activities, click the **Activity** tab:




**To filter activities on the Activity tab**


- To filter activities by activity type, choose an option in the Activity drop-down list.



- To filter activities by date, choose **Any date**, **Last hour**, or **Last 24 hours** in the Date drop-down list.




- To filter by any string in the listing (including the action, file path, date, or time) enter the string into **Filter items**.



**Offline tab**

To view files and folders that you have [moved offline](#) using FileCloud Desktop, click the **Offline** tab.




- To remove folders from the offline location from the **Offline** tab, see [Remove Files from Offline Folders](#).
- To open an offline folder in its location in Windows explorer, click the folder icon next to it.

**Settings tab**

To view FileCloud Desktop for Windows settings, click the **Settings** tab.






For information about FileCloud Desktop settings, see [FileCloud Desktop for Windows Settings](#).


### More Options

To access more options from the FileCloud Desktop for Windows dashboard, click the arrow next to the user image:




- To open your FileCloud user portal, click **Open website**.
- For this end user help, log files, and the version of FileCloud Desktop for Windows that you are running click **Help**.


The following dialog box opens:



- Click **FileCloud Desktop help** to access this end user help.
- Click **Get logs** to access the contents of the **Logs** folder for FileCloud Desktop.
- To log out of FileCloud Desktop for Windows, click **Log out**.




- You are warned that logging out will clear and remove the FileCloud folder that appears in the Windows Explorer, and asked to confirm.




- Click **Log out**.

## FileCloud Desktop for Windows Settings

To change your settings in FileCloud Desktop, click the **Settings** tab at the bottom of the dashboard.



Setting	Description	
Mute all notifications	When enabled, all notifications sent from FileCloud Desktop are turned off. Default is <b>disabled</b> .	
Lock automatically on edit	<div>  This feature is not available in the current FileCloud Desktop for Windows beta version. The option may be set to enabled, but the feature remains disabled. </div> <p>When enabled, files opened for edit through FileCloud Desktop are locked, and other users cannot edit them. When the files are closed they are unlocked again. Default is <b>disabled</b>.</p>	
Trust FileCloud for Office/ FileCloud for Office integration	<p><a href="#">FileCloud for Office</a> is an add-in that allows users to:</p> <ul style="list-style-type: none"> <li>• Automatically lock Office files when they open them</li> <li>• Share Office files while working with them in FileCloud clients</li> </ul> <p>When you initially install FileCloud Desktop, the <b>Trust FileCloud for Office</b> button appears. Click it to use <a href="#">FileCloud for Office</a>. After you click the button, it disappears, and the <b>FileCloud for Office integration</b> setting is enabled, which means FileCloud for Office is active. When <b>FileCloud for Office</b> is disabled, FileCloud Desktop does not integrate with FileCloud for Office. Default is <b>disabled</b> (FileCloud for Office is available and appears in FileCloud Desktop).</p>	
Run at system startup	When enabled, begin running FileCloud Desktop when the system starts. Default is <b>disabled</b> .	
App language	User interface language. Change to any of the language options. Default is <b>English</b> .	
Sync frequency (minutes)	Interval between automatic sync events for Network Folders. Choose any interval in the drop-down list. Default is <b>10</b> minutes.	


## Make Files and Folders Available Offline in FileCloud Desktop for Windows

To use FileCloud Desktop for Windows to synchronize offline and online changes you make to FileCloud files and folders, first download the folders with contents that you want to synchronize.

When you log in to FileCloud Desktop, your FileCloud files and folders become available in File Explorer in a **FileCloud** folder:


**To make files and folders available offline:**

1. In File Explorer, locate the FileCloud folder.














2. Right-click on each file or folder that you want to be able to synchronize, and choose **Always keep on this device**.

**Note:** You may have to right-click directly on the file or folder name to bring up the correct options.




FileCloud downloads the file or the folder and its contents to your local drive (and moves it into its offline folder), and replaces the cloud icon with a green circle icon to indicate that it is available offline. Changes to the offline files are now synced with the copies in FileCloud.

**Note:** If you click **Open** or **Open with** next to a file you can edit it offline, but its changes aren't synced with FileCloud. A file downloaded with **Open** has a white circle icon with a green check. You are still able to choose **Make available offline** and put it into a FileCloud offline folder that will sync with FileCloud.


Name		Status
backups		
DI 19-20		
estate documents	Downloaded with Always keep on this device	
Images		
Info Sheets	Stored in FileCloud	
Internal Documents		
Annuity template.docx	Opened with Open or Open as	
bank statement - Copy.xlsx		
bank statement.xlsx		
certificate of deposit		
certificate of deposit - Copy.xlsx		




FileCloud Desktop's dashboard shows you the progress of the files being downloaded on the **Live** tab. These disappear as soon as download is complete.



On the **Activity** tab, FileCloud Desktop shows you the download actions for the same files.



The Offline tab shows you folders that you have stored offline:




## Remove Files and Folders from Offline Folders for FileCloud Desktop for Windows

You can remove an offline folder, either through the FileCloud Desktop dashboard or through File Explorer.


**To remove an offline folder through the FileCloud Desktop dashboard:**

1. In the FileCloud Desktop dashboard, click the **Offline** tab.

2. Click the **Remove** button next to the folder that you want to remove as an offline folder.



























The folder is no longer an offline folder. It no longer appears on the Offline tab of the FileCloud Desktop dashboard and the FileCloud Desktop offline icon no longer appears next to it in the File Explorer.




**To remove an offline file or folder through Windows explorer:**

1. In Windows explorer, right-click on the file (it should have a green icon next to it).

Name	Status
backups	
DI 19-20	
estate documents	
Images	
Info Sheets	
internal documents	
Annuity template.docx	
bank statement - Copy.xltx	
bank statement.xltx	
certificate of deposit	
certificate of deposit.xlsx	
companyID.txt	
d079c3089d5948cc8b9dc5928282ac9f.pdf	
desktop.ini	
Example 2.docx	
filecloud-for-office-dev-version (3).xml	
Image 2024-01-17_10-52-01.jpg	
IMG_2259.MOV	
IMG_2531.MOV	
IMG_2660.JPG	
IMG_2661.MOV	
IMG_2667.JPG	
IMG_2670.JPG	
IMG_2671.JPG	

2. In the drop-down list, **Always keep on this device** is checked. Click it to remove the check and remove it as an offline folder.



The green circular icon is replaced with a white circular icon, which indicates that the file is still downloaded but not marked for syncing with FileCloud as an offline folder.

Name	Status
backups	
DI 19-20	
estate documents	
Images	
Info Sheets	
internal documents	
Annuity template.docx	
bank statement - Copy.xlsx	
bank statement.xlsx	
certificate of deposit	
certificate of deposit.xlsx	
companyID.txt	
d079c3089d5948cc8b9dc5928282ac9f.pdf	
desktop.ini	
Example 2.docx	
filecloud-for-office-dev-version (3).xml	
Image 2024-01-17_10-52-01.jpg	
IMG_2259.MOV	
IMG_2531.MOV	
IMG_2660.JPG	
IMG_2661.MOV	
IMG_2667.JPG	
IMG_2670.JPG	

The file is also no longer listed on the **Offline** tab of the FileCloud Desktop dashboard.

### To free up local space:

When a file or folder is downloaded locally, but not stored as a FileCloud offline file or folder for syncing with FileCloud, you can delete the local version to free up space.

1. In Windows, right-click on a file that is marked with a white circular icon.
2. In the drop-down list, choose **Free up space**.

The white circular icon is replaced with a cloud icon, which indicates that now the file is only available remotely in FileCloud.


## Working with Offline Files from FileCloud Desktop for Windows

After you [make files and folders available offline](#), you can perform any of the regular File Explorer actions on them when you are offline, and the changes are synchronized with the copies in FileCloud when you go back online.

For example, in the following procedure, a downloaded file is edited from file explorer while the user is offline. When the user goes back online, the **Activities** tab of FileCloud Desktop lists the action as a modification of the file, and the **Live** tab of FileCloud Desktop shows an upload.


1. In Windows explorer, while you are offline, right-click on an offline file (a file with a green circular icon) and choose **Open** or **Open with**.






The file opens in the default or selected application.

2. Make edits to the file.





3. Save your edits, and close the file.
4. Go back online.
5. Click the **Activities** tab in FileCloud Desktop.  
The latest activity listing indicates that the file has been modified.



In addition, the modified file is synced with FileCloud (uploaded to FileCloud) and replaces the original file in FileCloud, so that the edited file is now the same offline and online.

6. If you want to confirm that the file has been synchronized, open or preview the file in FileCloud and check its contents.







## Working with Online Files in FileCloud Desktop for Windows

In the FileCloud Desktop folder in Windows explorer, any file or folder with a cloud next to it is online in FileCloud; when you edit or otherwise modify the file or folder from Windows explorer, you are actually modifying it in FileCloud, and the changes appear immediately in the files in the FileCloud user portal and other clients.

You can see this in the following video, which shows the online FileCloud files in Windows explorer and in the FileCloud user portal side by side. The folder is renamed from **Wiki proposals** to **Wiki ideas** in Windows explorer, and as soon as the user portal is refreshed, the change appears there as well. No sync action is needed.




In the **Activity** tab of the FileCloud Desktop dashboard, you can see action for renaming the folder **Wiki proposals** to **Wiki ideas**:



The same is true if you edit, delete, create, or copy a file in either interface. It appears almost immediately on the other. (You can check the **Activity** tab to monitor when syncing has occurred.)

The following example shows how a file created in the FileCloud user portal automatically appears in the online folder in Windows explorer:




## Sharing Files and Folders in FileCloud Desktop for Windows

You can share a file or folder in FileCloud from the FileCloud Desktop for Windows folder in File Explorer.

**To share a file or folder:**


1. In the FileCloud Desktop dashboard, click the folder icon.




File Explorer opens to the FileCloud folder that you are logged in to in FileCloud Desktop.

2. Navigate to the file or folder that you want to share and right-click it.
3. In the menu, choose **FileCloud Desktop > Share**.

**Note:** On Windows Server 2019 this option is not supported.



A FileCloud **Share Link** dialog box opens.  
For help creating the share, see [Sharing Files and Folders](#).



## How FileCloud Desktop for Windows handles change conflicts

File conflict occurs when FileCloud Desktop for Windows cannot determine which copy of a file is the most recent. It can arise under the following conditions:

- When two users save the same file at approximately the same time.
- When one user is editing a file offline, and the file is modified by another user in FileCloud. When the person who was offline comes back online and FileCloud Desktop tries to upload the edited version to the server, it detects that there is a new version available.

In these cases:

- **If the conflict files have been edited by two different users:**  
FileCloud Desktop for Windows automatically resolves the conflict by saving the copy of the file on the server with the original filename, and saving the local copy of the file with the name **[filename]-[username].[ext]**. Both files are saved locally in FileCloud.
- **If the conflict files have been edited by the same user:**  
FileCloud Desktop for Windows automatically resolves the conflict by saving the copy of the file on the server with the original filename, and saving the local copy of the file with the name **[filename]-[machine name].[ext]**. Both files are saved locally in FileCloud.



## Using FileCloud for Office with FileCloud Desktop for Windows



FileCloud for Office is an MS Office add-in for Word, Excel, and PowerPoint which can be used in both Windows and macOS with FileCloud Sync, FileCloud Drive, and FileCloud Desktop. It is available in FileCloud beginning with version 23.1.

For instructions on how to install FileCloud for Office, see [Using FileCloud for Office](#).

## Before using FileCloud for Office with FileCloud Desktop for Windows


The first time you install FileCloud Desktop for Windows, you must:

- Contact FileCloud Support and request that your cookie same-site value be set to **None**.
- Confirm that you trust FileCloud for Office and enable it as shown in the following procedure.

**To confirm that you trust FileCloud for Office and enable it:**


1. After you log in to FileCloud Desktop for Windows, click the **Settings** tab.

2. Then, click the **Trust FileCloud for Office** button.



The **Trust FileCloud for Office** button disappears, and the slider for **FileCloud For Office integration** becomes accessible, and is enabled by default. Leave enabled to be able to use FileCloud for Office.





FileCloud for Office is now enabled, but to use it in Office files, you must [attach the add-in](#) to each type of Office file from your FileCloud Desktop directory.

## Working with FileCloud for Office in FileCloud Desktop for Windows

The FileCloud for Office task panel displays information about a file and enables you to:

- Lock or unlock a file.
- Prevent or allow download of a file while locked.
- Share a file.
- Manage file versions, and view file details and metadata.

## Lock or unlock a file

### Locking and unlocking files


You can use the file locking function in FileCloud for Office to:

- See if you have a file locked for editing
- Turn a file lock on or off
- Prevent or enable downloads of a locked file


If a shared file is not locked when you open it for edit, another user can also open the file and make changes.

To avoid this, by default, FileCloud for Office automatically locks files for editing when they are opened.

When you open an Office file in your client directory, the FileCloud for Office panel shows **File is locked**, and by default, users are allowed to download or read the file (**Prevent download** is disabled).




- To prevent other users from downloading or reading the file while it is locked, click the **Prevent download** slider.



- To unlock the file while you have it opened for edit, click **Unlock**. Now other users can modify as well as view and download the file.

**Note:** Prevent download cannot be enabled when the file is unlocked.



The following table describes what each lock status means and how it impacts what you and others you have shared the file with can do with the file.

Lock Status	Access by lock owner	Access by others
File is locked (download allowed)	Read and modification allowed	Only read is allowed, no modification is allowed
File is locked (download prevented)	Read and modification allowed	Neither read nor modification is allowed
File is not locked	Read and modification allowed	Read and modification allowed

**i For a locked file with download (read) prevented:**  
If USER1 has locked (and read blocked) the file:


- The FileCloud client will not download the file for USER2

However, if USER2 has already downloaded the file in Sync or Drive, then:

- FileCloud Sync will allow FileCloud for Office to open the file.
- FileCloud Drive will not allow the file to be opened by USER2, unless Drive has already cached the file.


**If an admin prevents file locking after a user has locked a file in a client:**

- The lock is automatically removed from the file
- Additional files cannot be locked using FileCloud for Office, and when you attempt to lock a file, an error message similar to the following appears:



If you are an admin and want to disable locking, see Managing User Locks.

You can use the following table to understand the status of lock:


Action	Doc IQ Lock Enabled	Prevent Download	Lock Status Before Open	Lock Status After Open	Lock Status After close
An unlocked file is opened by USER1			File is not locked	File is locked (read allowed) by USER1	File is not locked
An unlocked file is opened by USER1			File is not locked	File is not locked	File is not locked
A file locked by USER1 is opened by USER1			File is Locked (Read Allowed) by User 1	File is Locked (Read Allowed) by USER1	File is not locked
A file locked by USER1 is opened by USER1			File is Locked (Read Allowed) by User 1	File is Locked (Read Allowed) by USER1	File is not locked
A file locked by USER1 is opened by USER1			File is Locked (Read Blocked) by USER1	File is Locked (Read Blocked) by USER1	File is not locked
A file locked by USER1 is opened by USER2			File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1
A file locked by USER1 is opened by USER2			File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1
A file locked by USER1 is opened by USER2			File is Locked (Read Blocked) by USER1	File is Locked (Read Blocked) by USER1	File is Locked (Read Blocked) by USER1

## Share a file

### Sharing a file

**To share a file or folder that is opened with FileCloud for Office:**

1. In the FileCloud for Office panel, click **Create**.



A Share Link screen that is nearly identical to the one in the user portal opens:

Share link for customers.docx

Share link

<http://127.0.0.1/url/vkzsyjks4fefndwb>
[Modify link](#)

Shared file

My Files > customers.docx

Share options

Share history

Share name:

customers.docx

Change

Expires:

Never expires

Max number of downloads:

No Restrictions

Send email notifications:

Yes

Sharing permissions:

☐ Allow anyone with link
 ☐ Allow anyone with link and password
 ☒ Allow selected users and/or groups

Users (0)

Groups (0)

Invite users

User	View	Download	Upload	Share	Sync	Delete	Manage
No entries							

Remove share


OK

- Share the file using the same settings and options that you would for a share in the user portal. See Sharing Files and Folders for help.

**Note:** The option for downloading the share QR code, which is available for shares created from the user portal, is not available for shares created in FileCloud for Office.



After you have shared the file, the FileCloud for Office panel displays details of the share:



3. Click **Manage** to change the options or permissions in the share.


Download versions, view details and metadata

**Downloading versions, viewing details, viewing metadata**


Versions

**To view a file's version information in FileCloud for Office:**

1. At the bottom of the FileCloud for Office panel, click the **+** across from **Versions**.




The expanded **Versions** section shows you version information about the file.




**To download file versions in FileCloud for Office:**

1. In the **Versions** section of the FileCloud for Office panel, click **Manage versions**.



The Properties dialog box opens to the **Versions** tab.




2. Click **Download** for the version that you want to download, and save it.

## Details


**To view file details:**

1. In the **Versions** section of the FileCloud for Office panel, click **Manage versions**.



The **Properties** dialog box opens to the **Versions** tab.

2. Click the **Details** tab.




The details shown are the filename and type, the last modified date, the path of the file in FileCloud, and your permissions for the file.

## Metadata

To view metadata information for the file:


1. In the **Versions** section of the FileCloud for Office panel, click **Manage versions**.



2. The **Properties** dialog box opens to the **Versions** tab.



3. Click the **Metadata** tab.



Each metadata set applied to the file is listed with the values for its fields.

FileCloud for Office log locations

### Locating FFO logs

The locations of log files for FileCloud for Office in Windows and macOS are the following:

**Windows:** %appdata%/FFOServer

**macOS:** /Users/[USERNAME]/Library/Preferences/FFOServer

View and add comments


### Viewing and adding comments

Comments added to files and folders in FileCloud for Office also appear in the user portal and any of the other client apps.

#### To view and add comments in FileCloud for Office:


1. If **Comments** is not visible in the FileCloud for Office panel, scroll down to the bottom of the panel.

2. Click the **+** across from **Comments**.




Any existing comments added to the file or folder here or anywhere else in FileCloud appear above

the **Comments** box.




3. To add a new comment, click inside the **Comments** box and enter the comment.



4. Click **Add comment**.

The comment is added.




## Sending Feedback from FileCloud Desktop for Windows


You can send feedback about FileCloud Desktop for Windows to FileCloud directly from the dashboard.

**To send feedback:**




1. From any tab in the dashboard, click **Send Feedback**.



A **Send Feedback** screen opens:




The image shows a 'Send Feedback' dialog box with a blue header bar containing a thumbs-up icon and the text 'Send Feedback' and a close button. Below the header is a dark blue section with a thumbs-up icon and the text 'Send Feedback to FileCloud'. The main content area is white and contains three feedback options, each with an icon and text:

-  **I like something**  
Tell us what we're doing well
-  **I dislike something**  
Tell us where you think we can improve
-  **I have an idea**  
Influence our roadmap by sharing your product suggestions

2. To send a message about something you like or dislike:

- a. Click **I like something** or **I dislike something**, and enter your email and comment.

Send Feedback



**I like something**  
Tell us what we're doing well

Catherine@example.com

I love that one app does the work of both Sync and Drive

By pressing submit your feedback will be used to improve FileCloud products and service. [FileCloud Privacy Policy](#)


Close

Submit




b. Click **Submit**.

A message tells you that the FileCloud Product Management team will review your message.



3. To share an idea, click **I have an idea**.

You are taken directly to the FileCloud Ideas forum, where you can enter your idea.




The screenshot shows the FileCloud Ideas Forum interface. At the top, there is a header with the FileCloud logo and the text "FILECLOUD IDEAS FORUM". Below the header, there is a navigation bar with three buttons: "Home" (represented by a house icon), "Topics", and "New Topic". Below the navigation bar, there is a light blue announcement box that reads "Announcement: FileCloud 23.232 is now available". Below the announcement box, there is a yellow box with a lightbulb icon and the text "Ideas". Below the "Ideas" box, there is a text input field with the placeholder text "Enter your idea...".


## FileCloud Desktop for macOS

FileCloud Desktop for macOS enables you to access your FileCloud files and folders in the Finder, where you can work with them online or make them available offline. Changes you make to offline files stored in FileCloud are immediately synced to the copies in FileCloud.

FileCloud Desktop for macOS opens as a dashboard that shows you live and recent actions and the folders you have downloaded offline, and also gives you access to user settings:



When you open FileCloud Desktop, its **FileCloud** folder becomes available in your Finder. From there, you can work with your files online, or download them and work with them offline. Your online files and folders appear with cloud icons beside them. When you work with them, you are working with the copies in FileCloud, and if you view your user portal, you can see the modifications there. Your downloaded folders and their files are marked with green icons with check marks. When you work with them, you are working with downloaded copies of the files, but your changes are immediately synchronized to FileCloud.



FileCloud Desktop automatically installs with [FileCloud for Office \(FFO\)](#), which enables you to automatically lock and unlock Office files and share them when you open them from the FileCloud Desktop directory.

Begin by [installing FileCloud Desktop](#), and then try out its various functions.

## Installing and Upgrading FileCloud Desktop for macOS


**i** FileCloud Desktop is supported on macOS Sequoia 15.7 and higher.  
(Ventura 13.3.1 is not officially supported, but may function as expected.)

You must have FileCloud 23.1 or higher installed in order to use FileCloud Desktop for macOS.

### To install or upgrade FileCloud Desktop on macOS:


1. Install or upgrade to the latest FileCloud version if you do not have FileCloud 23.1 or higher already installed.
2. Download FileCloud Desktop for macOS at <https://www.filecloud.com/additional-downloads/>. Then unzip and run **FileCloudDesktopInstaller.pkg**.

The installer's welcome screen opens:




3. Click **Continue**.

The **Select a Destination** screen opens.




4. Leave Install for all users of this computer or select a different option, then click **Continue**.  
The **Installation Type** screen opens.




By default, FileCloud Desktop is installed in your **Apps** folder.

5. To install it in another location click **Change Install Location**.

6. Click **Install**, and during installation, follow any prompts to allow processing to complete.




When installation is complete, the following message appears:



7. Click **Close**.

The following message prompting you to move the installer application into your trash folder appears.

8. In most cases, it is a good idea to choose **Move to Trash**.



When installation is complete, the FileCloud Desktop login page opens.

FileCloud Desktop

## Welcome

### Log in to your account

Please log in using one of the methods below.

Login Method: **Password** | SSO | Device Authorization Code


Server URL:

Account Name:

Password:

[Proxy settings](#) Log in

The following notification appears on your screen..



9. If you do not want FileCloud Desktop to open automatically when you log in, you can change the setting after you log into the application.  
 If you do not want related software running in the background, change it in your System Settings in **General > Login Items**.


**i Admins:** Users who are running the FileCloud Desktop for macOS app when it is being upgraded in the background must restart the app to see the updated version.

## Opening and Logging in to FileCloud Desktop in macOS

Initially, the login page for FileCloud Desktop opens after you install it. After that, by default, it opens automatically when you start up your computer. If you do not want it open automatically on startup, you can change the [setting in FileCloud Desktop](#).




To open FileCloud Desktop's login screen from macOS Finder, double-click the icon in your **Applications** folder.



[Log in with password](#)

Leave **Password** selected for **Login Method**, and enter your **Server URL**, **Account Name** (username), and **Password** into the **Log in** screen, and click **Log in**:

The image shows a screenshot of the FileCloud Desktop application window. The window has a title bar with three colored buttons (red, yellow, green) and the text "FileCloud Desktop". The main content area has a blue header with the word "Welcome" in white. Below the header, the text "Log in to your account" is displayed in blue, followed by "Please log in using one of the methods below." in gray. There are three login methods: "Password", "SSO", and "Device Authorization Code". The "Password" method is selected, indicated by a dark blue background. Below the methods, there are three input fields: "Server URL" with the value "https://", "Account Name" with the value "Jennifer", and "Password" with a masked value ".....". Each input field has a blue checkmark icon on the right. At the bottom left, there is a link "Proxy settings" in blue. At the bottom right, there is a blue button labeled "Log in".

FileCloud Desktop

# Welcome

## Log in to your account

Please log in using one of the methods below.

Login Method

**Password** SSO Device Authorization Code

Server URL  ✓

Account Name  ✓


Password

[Proxy settings](#) [Log in](#)

### Log in with SSO

1. Select **SSO** for **Login Method**.

The screen changes to:

The image shows a screenshot of the FileCloud Desktop application window. The window has a title bar with the text "FileCloud Desktop" and standard macOS window controls (red, yellow, and green buttons). The main content area has a blue header with the word "Welcome" in white. Below the header, the text "Log in to your account" is displayed in blue, followed by "Please log in using one of the methods below." in gray. There are three tabs for the "Login Method": "Password", "SSO" (which is selected and highlighted in dark blue), and "Device Authorization Code". Below the tabs is a text input field labeled "Server URL". At the bottom left, there is a link for "Proxy settings" in blue. At the bottom right, there is a blue button labeled "Log in".

FileCloud Desktop

# Welcome

## Log in to your account

Please log in using one of the methods below.

Login Method


Password SSO Device Authorization Code

Server URL

Proxy settings

Log in

2. Type the address to the FileCloud server that was sent to you when your FileCloud account was created.  
You are redirected to the **SSO Login** page, where you can enter your username and SSO password to log in.



A screenshot of a macOS-style window titled "Sign In". The window has a title bar with three colored buttons (red, yellow, grey) on the left. The main content area has a white background. At the top, the text "Filecloud ADFS" is displayed in a large, bold, black font. Below it, the text "Sign in with your organizational account" is in a smaller, regular black font. There are two input fields: the first is for an email address, containing "someone@example.com", and the second is for a password, labeled "Password". Below the input fields is a blue button with the text "Sign in" in white. At the bottom left of the window, the text "© 2013 Microsoft" is visible.

Sign In

# Filecloud ADFS

Sign in with your organizational account

someone@example.com

Password


Sign in

© 2013 Microsoft

**Log in with Device Authorization Code**

1. Select **Device Authorization Code** for **Login Method**.

The screen changes to:

The image shows a web browser window titled "FileCloud Desktop". The page has a blue header with the word "Welcome" in white. Below the header, the text "Log in to your account" is displayed in blue, followed by "Please log in using one of the methods below." in gray. There are three tabs for the "Login Method": "Password", "SSO", and "Device Authorization Code", with the latter being selected and highlighted in dark blue. Below the tabs, there is a "Server URL" field with a checkmark icon on the right, and an "Account Name" field containing the text "jennifer". At the bottom left, there is a link for "Proxy settings", and at the bottom right, there is a blue "Log in" button.

FileCloud Desktop

## Welcome

### Log in to your account

Please log in using one of the methods below.

Login Method: Password, SSO, **Device Authorization Code**


Server URL:

Account Name:

[Proxy settings](#) [Log in](#)

2. Enter your **Server URL** and **Account Name** (username).

An **Enter Device Code** dialog box opens.

The image shows a dialog box titled "Enter Device Code" with a close button in the top right corner. The main text inside the dialog says "User needs to approve and submit device code:". Below this, there is a label "Enter Code" followed by a text input field. To the right of the input field is a link that says "Open Website". At the bottom right of the dialog, there is a blue "Submit" button.

Enter Device Code

User needs to approve and submit device code:

Enter Code

[Open Website](#)

[Submit](#)

3. Click **Open Website**.  
The log-in screen of the user portal opens.
4. Log-in to the user portal.
5. In the upper-right corner of the screen, click your username and choose **Settings**.

6. In the **Settings** screen, click **Devices**.
7. Next to the listing for FileCloud Desktop, click the check.

General <b>Devices</b> Notifications				
				<a href="#">Refresh</a>
Device Name	Device Details	Last Login	Device Status	Actions
Desktop Edit (ITSe-5662)	OS: macOS 22.1.0 App: 22.1.0.8079	2023-06-02 11:29:58	Needs Approval	✓ ✕

A dialog box with the device authentication code opens.

8. Enter the authentication code into the **Enter Device Code** dialog box, and click **Submit**.

### Log in using Proxy Settings

1. Click **Proxy Settings**.

FileCloud Desktop

Welcome

Log in to your account  
Please log in using one of the methods below.

Login Method

Password

SSO

Device Authorization Code

Server URL

https://

Account Name

Account


Password

\*\*\*\*\*

Proxy settings


Log in

A dialog box with proxy settings opens:

A screenshot of a 'Proxy settings' dialog box. The dialog has a blue header bar with the title 'Proxy settings'. Below the header, there is a section for 'Enable Proxy' with a toggle switch. An orange arrow points to the toggle switch, which is currently in the 'off' position. Below this, there are four input fields: 'Proxy URL' with the value 'proxy.filecloud.com', 'Port' with the value '8080', 'User' with the placeholder text 'Username', and 'Password' with masked characters '\*\*\*\*\*'. At the bottom right of the dialog, there are two buttons: 'Close' and 'Save'.

2. Click the **Enable Proxy** slider to enable use of proxy settings.
3. Fill in the proxy settings.
4. Save your changes.

The first time you log in, you may be prompted to give **FileCloud Desktop** full disk access. Follow the prompts to go to **Settings > Privacy and Security > Full Disk Access** and enable **Full Disk Access** for **FileCloud Desktop**.




Once that is configured, login moves through a few screens introducing you to FileCloud Desktop, and then opens the FileCloud Desktop dashboard.

The dashboard opens to the **Live** screen. FileCloud Desktop cannot begin tracking and synchronizing online and offline FileCloud file activity until you download FileCloud folders and files to your local drive. So initially, the **Live** tab appears empty.


Click the folder icon at the bottom of the FileCloud Desktop dashboard to view the FileCloud folder, which now appears



under **Locations** in your finder.



If this is the first time you have logged in to FileCloud Desktop, each file and folder should appear with a cloud icon next to it, which indicates that it hasn't been downloaded locally (made available offline) yet.




Begin setting up FileCloud Desktop by [making FileCloud files and folders available offline](#).

For more information about the dashboard, see [Using the Dashboard in FileCloud Desktop for macOS](#).

## Working from the FileCloud Desktop for macOS Menu Bar Icon


After you login in to FileCloud Desktop for macOS, a FileCloud icon appears in the taskbar. Click the icon to perform FileCloud Desktop tasks.



**Open Dashboard** - Opens the FileCloud Desktop for macOS dashboard.

**Log out** - Logs the currently logged in user out of FileCloud Desktop for macOS without shutting down the application.


**About FileCloud Desktop** - Shows details about the FileCloud Desktop build:



**Exit** - Closes the FileCloud Desktop for macOS application.

## Sync indicator

To indicate that FileCloud Desktop is currently syncing, the FileCloud icon displays rotating arrows:




## Using the Dashboard in FileCloud Desktop for macOS

FileCloud Desktop for macOS opens to its dashboard, which has the tabs **Live**, **Activity**, **Offline**, and **Settings**, and a button for opening your FileCloud website (in the user portal).

### Live tab


The dashboard opens to the **Live** tab, which displays a list of recently accessed files and folders:



- To search for a file or folder in the list, enter a string from its name into the **Filter items** box.


### Activity tab

To view a list of recent FileCloud Desktop activities, click the **Activity** tab:




**To filter activities on the Activity tab**


- To filter activities by activity type, choose an option in the Activity drop-down list.



- To filter activities by date, choose **Any date**, **Last hour**, or **Last 24 hours** in the Date drop-down list.




- To filter by any string in the listing (including the action, file path, date, or time) enter the string into **Filter items**.





**Offline tab**


To view folders that you have moved offline using FileCloud Desktop, click the **Offline** tab.



- To remove folders from the offline location from the **Offline** tab, see [Remove Files from Offline Folders](#).
- To open an offline folder in its location in the Finder, click the folder icon next to it.

**Settings tab**


To view FileCloud Desktop for macOS settings, click the **Settings** tab.



For information about FileCloud Desktop settings, see [FileCloud Desktop Settings](#).


## More Options

To access more options from the FileCloud Desktop for macOS dashboard, click the down arrow next to your username:



- To open your FileCloud user portal, click **Open website**.
- For this end user help and log files, as well as the version of FileCloud Desktop for macOS that you are running click **Help**.


The following dialog box opens:



- Click **FileCloud Desktop help** to access this end user help.

- Click **Get logs** to open the Finder to the Logs folder, where you can access your FileCloud Desktop for macOS log files.
- To log out of FileCloud Desktop for macOS, click **Log out**.


You are warned that:



This means that in addition to logging you out, FileCloud Desktop clears and removes the FileCloud folder that appears in the Finder.

## FileCloud Desktop Settings

To change your settings in FileCloud Desktop, click the **Settings** tab at the bottom of the dashboard.



Setting	Description	
Mute all notifications	When enabled, all notifications sent from FileCloud Desktop are turned off. Default is <b>disabled</b> .	
Lock automatically on edit	When enabled, files opened for edit through FileCloud Desktop are locked, and other users cannot edit them. When the files are closed they are unlocked again. Default is <b>enabled</b> .	
FileCloud For Office Integration/ Trust FileCloud for Office	<p><a href="#">FileCloud for Office</a> is an add-in that allows users to automatically:</p> <ul style="list-style-type: none"> <li>• Lock Office files when they open them</li> <li>• Share Office files while working with them in FileCloud clients</li> </ul> <p>When you initially install FileCloud Desktop, the <b>Trust FileCloud for Office</b> button appears. Click it to use <a href="#">FileCloud for Office</a>. After you click the button, it disappears. The <b>FileCloud For Office Integration</b> setting remains disabled until you enable it.</p>	

Setting	Description	
Run at system startup	When enabled, begin running FileCloud Desktop when the system starts. Default is <b>enabled</b> .	
App language	User interface language. Change to any of the language options. Default is <b>English</b> .	
Network share offline folders Sync frequency (minutes)	Interval between automatic sync events for Network Folders. Choose any interval in the drop-down list. Default is <b>10</b> minutes.  <b>Note:</b> Most FileCloud Online systems do not include Network Folders.	


## Make Files and Folders Available Offline

To use FileCloud Desktop for macOS to synchronize offline and online changes you make to FileCloud files and folders, first download the folders with contents that you want to synchronize.


When you log in to FileCloud Desktop, your FileCloud folders become available in your Finder in a **FileCloud** folder:

**To mark files and folders Available Offline:**

1. In your Finder, click the FileCloud folder.




2. Right-click on each folder with contents that you want to be able to synchronize, and choose **Quick Actions > Make available offline**.



FileCloud downloads the folders and their contents to your local drive (and moves them into its offline folder), and replaces the cloud icon with a green icon to indicate that they are available for synchronization with FileCloud Desktop.


**Note:** If you click **Download Now** next to a file or folder you can edit it offline, but it is not in a FileCloud offline folder, and its changes aren't synced with FileCloud. Files downloaded with **Download Now** do not display an icon (neither the cloud icon nor the green icon) next to them. You are still able to choose **Make available offline** for the folder to put it into an FileCloud offline folder that will sync with FileCloud.






FileCloud Desktop's dashboard shows you the progress of the files being downloaded on the **Live** tab. These disappear as soon as download is complete.

On the **Activity** tab, FileCloud Desktop shows you the download actions for the same files.



The Offline tab shows you the folders that you have just made available offline:




## Remove Files from Offline Folders

You can remove a file's ability to be edited offline by removing it from the offline folder, either through the FileCloud Desktop dashboard or through your Finder.


**To remove a file from the offline folder through the FileCloud Desktop dashboard:**

1. In the FileCloud Desktop dashboard, click the **Offline** tab.

2. Click the **Remove** button next to the file that you want to remove from the Offline folder.




The file is no longer available offline. It no longer appears on the Offline tab of the FileCloud Desktop dashboard and the offline icon no longer appears next to it in the Finder.



**To remove a file from the offline folder through the Finder:**

1. In the Finder, right-click on the file (it should have a green icon next to it).


2. In the drop-down list, click **Remove from offline folders**.



The green icons no longer appear next to the folder or its contents.

FileCloud	
Name	Date Modified
My Files	Dec 31, 1969 at 7:00 PM
2024-03-14	Mar 14, 2024 at 11:17 AM
Annuity template	May 23, 2022 at 8:34 AM
backups	Sep 28, 2023 at 2:14 PM
bank statement	May 29, 2020 at 1:16 PM
bank statement - Copy	May 29, 2020 at 1:16 PM
certificate of deposit	Apr 3, 2023 at 3:20 PM
certificate of deposit	May 29, 2020 at 1:25 PM
cloudupdatetool	Dec 20, 2023 at 12:48 PM
companyID	Jan 2, 2024 at 10:55 AM
d079c3089d5948cc8b9dc5928282ac9f	Jan 16, 2024 at 3:46 PM
desktop	Jan 26, 2024 at 2:12 PM
DI 19-20	May 29, 2020 at 1:16 PM
2023-12-05_10h16_03	Dec 5, 2023 at 10:16 AM
bank statement	May 29, 2020 at 1:16 PM
IMG_2670	Jan 16, 2024 at 4:24 PM
IMG_2671	Jan 16, 2024 at 4:23 PM
Supply List	Mar 7, 2024 at 10:45 AM
estate documents	Jan 26, 2024 at 1:15 PM
Example 2	Sep 26, 2023 at 2:37 PM
filecloud-for-office	May 22, 2023 at 1:26 PM
filecloud-for-office-dev-version (3)	Nov 1, 2023 at 12:37 PM
FileCloudDesktopInstaller	Mar 14, 2024 at 8:45 AM
Image 2024-01-17_10-52-01	Jan 17, 2024 at 10:52 AM

The file is no longer listed on the **Offline** tab of the FileCloud Desktop dashboard.




## Working with Offline Files from FileCloud Desktop for macOS

After you [make files and folders available offline](#), you can perform any of the regular Finder actions on them, and the changes are synchronized with the copies in FileCloud when you go back online.

For example, in the following procedure, a downloaded file is edited from the Finder while the user is offline. When the user goes back online, the **Activities** tab of FileCloud Desktop lists the action as a modification of the file, and the **Live** tab of FileCloud Desktop shows an upload.


1. In the Finder, while you are offline, right-click on an offline file (a file with a green circular icon) and choose **Open** or **Open with**.






The file opens in the default or selected application.

2. Make edits to the file.





3. Save your edits, and close the file.
4. Go back online.
5. Click the **Activities** tab in FileCloud Desktop.  
The latest activity listing indicates that the file has been modified.



In addition, the modified file is synced with FileCloud (uploaded to FileCloud) and replaces the original file in FileCloud, so that the edited file is now the same offline and online.

6. If you want to confirm that the file has been synchronized, open or preview the file in FileCloud and check its contents.







## Working with Online Files in FileCloud Desktop for macOS

In the FileCloud Desktop folder in your Finder, any file or folder with a cloud next to it is online in FileCloud; when you edit or otherwise modify the file or folder from the Finder, you are actually modifying it in FileCloud, and the changes appear immediately in the files in the FileCloud user portal and other clients.

You can see this in the following video, which shows the online FileCloud files in the Finder and in the FileCloud user portal side by side. The file is renamed from **Tax Info** to **Tax Forms** in the Finder, and as soon as the user portal is refreshed, the change appears there as well. No sync action is needed.




In the **Activity** tab of the FileCloud Desktop dashboard, you can see actions for renaming the folder **Tax Info** to **Tax Forms**:



The same is true if you edit, delete, create, or copy a file in either interface. It appears almost immediately on the other. (You can check the **Activity** tab to monitor when syncing has occurred.)

The following example shows how a file created in the FileCloud user portal automatically appears in the online folder in the Finder:




## Sharing Files and Folders in FileCloud Desktop for macOS

You can share a file or folder in FileCloud from the FileCloud Desktop for macOS folder in File Explorer.

**To share a file or folder:**


1. In the FileCloud Desktop dashboard, click the folder icon.




File Explorer opens to the FileCloud folder that you are logged in to in FileCloud Desktop.

2. Navigate to the file or folder that you want to share and right-click it.

3. In the menu, choose **FileCloud Desktop > Share**.



A FileCloud **Share Link** dialog box opens.  
For help creating the share, see [Sharing Files and Folders](#).



## How FileCloud Desktop for macOS handles change conflicts



File conflict occurs when FileCloud Desktop for macOS cannot determine which copy of a file is the most recent. It can arise under the following conditions:

- When two users save the same file at approximately the same time.
- When one user is editing a file offline, and the file is modified by another user in FileCloud. When the person who was offline comes back online and FileCloud Desktop tries to upload the edited version to the server, it detects that there is a new version available.

In these cases:

- **If the conflict files have been edited by two different users:**  
FileCloud Desktop for macOS automatically resolves the conflict by saving the copy of the file on the server with the original filename, and saving the local copy of the file with the name **[filename]-[username].[ext]**. Both files are saved locally in FileCloud.
- **If the conflict files have been edited by the same user:**  
FileCloud Desktop for macOS automatically resolves the conflict by saving the copy of the file on the server with the original filename, and saving the local copy of the file with the name **[filename]-[machine name].[ext]**. Both files are saved locally in FileCloud.

In the following example, the users Melanie and test-user edit the file sample1.xls at the same time. The following events occur:

- Melanie edits sample1.xls on the FileCloud server. test-user edits sample1.xls in a local download from FileCloud Desktop for macOS.
- They save the file at the same time.
- Melanie's edits are saved in **sample1.xls**.
- test-user's edits are saved in **sample1-test-user.xls**.
- Both files appear on the server.

Name	Modified	Size
hello-hi	Jul 06, 2022 4:30 PM by group03	
sample	Feb 10, 2023 8:19 PM by haritha.dharmadas	
sample1-test-user.xlsx	May 24, 2023 11:51 AM • by haritha.dharmadas	15 KB
sample1.xlsx	May 24, 2023 11:51 AM • by you	15 KB
Template.pptx	Aug 04, 2022 3:17 AM by group03	1.32 MB



## Mass Deployment Configuration for FileCloud Desktop for macOS


You can configure mass deployment settings for FileCloud Desktop for macOS through Remote client management (RMC).

### To configure FileCloud Desktop for macOS for mass deployment through RMC

You can configure client device settings for FileCloud Desktop for macOS remotely by specifying the configuration XML in the **Device Configuration** tab of FileCloud policies.

✗ For most clients, if the user changes the configuration locally, then the remote settings configured by the Administrator will override those settings the next time the client refreshes its settings.

1. In the FileCloud admin portal's left navigation bar, scroll down and click **Settings**. Then, on













the **Settings** navigation page, click **Policies**  .  
The **Policies** settings page opens.

## Policies

New Policy

Create a new policy

New Policy

Policy Name	User Count	Group Count	Default	Actions
Global Default Policy	0	0	<input checked="" type="checkbox"/>	     
TEAM FOLDER POLICY	1	0	<input type="checkbox"/>	     

« < Page 1 of 1 > »

2 rows

2. Edit the policy of the users whose client device settings you want to modify.
3. Click the **Device Configuration** tab.
4. Paste or type in the remote device configuration XML in **Device Configuration** using any number of parameters from the table below.

```
<xml>
  <fileclouddesktopmac>
    <setting>
      <key>runatstartup</key>
      <value>1</value><
```

```

    <default>1</default>
  </setting>
</fileclouddesktopmac>
</xml>

```

Effective Policy: "Global Default Policy"

General 2FA User Policy Client Application Policy **Device Configuration** Notifications

Some policy settings will not be applicable for Guest and External users.

Device Configuration  
Client Configuration

```

<xml>
  <fileclouddesktopmac>
    <setting>
      <key>runatstartup</key>
      <value>1</value>
      <default>1</default>
    </setting>
  </fileclouddesktopmac>
</xml>

```

Customize default configuration for any of your client applications in valid XML.

Cancel Reset Save

<default> is an optional tag that indicates if the setting can be changed through the user interface. A value of 1 indicates the setting is a default and can be changed by the user through the user interface. A value of 0 (or omission of <default>) indicates that the setting is overridden and cannot be changed by the user through the user interface.

Supported parameters for FileCloud Desktop for macOS. All parameters are optional. Add one or more of these parameters (using <key>, <value>, and <default> tags) in the <setting> tags in the XML.

Parameter (Key)	Description	Values
lockonopen	Automatically lock files when they are opened.	0 (disabled) 1 (enabled) default
runatstartup	Run FileCloud Desktop for macOS on system startup.	0 (disabled) 1 (enabled) default
loglevel	Level of details stored in log files, where <b>information</b> is the least detailed, and <b>trace</b> is the most detailed.	"information" default "debug" "trace"

Parameter (Key)	Description	Values																				
language	Language of the FileCloud Desktop for macOS user interface.	<table><tr><th>Value</th><th>Language</th></tr><tr><td>nl</td><td>Dutch</td></tr><tr><td>en (default)</td><td>English</td></tr><tr><td>de</td><td>German</td></tr><tr><td>es</td><td>Spanish</td></tr><tr><td>pt</td><td>Portuguese</td></tr><tr><td>fr</td><td>French</td></tr><tr><td>ar</td><td>Arabic</td></tr><tr><td>it</td><td>Italian</td></tr><tr><td>ru</td><td>Russian</td></tr></table>	Value	Language	nl	Dutch	en (default)	English	de	German	es	Spanish	pt	Portuguese	fr	French	ar	Arabic	it	Italian	ru	Russian
		Value	Language																			
		nl	Dutch																			
		en (default)	English																			
		de	German																			
		es	Spanish																			
		pt	Portuguese																			
		fr	French																			
		ar	Arabic																			
		it	Italian																			
ru	Russian																					
mutenotifications	Suppress all notifications on FileCloud Desktop.	0 (disabled, notifications are shown) default 1 (enabled, notifications are not shown)																				

## Example:

The code below shows example settings:

```
<xml>
<fileclouddesktopmac>
  <setting>
    <key>lockonopen</key>
    <value>1</value>
  </setting>
  <setting>
    <key>runatstartup</key>
    <value>1</value>
    <default>1</default>
  </setting>
</fileclouddesktopmac>
</xml>
```

```

</setting>
<setting>
  <key>loglevel</key>
  <value>debug</value>
</setting>
<setting>
  <key>language</key>
  <value>en</value>
</setting>
<setting>
  <key>mutenotifications</key>
  <value>0</value>
</setting>
</fileclouddesktopmac>
</xml>

```

In this example:

- Files are automatically locked when they are opened by FileCloud Desktop (lockonopen = 1). Default value.
- The application runs at startup (runatstartup = 1, default = 1). Default value.
- The log level is set to "debug" (loglevel = debug). Overridden value.
- The language is set to "en" (language = en). Default value.
- Notifications are not muted (mutenotifications = 0). Default value.

If a key is not supported or a value is incorrect, the application skips it and logs a warning message.

## Using FileCloud for Office with FileCloud Desktop for macOS

- i** FileCloud for Office is an MS Office add-in for Word, Excel, and PowerPoint which can be used in both Windows and macOS with FileCloud Sync, FileCloud Drive, and FileCloud Desktop. It is available in FileCloud beginning with version 23.1.  
For instructions on how to install FileCloud for Office, see [Using FileCloud for Office](#).

## Before using FileCloud for Office with FileCloud Desktop for macOS


The first time you install FileCloud Desktop for macOS, you must:

- Contact FileCloud Support and request that your cookie same-site value be set to **None**.
- Confirm that you trust FileCloud for Office and enable it as shown in the following procedure.


### To confirm that you trust FileCloud for Office:

1. After you log in to FileCloud Desktop for MacOS, click the **Settings** tab.

2. Then, click the **Trust FileCloud for Office** button.



The **Trust FileCloud for Office** button disappears, and the slider for **FileCloud For Office integration** becomes accessible, and is turned off by default. Click it to turn it on so you are able to use FileCloud for Office.



FileCloud for Office is now enabled, but to use it in Office files, you must [attach the add-in](#) to each type of Office file from your FileCloud Desktop directory.

## Working with FileCloud for Office in FileCloud Desktop for macOS

The FileCloud for Office task panel displays information about a file and enables you to:

- Lock or unlock a file.
- Prevent or allow download of a file while locked.
- Share a file.
- Manage file versions, and view file details and metadata.

### Lock or unlock a file

#### Locking and unlocking files


You can use the file locking function in FileCloud for Office to:

- See if you have a file locked for editing
- Turn a file lock on or off
- Prevent or enable downloads of a locked file


If a shared file is not locked when you open it for edit, another user can also open the file and make changes.

To avoid this, by default, FileCloud for Office automatically locks files for editing when they are opened.

When you open an Office file in your client directory, the FileCloud for Office panel shows **File is locked**, and by default, users are allowed to download or read the file (**Prevent download** is disabled).




- To prevent other users from downloading or reading the file while it is locked, click the **Prevent download** slider.



- To unlock the file while you have it opened for edit, click **Unlock**. Now other users can modify as well as view and download the file.



**Note:** Prevent download cannot be enabled when the file is unlocked.



The following table describes what each lock status means and how it impacts what you and others you have shared the file with can do with the file.

Lock Status	Access by lock owner	Access by others
File is locked (download allowed)	Read and modification allowed	Only read is allowed, no modification is allowed
File is locked (download prevented)	Read and modification allowed	Neither read nor modification is allowed
File is not locked	Read and modification allowed	Read and modification allowed

**i For a locked file with download (read) prevented:**  
If USER1 has locked (and read blocked) the file:


- The FileCloud client will not download the file for USER2

However, if USER2 has already downloaded the file in Sync or Drive, then:

- FileCloud Sync will allow FileCloud for Office to open the file.
- FileCloud Drive will not allow the file to be opened by USER2, unless Drive has already cached the file.


**If an admin prevents file locking after a user has locked a file in a client:**

- The lock is automatically removed from the file
- Additional files cannot be locked using FileCloud for Office, and when you attempt to lock a file, an error message similar to the following appears:



If you are an admin and want to disable locking, see Managing User Locks.

You can use the following table to understand the status of lock:


Action	Doc IQ Lock Enabled	Prevent Download	Lock Status Before Open	Lock Status After Open	Lock Status After close
An unlocked file is opened by USER1			File is not locked	File is locked (read allowed) by USER1	File is not locked
An unlocked file is opened by USER1			File is not locked	File is not locked	File is not locked
A file locked by USER1 is opened by USER1			File is Locked (Read Allowed) by User 1	File is Locked (Read Allowed) by USER1	File is not locked
A file locked by USER1 is opened by USER1			File is Locked (Read Allowed) by User 1	File is Locked (Read Allowed) by USER1	File is not locked
A file locked by USER1 is opened by USER1			File is Locked (Read Blocked) by USER1	File is Locked (Read Blocked) by USER1	File is not locked
A file locked by USER1 is opened by USER2			File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1
A file locked by USER1 is opened by USER2			File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1	File is Locked (Read Allowed) by USER1
A file locked by USER1 is opened by USER2			File is Locked (Read Blocked) by USER1	File is Locked (Read Blocked) by USER1	File is Locked (Read Blocked) by USER1

## Share a file

### Sharing a file

**To share a file or folder that is opened with FileCloud for Office:**

1. In the FileCloud for Office panel, click **Create**.






A Share Link screen that is nearly identical to the one in the user portal opens:

Share link for customers.docx

Share link

http://127.0.0.1/url/vkzsyjks4fefndwb

Modify link

Shared file

My Files > customers.docx

Share options

Share history

Share name:

customers.docx

Change

Expires:

Never expires

Max number of downloads:

No Restrictions

Send email notifications:

Yes

Sharing permissions:

☐ Allow anyone with link
 ☐ Allow anyone with link and password
 ☒ Allow selected users and/or groups

Users (0)

Groups (0)

Invite users

User	View	Download	Upload	Share	Sync	Delete	Manage
No entries							


Remove share

OK

- Share the file using the same settings and options that you would for a share in the user portal. See Sharing Files and Folders for help.

**Note:** The option for downloading the share QR code, which is available for shares created from the user portal, is not available for shares created in FileCloud for Office.

After you have shared the file, the FileCloud for Office panel displays details of the share:



3. Click **Manage** to change the options or permissions in the share.


Download versions, view details and metadata

### Downloading versions, viewing details, viewing metadata


#### Versions

**To view a file's version information in FileCloud for Office:**

1. At the bottom of the FileCloud for Office panel, click the + across from **Versions**.




The expanded **Versions** section shows you version information about the file.




**To download file versions in FileCloud for Office:**



1. In the **Versions** section of the FileCloud for Office panel, click **Manage versions**.



The Properties dialog box opens to the **Versions** tab.




2. Click **Download** for the version that you want to download, and save it.

## Details


**To view file details:**

1. In the **Versions** section of the FileCloud for Office panel, click **Manage versions**.



The **Properties** dialog box opens to the **Versions** tab.

2. Click the **Details** tab.




The details shown are the filename and type, the last modified date, the path of the file in FileCloud, and your permissions for the file.

## Metadata


To view metadata information for the file:

1. In the **Versions** section of the FileCloud for Office panel, click **Manage versions**.



2. The **Properties** dialog box opens to the **Versions** tab.

3. Click the **Metadata** tab.



Each metadata set applied to the file is listed with the values for its fields.

FileCloud for Office log locations

### Locating FFO logs

The locations of log files for FileCloud for Office in Windows and macOS are the following:

**Windows:** %appdata%/FFOserver

**macOS:** /Users/[USERNAME]/Library/Preferences/FFOserver

View and add comments


### Viewing and adding comments

Comments added to files and folders in FileCloud for Office also appear in the user portal and any of the other client apps.

#### To view and add comments in FileCloud for Office:


1. If **Comments** is not visible in the FileCloud for Office panel, scroll down to the bottom of the panel.

2. Click the **+** across from **Comments**.




Any existing comments added to the file or folder here or anywhere else in FileCloud appear above

the **Comments** box.






3. To add a new comment, click inside the **Comments** box and enter the comment.



4. Click **Add comment**.


The comment is added.



## Troubleshooting FileCloud Desktop for macOS

**Problem:**

The following installation failed message appears in the Summary at the end of installation:

**Solution:**

Check if the installer file (.pkg) is stored on Dropbox or OneDrive/iCloud Drive/... If it is, move the installer to another location and try reinstalling.


**Problem:**

After upgrading your operating system from macOS Ventura to macOS Sonoma, you are unable to access FileCloud Desktop for macOS.

**Solution:**

1. Uninstall FileCloud Desktop for macOS.

2. Open the FileCloud folder in your Finder, and in the upper-right corner, click **Delete FileCloud**.



3. Once the FileCloud folder is deleted, [reinstall FileCloud Desktop for macOS](#).

**Problem:**

After you upgrade FileCloud Desktop for macOS with MDM, users' apps are not upgraded.

**Solution:**


Have users log out of the app and log in again. This is required to upgrade the app when you upgrade using MDM.

## Sending Feedback from FileCloud Desktop for macOS


You can send feedback about FileCloud Desktop for macOS to FileCloud directly from the dashboard.

**To send feedback:**

1. From any tab in the dashboard, click **Send Feedback**.




A **Send Feedback** screen opens:



2. To send a message about something you like or dislike:

- a. Click **I like something** or **I dislike something**, and enter your email and comment.



The screenshot shows a 'Send Feedback' dialog box from FileCloud Desktop. The dialog has a blue header bar with the title 'Send Feedback' and a close button. Below the header, there is a dark blue section with a smiley face icon and the text 'I like something' and 'Tell us what we're doing well'. Underneath, there is a text input field containing 'Dali@example.com' with a checkmark icon to its right. Below the email field is a large text area containing the text 'Great user interface:'. At the bottom of the dialog, there is a disclaimer: 'By pressing submit your feedback will be used to improve FileCloud products and service.' followed by a link to 'FileCloud Privacy Policy'. At the very bottom, there are two buttons: 'Close' and 'Submit'.

FileCloud Desktop

Send Feedback

I like something  
Tell us what we're doing well

Dali@example.com


Great user interface:

By pressing submit your feedback will be used to improve FileCloud products and service.  
[FileCloud Privacy Policy](#)

Close Submit

b. Click **Submit**.


A message tells you that the FileCloud Product Management team will review your message.





3. To share an idea, click **I have an idea**.

You are taken directly to the FileCloud Ideas forum, where you can enter your idea.



The screenshot shows the FileCloud Ideas Forum interface. At the top, there is a header with the FileCloud logo and the text "FILECLOUD IDEAS FORUM". Below the header, there is a navigation bar with three buttons: "Home" (represented by a house icon), "Topics", and "New Topic". The "New Topic" button is highlighted in blue. Below the navigation bar, there is a light blue announcement box that reads "Announcement: FileCloud 23.232 is now available". Below the announcement box, there is a yellow box with a lightbulb icon and the text "Ideas". Inside this yellow box, there is a text input field with the placeholder text "Enter your idea...".

## Comparison of the Effect of Share Permissions in Different Clients

When a file or folder is shared in FileCloud, a set of permissions are added to the share to determine what actions recipients can take on the share.

Depending on the client, permissions may behave differently. The following table indicates any differences in behavior.

### Private Shares of Files

	User portal	FileCloud Desktop for Windows	FileCloud Desktop for macOS	FileCloud Sync	FileCloud Drive	FileCloud ServerSync	FileCloud Outlook Plugin	FileCloud iOS app	FileCloud Android app
<b>View Only</b>	Share recipients can preview the file.	Share recipients cannot preview the file; download and upload are required.	Share recipients cannot preview the file; download and upload are required.	Share recipients can preview the file.	Share recipients can preview the file.	Share recipients can preview the file.	Share recipients can preview the file.	Share recipients can preview the file.	Share recipients can preview the file.
<b>View + Download</b>	Share recipients can preview the file and save the file locally.	Share recipients cannot preview or save the file; upload is required.	Share recipients cannot preview or save the file; upload is required.	Share recipients can preview the file and save the file locally.	Share recipients can preview the file and save the file locally.	Share recipients can preview the file and save the file locally.	Share recipients can preview the file and save the file locally.	Share recipients can preview the file and save the file locally.	Share recipients can preview the file and save the file locally.

	User portal	FileCloud Desktop for Windows	FileCloud Desktop for macOS	FileCloud Sync	FileCloud Drive	FileCloud ServerSync	FileCloud Outlook Plugin	FileCloud iOS app	FileCloud Android app
<b>View + Download + Upload</b>	Share recipients can preview the file, save the file locally, and edit the file.	Share recipients can preview the file, save the file locally, and edit the file.	Share recipients can preview the file, save the file locally, and edit the file.	Share recipients can preview the file, save the file locally, and edit the file.	Share recipients can preview the file, save the file locally, and edit the file.	Share recipients can preview the file, save the file locally, and edit the file.	Share recipients can preview the file, save the file locally, and edit the file.	Share recipients can preview the file, save the file locally, and edit the file.	Share recipients can preview the file, save the file locally, and edit the file.
<b>View + Upload</b>	Share recipients can preview and edit the file.	Share recipients cannot preview or edit the file; download is required.	Share recipients cannot preview or edit the file; download is required.	Share recipients can preview and edit the file.	Share recipients can preview and edit the file.	Share recipients can preview and edit the file.	Share recipients can preview and edit the file.	Share recipients can preview and edit the file.	Share recipients can preview and edit the file.

	User portal	FileCloud Desktop for Windows	FileCloud Desktop for macOS	FileCloud Sync	FileCloud Drive	FileCloud ServerSync	FileCloud Outlook Plugin	FileCloud iOS app	FileCloud Android app
<b>View + Download + Upload + Share</b>	Share recipients can preview the file, save the file locally, edit the file, and reshare the file.	Share recipients can preview the file, save the file locally, edit the file, and reshare the file.	Share recipients can preview the file, save the file locally, edit the file, and reshare the file.	Share recipients can preview the file, save the file locally, edit the file, and reshare the file.	Share recipients can preview the file, save the file locally, edit the file, and reshare the file.	Share recipients can preview the file, save the file locally, edit the file, and reshare the file.	Share recipients can preview the file, save the file locally, edit the file, and reshare the file.	Share recipients can preview the file, save the file locally, edit the file, and reshare the file.	Share recipients can preview the file, save the file locally, edit the file, and reshare the file.

**Note:** Private sharing of a single file does not allow Sync, Delete, or Manage permission.

### Private Shares of Folders

	User portal	FileCloud Desktop for Windows	FileCloud Desktop for macOS	FileCloud Sync	FileCloud Server Sync	FileCloud Drive	FileCloud Outlook Plugin	FileCloud iOS app	FileCloud Android app
<b>View</b>	Share recipients can preview files/folders in the folder.	Share recipients cannot preview files/folders in the folder; download and upload are required.	Share recipients cannot preview files/folders in the folder; download and upload are required.	Share recipients cannot preview files in the folder. Download failed error occurs for the files inside this folder since download permission is missing.	Share recipients can preview files in the folder.	Share recipients can preview files in the folder.	Share recipients can preview files in the folder.	Share recipients can preview files in the folder.	Share recipients can preview files in the folder.

	User portal	FileCloud Desktop for Windows	FileCloud Desktop for macOS	FileCloud Sync	FileCloud Server Sync	FileCloud Drive	FileCloud Outlook Plugin	FileCloud iOS app	FileCloud Android app
<b>View + Download</b>	Share recipients can save file/folders in the folder locally and preview them.	Share recipients cannot preview or save files/folders in the folder; upload is required.	Share recipients cannot preview or save files/folders in the folder; upload is required.	Share recipients can save file/folders in the folder locally on the client and preview them.	Share recipients can save file/folders in the folder locally on the client and preview them.	Share recipients can save file/folders in the folder locally on the client and preview them.	Share recipients can save file/folders in the folder locally on the client and preview them.	Share recipients can save file/folders in the folder locally on the client and preview them.	Share recipients can save file/folders in the folder locally on the client and preview them.

	User portal	FileCloud Desktop for Windows	FileCloud Desktop for macOS	FileCloud Sync	FileCloud Server Sync	FileCloud Drive	FileCloud Outlook Plugin	FileCloud iOS app	FileCloud Android app
<b>View + Upload</b>	Share recipients can preview files/folders in the folder and edit them.	Share recipients cannot preview or edit files/folders in the folder; download is required.	Share recipients cannot preview files/folders in the folder; download is required.	Share recipients cannot preview files in the folder. Download failed error occurs for the files inside this folder since download permission is missing.	Share recipients can preview files/folders in the folder and edit them.	Share recipients can preview files/folders in the folder and edit them.	Share recipients can preview files/folders in the folder and edit them.	Share recipients can preview files/folders in the folder and edit them.	Share recipients can preview files/folders in the folder and edit them.

	User portal	FileCloud Desktop for Windows	FileCloud Desktop for macOS	FileCloud Sync	FileCloud Server Sync	FileCloud Drive	FileCloud Outlook Plugin	FileCloud iOS app	FileCloud Android app
<b>View + Download + Upload</b>	Share recipients can save file/folders in the folder locally and preview and edit them.	Share recipients can save file/folders in the folder locally and preview and edit them.	Share recipients can save file/folders in the folder locally and preview and edit them.	Share recipients can save file/folders in the folder locally, preview, and edit them.	Share recipients can save file/folders in the folder locally, preview, and edit them.	Share recipients can save file/folders in the folder locally, preview, and edit them.	Share recipients can save file/folders in the folder locally, preview, and edit them.	Share recipients can save file/folders in the folder locally, preview, and edit them.	Share recipients can save file/folders in the folder locally, preview, and edit them.



	User portal	FileCloud Desktop for Windows	FileCloud Desktop for macOS	FileCloud Sync	FileCloud Server Sync	FileCloud Drive	FileCloud Outlook Plugin	FileCloud iOS app	FileCloud Android app
<b>View + Download + Upload + Share</b>	Share recipients can save file/folders in the folder locally, and preview, edit, and reshare them.	Share recipients can save file/folders in the folder locally, preview, edit, and reshare them.	Share recipients can save file/folders in the folder locally, preview, edit, and reshare them.	Share recipients can save file/folders in the folder locally, preview, edit, and reshare them.	Share recipients can save file/folders in the folder locally, preview, edit, and reshare them.	Share recipients can save file/folders in the folder locally, preview, edit, and reshare them.	Share recipients can save file/folders in the folder locally, preview, edit, and reshare them.	Share recipients can save file/folders in the folder locally, preview, edit, and reshare them.	Share recipients can save file/folders in the folder locally, preview, edit, and reshare them.

	User portal	FileCloud Desktop for Windows	FileCloud Desktop for macOS	FileCloud Sync	FileCloud Server Sync	FileCloud Drive	FileCloud Outlook Plugin	FileCloud iOS app	FileCloud Android app
<b>View + Download + Upload + Sync</b>	Share recipients can save file/folders in the folder locally, preview, edit, and sync them.	Share recipients can save file/folders in the folder locally, preview, edit, and sync them.	Share recipients can save file/folders in the folder locally, preview, edit, and sync them.	Share recipients can save file/folders in the folder locally and preview and edit them.  Note: They cannot sync; share is also required.	Share recipients can save file/folders in the folder locally and preview and edit them.  Note: They cannot sync; share is also required.	Share recipients can save file/folders in the folder locally, preview, edit, and sync them.	Share recipients can save file/folders in the folder locally, preview, edit, and sync them.	Share recipients can save file/folders in the folder locally, preview, edit, and sync them.	Share recipients can save file/folders in the folder locally, preview, edit, and sync them.

	User portal	FileCloud Desktop for Windows	FileCloud Desktop for macOS	FileCloud Sync	FileCloud Server Sync	FileCloud Drive	FileCloud Outlook Plugin	FileCloud iOS app	FileCloud Android app
<b>View + Download + Upload + Delete</b>	Share recipients can save file/folders in the folder locally and preview, edit, and delete them.	Share recipients can save file/folders in the folder locally on the client and preview, edit, and delete them.	Share recipients can save file/folders in the folder locally on the client and preview, edit, and delete them.	Share recipients can save file/folders in the folder locally on the client and preview, edit, and delete them.	Share recipients can save file/folders in the folder locally on the client and preview, edit, and delete them.	Share recipients can save file/folders in the folder locally on the client and preview, edit, and delete them.	Share recipients can save file/folders in the folder locally on the client and preview, edit, and delete them.	Share recipients can save file/folders in the folder locally on the client and preview, edit, and delete them.	Share recipients can save file/folders in the folder locally on the client and preview, edit, and delete them.

	User portal	FileCloud Desktop for Windows	FileCloud Desktop for macOS	FileCloud Sync	FileCloud Server Sync	FileCloud Drive	FileCloud Outlook Plugin	FileCloud iOS app	FileCloud Android app
<b>View + Download + Upload + Sync + Delete</b>	Share recipients can save file/folders in the folder locally and preview, edit, sync, and delete them.	Share recipients can save file/folders in the folder locally on the client and preview, edit, sync, and delete them.	Share recipients can save file/folders in the folder locally on the client and preview, edit, sync, and delete them.	Share recipients can save file/folders in the folder locally on the client and preview, edit, and delete them.  Note: They cannot sync; share is also required.	Share recipients can save file/folders in the folder locally on the client and preview, edit, and delete them.  Note: They cannot sync; share is also required.	Share recipients can save file/folders in the folder locally on the client and preview, edit, sync, and delete them.	Share recipients can save file/folders in the folder locally on the client and preview, edit, sync, and delete them.	Share recipients can save file/folders in the folder locally on the client and preview, edit, sync, and delete them.	Share recipients can save file/folders in the folder locally on the client and preview, edit, sync, and delete them.

	User portal	FileCloud Desktop for Windows	FileCloud Desktop for macOS	FileCloud Sync	FileCloud Server Sync	FileCloud Drive	FileCloud Outlook Plugin	FileCloud iOS app	FileCloud Android app
<b>View + Download + Upload + Share + Delete</b>	Share recipients can save file/folders in the folder locally and preview, edit, reshare, and delete them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, and delete them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, and delete them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, and delete them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, and delete them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, and delete them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, and delete them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, and delete them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, and delete them.

	User portal	FileCloud Desktop for Windows	FileCloud Desktop for macOS	FileCloud Sync	FileCloud Server Sync	FileCloud Drive	FileCloud Outlook Plugin	FileCloud iOS app	FileCloud Android app
<b>View + Download + Upload + Share + Sync</b>	Share recipients can save file/folders in the folder locally and preview, edit, reshare, and sync them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, and sync them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, and sync them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, and sync them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, and sync them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, and sync them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, and sync them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, and sync them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, and sync them.

	User portal	FileCloud Desktop for Windows	FileCloud Desktop for macOS	FileCloud Sync	FileCloud Server Sync	FileCloud Drive	FileCloud Outlook Plugin	FileCloud iOS app	FileCloud Android app
<b>View + Download + Upload + Share + Sync + Delete</b>	Share recipients can save file/folders in the folder locally and preview, edit, reshare, sync, and delete them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, sync, and delete them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, sync, and delete them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, sync, and delete them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, sync, and delete them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, sync, and delete them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, sync, and delete them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, sync, and delete them.	Share recipients can save file/folders in the folder locally and preview, edit, reshare, sync, and delete them.

	User portal	FileCloud Desktop for Windows	FileCloud Desktop for macOS	FileCloud Sync	FileCloud Server Sync	FileCloud Drive	FileCloud Outlook Plugin	FileCloud iOS app	FileCloud Android app
<b>View + Download + Upload + Share + Sync + Delete + Manage</b>	<p>Share recipients can save file/folders in the folder locally and preview, edit, reshare, sync, delete, and manage them.</p> <p>Managing includes functions such as removing permissions and users.</p>	<p>Share recipients can save file/folders in the folder locally and preview, edit, reshare, sync, delete, and manage them.</p> <p>Managing includes functions such as removing permissions and users.</p>	<p>Share recipients can save file/folders in the folder locally and preview, edit, reshare, sync, delete, and manage them.</p> <p>Managing includes functions such as removing permissions and users.</p>	<p>Share recipients can save file/folders in the folder locally and preview, edit, reshare, sync, delete, and manage them.</p> <p>Managing includes functions such as removing permissions and users.</p>	<p>Share recipients can save file/folders in the folder locally and preview, edit, reshare, sync, delete, and manage them.</p> <p>Managing includes functions such as removing permissions and users.</p>	<p>Share recipients can save file/folders in the folder locally and preview, edit, reshare, sync, delete, and manage them.</p> <p>Managing includes functions such as removing permissions and users.</p>	<p>Share recipients can save file/folders in the folder locally and preview, edit, reshare, sync, delete, and manage them.</p> <p>Managing includes functions such as removing permissions and users.</p>	<p>Share recipients can save file/folders in the folder locally and preview, edit, reshare, sync, delete, and manage them.</p> <p>Managing includes functions such as removing permissions and users.</p>	<p>Share recipients can save file/folders in the folder locally and preview, edit, reshare, sync, delete, and manage them.</p> <p>Managing includes functions such as removing permissions and users.</p>



	User portal	FileCloud Desktop for Windows	FileCloud Desktop for macOS	FileCloud Sync	FileCloud Server Sync	FileCloud Drive	FileCloud Outlook Plugin	FileCloud iOS app	FileCloud Android app
									and users .

# Managing FileCloud Client Apps with MDM Software

**i** This page is intended for FileCloud admins only, and addresses management of FileCloud client apps with MDM software. Individual MDM software applications may be configurable with certain operating systems only, and therefore may be effective with specific FileCloud client apps only. At the current time, Miradore MDM has been tested with FileCloud Desktop for macOS and FileCloud Desktop for Windows. The examples given below use Miradore MDM configured for FileCloud Desktop for Windows. However, other MDM software that supports Windows and macOS may be used with FileCloud Desktop and other FileCloud clients..

See Using MDM Software with FileCloud Mobile Apps for information about using MDM software with FileCloud's mobile apps.

Mobile device management (MDM) software enables you to manage all of your users' devices and apply security to them. You can use MDM software with FileCloud's client apps installed on laptop, desktop, and tablet computers.


## To add a FileCloud client to MDM software:

### 1. Enroll Your Device

Since there are many MDM providers and ways to enroll, please check your MDM documentation for instructions on how to enroll your users' devices.

**As an example, to enroll your users' Windows devices in Miradore MDM:**

1. Log in to Miradore MDM.
2. Add or import the device user(s) to Miradore MDM.
3. In the navigation panel, go to **Enrollment > Enroll Device**.
4. Click the Windows icon.



5. Under **Single device enrollment**, leave **Full management** and **Add user** selected. Then choose a user and click **Begin enrollment**.

## Enroll Windows


[Show instructions](#) ▾

### Single device enrollment

Enroll a Windows device by following the next steps. Check the comparison if you are unsure which management type to choose.


#### 1. Select management type

[Compare](#) ▾



**Full management**

Creates MDM work profile  
Client installed automatically by MDM




**Light management**


Downloads Miradore client for manual installation

**Begin enrollment**

#### 2. Choose device user



**Add user**



**Unknown user**

Jennifer Perkins ▾


☐ Send enrollment invitation to user

The screen indicates that the user's device is being enrolled.

## Single device enrollment

[Close](#)

**Full management**



**loading device...**

This may take several minutes. Enrollment will continue in the background even if you close this window.


Status	—
Product name	—
Serial number	—
User	Jennifer Perkins

[See more device information](#)

[Close](#)

**Enroll another device**

It notifies you when enrollment is complete.



6. To confirm that the device is actively enrolled, in the navigation panel, go to Management > Devices and check that the device is listed with a green icon.

FileCloud > **Management** > **Devices**

Add ▾
Actions ▾
Deploy ▾
Lifecycle ▾
Security ▾

Select columns ▾ Refresh

<input type="checkbox"/>	<input type="radio"/>	Product name ▾	Marketing name	Software version	User	Last reported	Ownership
<input type="checkbox"/>	<input checked="" type="radio"/>	Microsoft Corpora...		Windows 10 Pro		5/1/2025 3:47:00 ...	Purchased
<input type="checkbox"/>	<input type="radio"/>	Microsoft Corpora...		Windows 11 Enter...		4/1/2025 3:41:07 ...	Purchased
<input type="checkbox"/>	<input checked="" type="radio"/>	Microsoft Corpora...		Windows 11 Pro (...)		5/1/2025 4:36:03 ...	Purchased

## 2. Add the FileCloud client app to your MDM

Please check your specific MDM's documentation for instructions on how to add an app to your MDM software.


In general, the steps for adding a FileCloud client app to your MDM are:

1. Download the application package of the FileCloud client.
2. Open your MDM software.

3. Add the FileCloud client app.
4. Assign or deploy the FileCloud client app to the devices enrolled with the MDM.

**For example, to add FileCloud Desktop for Windows to Miradore MDM:**

1. Download FileCloud Desktop for Windows at <https://www.filecloud.com/additional-downloads/>.
2. Log in to Miradore MDM.
3. Add FileCloud Desktop for Windows to Miradore MDM.
  - a. In the navigation panel, go to **Management > Applications**.
  - b. On the Applications page, click **Add > Windows application**.



c. In Step 1, select **MSI (file upload)**, and click **Next**.

**Add application**

Step 1 of 3: Select application type

☐ MSI (external URL)
 ☒ MSI (file upload)
 ☐ Advanced (external URL)
 ☐ Advanced (file upload)
 ☐ Advanced (no media)

Choose MSI (file up

Cancel Next

d. In Step 2, select the FileCloudDesktopInstaller.msi file, and fill in any the other fields. Leave **Deployment context** set to **Device**. Then click **Create**.

**Add application**

Step 2 of 3: Enter application details

Uploaded file  Select file  
 Description   
 Command-line options   
 Deployment context   
 Retry count   
 Retry interval   
 Timeout

Cancel Previous Create

The application is uploaded and appears in your list of applications. Note that it may appear in

**Pending Uploads** until it is uploaded.

FileCloud > Management > Applications

<input type="checkbox"/>	Name ▲	Platform	Application identifier	App Store ID	Type
<input type="checkbox"/>	FileCloud Desktop	Windows	980c7222-fad8-4...		MSI (Uploaded)

### 3. Deploy the FileCloud App to the devices

Deploying the FileCloud client to the devices enables you to manage them with the MDM.

**To deploy the FileCloud client to an enrolled device in our Miradore MDM example:**

1. Navigate to the Management > Applications page if you are not already there.

2. Check the FileCloud client that you want to deploy to the device or devices you enrolled, and click **Deploy**.

FileCloud > Management > Applications

Deploy Add Managed Google Play Apple VPP Delete

Applications Pending uploads

Select columns Refresh

<input type="checkbox"/>	Name	Platform	Application identifier
<input type="checkbox"/>			
<input type="checkbox"/>			
<input type="checkbox"/>			
<input type="checkbox"/>			
<input type="checkbox"/>			
<input type="checkbox"/>			
<input type="checkbox"/>			
<input checked="" type="checkbox"/>	FileCloud Desktop	Windows	980c7222-fad8-41fd-aa1a-182...

3. Click **Next**.

Deploy application

Step 1 of 4: Select which version and how application is deployed to devices.

FileCloud Desktop

23.241.33.5669 > MSI (Uploaded)

Cancel Next



4. Check the device or devices to deploy the application to, and click **Next**.

## Deploy application

Step 2 of 4: Select devices to deploy the selected application

<input type="checkbox"/>	Model	Software version	User
<input type="checkbox"/>	Microsoft Corporation Virt...	Windows 10 Pro	
<input type="checkbox"/>	Microsoft Corporation Virt...	Windows 11 Enterprise Ev...	
<input checked="" type="checkbox"/>	Microsoft Corporation Virt...	Windows 11 Pro (24H2)	


Cancel
Previous
Next

5. Review the deployment information, and click **Deploy**.

## Deploy application

Step 3 of 4: Confirm

Deploying application to 1 devices.



Application name

Version

Application identifier

Deployment method

Configuration

FileCloud Desktop

23.241.33.5669


980c7222-fad8-41fd-aa1a-182e59f74f0e

MSI (Uploaded)

No configuration

Cancel
Previous
Deploy

You receive confirmation that the application is deployed.



Now you can manage use of FileCloud Desktop for Windows on the devices it has been deployed to.

**To update a FileCloud client app in MDM software:**

1. Follow the process described in Step 2, above, for adding the FileCloud client app but upload the new version of the file.  
It is listed under **Applications** like the original file.
2. Follow the process described in Step 3, above, for deploying the updated application to the devices you previously deployed it to.